

**ASHAR Summary**

**Schools with Student Population - All**

**School Year: 2006-2007**

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
1	623708	2166	Illness - Nsg Assess/Tx	120	526	12	Dental # RN re-screened
5	151528	532	Injury at School - Nsg Assess/Tx	121	324	8	Dental Screening # referred Urgent
6	10050	42	Follow Up Injury at School - Nsg Assess/Tx	122	1102	18	Dental Screening # referred Decay
10	55360	199	Injury at Home or Other - Nsg Assess/Tx (Initial & F/U)	123	1077	24	Dental Screening # referred Other
15	236717	883	Medications - Daily # doses given	125	56580	280	Pediculosis # screened
18	181673	640	Medications - PRN # doses given	130	4451	34	Pediculosis # RN re-screened
20	64390	334	Skilled Nursing Procedures (consents required)	131	847	10	Pediculosis # referred
21	8963	66	IEP (required) Related Interventions	135	159	16	TB Skin Testing # screened
30	309909	1084	Parental Contacts	140	281	9	TB Skin Testing # read by RN
35	648	7	Home Visits	141	13	1	TB Skin Testing # referred
40	114453	397	Student Health Records (enrollment)	145	7796	217	Acanthosis Nigricans Screening # screened
45	116403	414	Student Health Records (withdrawal)	150	1441	103	Acanthosis Nigricans Screening # RN re-screened
50	196300	719	Immunization Records	151	157	9	Acanthosis Nigricans Screening # referred
55	450	32	Immunization Administration # adults	160	1485	30	Physical Exams/Assessments
60	1555	65	Immunization Administration # students	165	620	18	Neurodevelopmental Assessments
65	131325	513	Vision # screened	170	1166	146	Fluoride Mouthrinse Program
70	14726	74	Vision # RN re-screened	175	15665	114	Health Education/Promotion/Resource
71	9271	45	Vision # referred	180	4163	35	Classroom Presentation to Students
75	130235	507	Hearing # screened	185	1622	54	Social/Developmental Histories
80	9955	48	Hearing # RN re-screened	190	3944	37	Special Education - Evaluation/Re-Eval Assessment
81	3035	18	Hearing # referred	195	2926	26	Child/Student Team Meetings
85	14740	143	Scoliosis # screened	210	111601	492	Conferences w/ school personnel re: students
90	748	15	Scoliosis # RN re-screened	215	3194	23	School Meetings
91	539	11	Scoliosis # referred	220	15425	96	Community Contacts / Meetings
95	69502	437	Height & Weight Screening # screened	225	1280	21	School Environmental Inspection
100	1232	24	Height & Weight Screening # RN re-screened	230	36	3	University / College Courses
101	338	18	Height & Weight Screening # referred Underweight	235	536	5	Conferences / Workshops Attended
102	959	60	Height & Weight Screening # referred At Risk	240	396	6	Classes Workshops Given
103	1689	58	Height & Weight Screening # referred Overweight	245	632	10	Preceptor of Student Nurses
105	11169	95	B/P # screened	250	437	8	Professional Committee Participation
110	1008	16	B/P # RN re-screened	275	1189	19	Emergency Calls to Other Schools
111	59	2	B/P # referred	280	66278	263	Students Sent Home by RN
115	16018	157	Dental # screened	285	14455	94	Students Sent Home by Health Assistant

**ASHAR Summary**

**Schools with Student Population - All**

**School Year: 2006-2007**

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
300.11	367	6	Absenteeism - Known as of 5/1	340.11	273	2	Bleeding Disorders - Known as of 5/1
300.22	1863	23	Absenteeism - Nursing Intervention	340.22	493	10	Bleeding Disorders - Nursing Intervention
300.33	257	8	Absenteeism - Referred	340.33	19	2	Bleeding Disorders - Referred
305.11	9	1	AIDS/HIV - Known as of 5/1	343.11	22	2	Coccidioidomycosis - Known as of 5/1
305.22	6	1	AIDS/HIV - Nursing Intervention	343.22	133	19	Coccidioidomycosis - Nursing Intervention
305.33	2	1	AIDS/HIV - Referred	343.33	2	1	Coccidioidomycosis - Referred
310.11	31790	122	Allergy - Known as of 5/1	344.11	75	1	Connective Tissue Disorders - Known as of 5/1
310.22	18633	73	Allergy - Nursing Intervention	344.22	96	7	Connective Tissue Disorders - Nursing Intervention
310.33	545	6	Allergy - Referred	344.33	1	1	Connective Tissue Disorders - Referred
315.11	42	2	Anorexia/Bulimia - Known as of 5/1	345.11	36	1	Cystic Fibrosis - Known as of 5/1
315.22	111	5	Anorexia/Bulimia - Nursing Intervention	345.22	4352	189	Cystic Fibrosis - Nursing Intervention
315.33	10	2	Anorexia/Bulimia - Referred	345.33	6	1	Cystic Fibrosis - Referred
320.11	203	2	Arthritis/Rheumatic Disease - Known as of 5/1	350.11	422	2	Diabetes - Type I - Known as of 5/1
320.22	305	4	Arthritis/Rheumatic Disease - Nursing Intervention	350.22	66284	417	Diabetes - Type I - Nursing Intervention
320.33	12	2	Arthritis/Rheumatic Disease - Referred	350.33	181	4	Diabetes - Type I - Referred
325.11	18410	68	Asthma - without PCP Action Plan - Known as of 5/1	351.11	66	1	Diabetes - Type II - Known as of 5/1
325.22	49269	195	Asthma - without PCP Action Plan - Nursing Intervention	351.22	2011	39	Diabetes - Type II - Nursing Intervention
325.33	669	5	Asthma - without PCP Action Plan - Referred	351.33	115	10	Diabetes - Type II - Referred
326.11	2008	10	Asthma - with PCP Action Plan - Known as of 5/1	355.11	491	3	Endocrine Disorders - Known as of 5/1
326.22	22620	129	Asthma - with PCP Action Plan - Nursing Intervention	355.22	2887	51	Endocrine Disorders - Nursing Intervention
326.33	301	7	Asthma - with PCP Action Plan - Referred	355.33	26	3	Endocrine Disorders - Referred
330.11	8192	31	Attention Deficit Disorder/Hyperactivity - Known as of 5/1	356.11	1729	8	Gastrointestinal Chronic - Known as of 5/1
330.22	107949	450	Attention Deficit Disorder/Hyperactivity - Nursing Intervention	356.22	14245	81	Gastrointestinal Chronic - Nursing Intervention
330.33	122	3	Attention Deficit Disorder/Hyperactivity - Referred	356.33	86	2	Gastrointestinal Chronic - Referred
332.11	456	3	Autism, Childhood - Known as of 5/1	358.11	822	4	Genitourinary Chronic - Known as of 5/1
332.22	4461	87	Autism, Childhood - Nursing Intervention	358.22	6689	51	Genitourinary Chronic - Nursing Intervention
332.33	4	1	Autism, Childhood - Referred	358.33	68	2	Genitourinary Chronic - Referred
333.11	147	2	Autism, Spectrum Disorder - Known as of 5/1	359.11	204	5	Gynecological - Known as of 5/1
333.22	1041	37	Autism, Spectrum Disorder - Nursing Intervention	359.22	3201	28	Gynecological - Nursing Intervention
333.33	4	1	Autism, Spectrum Disorder - Referred	359.33	30	2	Gynecological - Referred
335.11	2246	10	Birth Defects/Developmental - Known as of 5/1	360.11	3262	13	Hearing - Known as of 5/1
335.22	15030	158	Birth Defects/Developmental - Nursing Intervention	360.22	4077	24	Hearing - Nursing Intervention
335.33	23	3	Birth Defects/Developmental - Referred	360.33	2499	18	Hearing - Referred

**ASHAR Summary**

**Schools with Student Population - All**

**School Year: 2006-2007**

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
365.11	1924	8	Heart - Known as of 5/1	410.11	102	2	Tuberculosis - Known as of 5/1
365.22	2120	18	Heart - Nursing Intervention	410.22	409	29	Tuberculosis - Nursing Intervention
365.33	120	3	Heart - Referred	410.33	13	3	Tuberculosis - Referred
368.11	56	2	Hepatic & Biliary Disorders - Known as of 5/1	415.11	27104	112	Vision - Known as of 5/1
368.22	1200	133	Hepatic & Biliary Disorders - Nursing Intervention	415.22	13313	62	Vision - Nursing Intervention
368.33	2	1	Hepatic & Biliary Disorders - Referred	415.33	8567	48	Vision - Referred
370.11	132	2	Hypertension - Known as of 5/1	420.11	732	5	Color Deficit - Known as of 5/1
370.22	645	18	Hypertension - Nursing Intervention	420.22	291	6	Color Deficit - Nursing Intervention
370.33	42	4	Hypertension - Referred	420.33	158	3	Color Deficit - Referred
372.11	1975	9	Integumentary Chronic - Known as of 5/1	425.11	1627	17	Weight Disorders - Known as of 5/1
372.22	2484	20	Integumentary Chronic - Nursing Intervention	425.22	1739	40	Weight Disorders - Nursing Intervention
372.33	53	2	Integumentary Chronic - Referred	425.33	394	21	Weight Disorders - Referred
375.11	140	2	Malignancies - Known as of 5/1	500.22	179	20	Anemia - Nursing Intervention
375.22	527	14	Malignancies - Nursing Intervention	500.33	3	1	Anemia - Referred
375.33	7	1	Malignancies - Referred	505.22	670	6	Child Abuse/Neglect - Nursing Intervention
380.11	4019	17	Neuro Disorders - Known as of 5/1	505.33	491	5	Child Abuse/Neglect - Referred
380.22	12469	78	Neuro Disorders - Nursing Intervention	510.22	26	2	Coccidioidomycosis - Nursing Intervention
380.33	123	3	Neuro Disorders - Referred	515.22	1019	10	Commun. Rash - Varicella - Nursing Intervention
385.11	1512	7	Orthopedic - Known as of 5/1	515.33	69	2	Commun. Rash - Varicella - Referred
385.22	5301	38	Orthopedic - Nursing Intervention	516.22	257	4	Commun. Rash - Impetigo - Nursing Intervention
385.33	196	4	Orthopedic - Referred	516.33	90	3	Commun. Rash - Impetigo - Referred
390.11	2586	12	Psychiatric - Known as of 5/1	518.22	1176	8	Commun. Rash - Other - Nursing Intervention
390.22	17256	109	Psychiatric - Nursing Intervention	518.33	275	4	Commun. Rash - Other - Referred
390.33	98	2	Psychiatric - Referred	520.22	6728	27	Conjunctivitis - Nursing Intervention
395.11	408	4	Scoliosis - Known as of 5/1	520.33	1548	10	Conjunctivitis - Referred
395.22	752	21	Scoliosis - Nursing Intervention	525.22	5322	24	Dental - Decay - Nursing Intervention
395.33	44	3	Scoliosis - Referred	525.33	1133	9	Dental - Decay - Referred
400.11	1363	6	Seizure Disorders - Known as of 5/1	526.22	12630	54	Dental - Other - Nursing Intervention
400.22	10630	77	Seizure Disorders - Nursing Intervention	526.33	961	7	Dental - Other - Referred
400.33	113	2	Seizure Disorders - Referred	530.22	8644	42	Emotional/Adjustment Problems - Nursing Intervention
405.11	81	2	Sickle Cell - Known as of 5/1	530.33	391	5	Emotional/Adjustment Problems - Referred
405.22	124	9	Sickle Cell - Nursing Intervention	531.22	4142	21	Fever >101 with or w/o headache & no other recognizable sy
405.33	26	7	Sickle Cell - Referred	531.33	795	10	Fever >101 with or w/o headache & no other recognizable sy

**ASHAR Summary**

**Schools with Student Population - All**

**School Year: 2006-2007**

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
535.22	2352	14	Fractures - Nursing Intervention	585.33	19	2	Scabies - Referred
535.33	303	3	Fractures - Referred	590.22	35	3	Sexually Transmitted Diseases - Nursing Intervention
540.22	6913	35	Genitourinary - Nursing Intervention	590.33	4	1	Sexually Transmitted Diseases - Referred
540.33	289	3	Genitourinary - Referred	595.22	448	9	Substance Abuse - Nursing Intervention
543.22	10989	54	Gastrointestinal - Vomiting & Diarrhea w or w/o fever - Nursi	595.33	138	5	Substance Abuse - Referred
543.33	664	8	Gastrointestinal - Vomiting & Diarrhea w or w/o fever - Referr	600.22	85	3	Suicide Behavior - Nursing Intervention
545.22	97905	371	Gastrointestinal - Other - Nursing Intervention	600.33	47	3	Suicide Behavior - Referred
545.33	2083	16	Gastrointestinal - Other - Referred	603.22	19	2	Suicide Attempt - Nursing Intervention
546.22	11929	73	Gynecological - Nursing Intervention	603.33	7	1	Suicide Attempt - Referred
546.33	146	4	Gynecological - Referred	605.22	5	1	Suicide - Nursing Intervention
550.22	26	4	Hepatitis - Nursing Intervention	605.33	1	1	Suicide - Referred
550.33	2	1	Hepatitis - Referred	610.22	1726	11	Trauma (Referral Required) - Nursing Intervention
553.22	3	1	Hepatic and Biliary Disorders - Nursing Intervention	610.33	935	10	Trauma (Referral Required) - Referred
553.33	2	1	Hepatic and Biliary Disorders - Referred	620.22	8669	64	Activity Intolerance - Nursing Intervention
555.22	154	5	Infectious Mononucleosis - Nursing Intervention	620.33	228	8	Activity Intolerance - Referred
555.33	11	2	Infectious Mononucleosis - Referred	621.22	6062	71	Activity Intolerance, Risk For - Nursing Intervention
560.22	34293	144	Integumentary - Nursing Intervention	621.33	70	5	Activity Intolerance, Risk For - Referred
560.33	669	6	Integumentary - Referred	623.22	5	1	Adaptive Capacity, Intracranial:decreased - Nursing Interve
561.22	26	2	Meningitis/Encephalitis - Bacterial/Viral - Nursing Interventio	625.22	319	10	Adjustment impaired - Nursing Intervention
561.33	7	1	Meningitis/Encephalitis - Bacterial/Viral - Referred	625.33	9	1	Adjustment impaired - Referred
563.22	23419	140	Musculoskeletal (acute, non-fracture) - Nursing Intervention	630.22	2760	17	Anxiety - Nursing Intervention
563.33	621	8	Musculoskeletal (acute, non-fracture) - Referred	630.33	84	3	Anxiety - Referred
565.22	6848	30	Otitis Media/Externa - Nursing Intervention	635.22	3486	38	Body Temperature, Risk for, Alteration - Nursing Intervention
565.33	1541	11	Otitis Media/Externa - Referred	635.33	207	8	Body Temperature, Risk for, Alteration - Referred
570.22	6613	36	Pediculosis - Nursing Intervention	640.22	30	2	Hypothermia - Nursing Intervention
570.33	1215	14	Pediculosis - Referred	640.33	4	1	Hypothermia - Referred
575.22	608	10	Pregnancy - Nursing Intervention	645.22	4993	38	Hyperthermia - Nursing Intervention
575.33	78	4	Pregnancy - Referred	645.33	474	14	Hyperthermia - Referred
580.22	62475	252	Respiratory - Nursing Intervention	650.22	179	4	Thermoregulation, Ineffective - Nursing Intervention
580.33	2229	17	Respiratory - Referred	650.33	1	1	Thermoregulation, Ineffective - Referred
582.22	6161	41	Respiratory - Influenza-like Illness (ILI) - Nursing Intervention	655.22	855	9	Constipation - Nursing Intervention
582.33	288	5	Respiratory - Influenza-like Illness (ILI) - Referred	655.33	36	2	Constipation - Referred
585.22	60	2	Scabies - Nursing Intervention	656.22	103	3	Constipation, Colonic - Nursing Intervention

**ASHAR Summary**

**Schools with Student Population - All**

**School Year: 2006-2007**

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
656.33	7	1	Constipation, Colonic - Referred	696.33	4	1	Coping, Defensive - Referred
657.22	116	2	Constipation, Perceived - Nursing Intervention	697.22	10	1	Denial, Ineffective - Nursing Intervention
657.33	7	2	Constipation, Perceived - Referred	698.22	366	12	Coping (Family): Potential for Growth - Nursing Intervention
658.22	1206	10	Incontinence, Bowel - Nursing Intervention	698.33	8	1	Coping (Family): Potential for Growth - Referred
658.33	52	3	Incontinence, Bowel - Referred	699.22	193	4	Coping (Family): Ineffective: Compromised - Nursing Interv
660.22	1024	7	Diarrhea - Nursing Intervention	699.33	20	1	Coping (Family): Ineffective: Compromised - Referred
660.33	92	3	Diarrhea - Referred	700.22	116	4	Coping (Family), Ineffective: Disabling - Nursing Intervention
662.22	2	1	Breastfeeding, Ineffective - Nursing Intervention	700.33	14	1	Coping (Family), Ineffective: Disabling - Referred
662.33	1	1	Breastfeeding, Ineffective - Referred	701.22	2237	57	Decisional Conflict - Nursing Intervention
664.22	790	790	Infant Feeding Pattern, Ineffective - Nursing Intervention	701.33	3	1	Decisional Conflict - Referred
665.22	60	4	Cardiac Output, Alterations in - Decreased - Nursing Interv	705.22	17	2	Diversional Activity Deficit - Nursing Intervention
665.33	7	1	Cardiac Output, Alterations in - Decreased - Referred	706.22	8	2	Dysreflexia - Nursing Intervention
666.22	12	1	Care Giver Role Strain - Nursing Intervention	706.33	2	1	Dysreflexia - Referred
666.33	1	1	Care Giver Role Strain - Referred	708.22	2616	101	Energy Field Disturbance - Nursing Intervention
667.22	15	1	Caregiver Role Strain, Risk For - Nursing Intervention	708.33	15	5	Energy Field Disturbance - Referred
667.33	2	1	Caregiver Role Strain, Risk For - Referred	710.22	417	5	Family Processes, Alterations in - Nursing Intervention
675.22	291297	1120	Pain - Nursing Intervention	710.33	50	3	Family Processes, Alterations in - Referred
675.33	2300	17	Pain - Referred	711.22	6	2	Family Process, Altered: Alcoholism - Nursing Intervention
680.22	427	7	Pain, Chronic - Nursing Intervention	711.33	2	2	Family Process, Altered: Alcoholism - Referred
680.33	29	2	Pain, Chronic - Referred	712.22	5946	37	Fatigue - Nursing Intervention
690.22	73	4	Communication, Impaired - Verbal - Nursing Intervention	712.33	61	2	Fatigue - Referred
690.33	2	1	Communication, Impaired - Verbal - Referred	715.22	186	3	Fear - Nursing Intervention
691.22	18	1	Confusion, Acute - Nursing Intervention	715.33	15	2	Fear - Referred
691.33	5	1	Confusion, Acute - Referred	720.22	5698	53	Fluid Volume Deficit - Nursing Intervention
692.22	8	2	Confusion, Chronic - Nursing Intervention	720.33	58	6	Fluid Volume Deficit - Referred
692.33	1	1	Confusion, Chronic - Referred	722.22	9563	89	Fluid Volume Deficit, Risk for - Nursing Intervention
693.22	19	2	Coping (Community): Potential For Enhanced - Nursing Inter	722.33	26	2	Fluid Volume Deficit, Risk for - Referred
693.33	2	1	Coping (Community): Potential For Enhanced - Referred	725.22	9	2	Fluid Volume Excess - Nursing Intervention
694.22	222	5	Coping (Community): Ineffective - Nursing Intervention	725.33	1	1	Fluid Volume Excess - Referred
694.33	7	2	Coping (Community): Ineffective - Referred	730.22	164	4	Grieving, Anticipatory - Nursing Intervention
695.22	7025	53	Coping (Individual), Ineffective - Individual - Nursing Interv	730.33	12	2	Grieving, Anticipatory - Referred
695.33	121	3	Coping (Individual), Ineffective - Individual - Referred	731.22	41	2	Greiving, Dysfunctional - Nursing Intervention
696.22	530	18	Coping, Defensive - Nursing Intervention	731.33	17	3	Greiving, Dysfunctional - Referred

**ASHAR Summary**

**Schools with Student Population - All**

**School Year: 2006-2007**

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
735.22	1213	110	Growth and Development, Altered - Nursing Intervention	785.22	3157	43	Noncompliance - Nursing Intervention
735.33	8	1	Growth and Development, Altered - Referred	785.33	170	11	Noncompliance - Referred
745.22	12943	158	Health Maintenance - Alterations in - Nursing Intervention	790.22	14455	84	Nutrition, Altered - Less than Body Requirements - Nursing I
745.33	269	15	Health Maintenance - Alterations in - Referred	790.33	87	3	Nutrition, Altered - Less than Body Requirements - Referred
746.22	2409	38	Health - Seeking Behaviors ( specify ) - Nursing Intervention	791.22	718	22	Nutrition, Altered: Risk for More than Body Requirements - N
746.33	54	5	Health - Seeking Behaviors ( specify ) - Referred	791.33	8	1	Nutrition, Altered: Risk for More than Body Requirements - R
750.22	84	4	Home Maintenance Management, impaired - Nursing Interv	795.22	993	28	Swallowing, Impaired - Nursing Intervention
750.33	19	2	Home Maintenance Management, impaired - Referred	795.33	5	1	Swallowing, Impaired - Referred
755.22	27	2	Hopelessness - Nursing Intervention	800.22	410	11	Nutrition, Altered - More than Body Requirements - Nursing I
755.33	2	1	Hopelessness - Referred	800.33	7	1	Nutrition, Altered - More than Body Requirements - Referred
760.22	29049	133	Infection, Risk for - Nursing Intervention	805.22	122	4	Parenting, Altered - Nursing Intervention
760.33	1434	16	Infection, Risk for - Referred	805.33	15	2	Parenting, Altered - Referred
770.22	4976	46	Injury, Risk for - Nursing Intervention	806.22	37	2	Parenting, Risk For Altered - Nursing Intervention
770.33	472	16	Injury, Risk for - Referred	806.33	17	2	Parenting, Risk For Altered - Referred
771.22	64	3	Poisoning, Risk For - Nursing Intervention	807.22	21	2	Parent/Infant/Child Attachment, Risk For Altered - Nursing In
771.33	14	2	Poisoning, Risk For - Referred	807.33	2	1	Parent/Infant/Child Attachment, Risk For Altered - Referred
772.22	1585	26	Trauma, Risk For - Nursing Intervention	808.22	24	2	Parental Role Conflict - Nursing Intervention
772.33	46	2	Trauma, Risk For - Referred	808.33	2	1	Parental Role Conflict - Referred
773.22	238	8	Management Of Therapeutic Regimen, Ineffective: Families	815.22	28	2	Post-Trauma Response Syndrome - Nursing Intervention
773.33	27	3	Management Of Therapeutic Regimen, Ineffective: Families	815.33	11	2	Post-Trauma Response Syndrome - Referred
774.22	27	3	Management of Therapeutic Regimen, Ineffective: Communi	820.22	18	2	Rape-Trauma Syndrome - Nursing Intervention
774.33	5	3	Management of Therapeutic Regimen, Ineffective: Communi	820.33	2	1	Rape-Trauma Syndrome - Referred
775.22	17162	145	Knowledge Deficit - Nursing Intervention	821.22	2	2	Rape-Trauma Syndrome: Compound Reaction - Nursing Inte
775.33	82	5	Knowledge Deficit - Referred	821.33	1	1	Rape-Trauma Syndrome: Compound Reaction - Referred
776.22	28	2	Loneliness, Risk for - Nursing Intervention	825.22	59	3	Powerlessness - Nursing Intervention
778.22	462	12	Management of Thereputic Regimen, Ineffective (Individuals	825.33	2	1	Powerlessness - Referred
778.33	24	3	Management of Thereputic Regimen, Ineffective (Individuals	827.22	20	2	Protection, Altered - Nursing Intervention
779.22	1654	52	Management Of Therapeutic Regimen, Effective: Individual -	827.33	3	1	Protection, Altered - Referred
779.33	9	2	Management Of Therapeutic Regimen, Effective: Individual -	828.22	37	4	Relocation Stress Syndrome - Nursing Intervention
780.22	4442	43	Physical Mobility, Impaired - Nursing Intervention	828.33	2	1	Relocation Stress Syndrome - Referred
780.33	196	8	Physical Mobility, Impaired - Referred	831.22	21	4	Ventilation, Inability to Sustain Spontaneous - Nursing Interv
782.22	63	5	Peripheral Neurovascular Dysfunction, Risk for - Nursing Int	831.33	2	1	Ventilation, Inability to Sustain Spontaneous - Referred
782.33	5	1	Peripheral Neurovascular Dysfunction, Risk for - Referred	835.22	4298	63	Ineffective Airway Clearance - Nursing Intervention

**ASHAR Summary**

**Schools with Student Population - All**

**School Year: 2006-2007**

<b>Code</b>	<b>Count</b>	<b>AV/Sch</b>	<b>Description</b>	<b>Code</b>	<b>Count</b>	<b>AV/Sch</b>	<b>Description</b>
835.33	81	5	Ineffective Airway Clearance - Referred	905.22	28133	133	Tissue Integrity, Impaired - Nursing Intervention
840.22	2503	31	Breathing Pattern, Ineffective - Nursing Intervention	905.33	334	5	Tissue Integrity, Impaired - Referred
840.33	33	3	Breathing Pattern, Ineffective - Referred	910.22	55375	235	Skin Integrity, Impaired - Nursing Intervention
845.22	967	19	Gas Exchange, Impaired - Nursing Intervention	910.33	447	5	Skin Integrity, Impaired - Referred
845.33	22	2	Gas Exchange, Impaired - Referred	911.22	7984	63	Skin Integrity, Risk for Impaired - Intervention
846.22	8	1	Suffocation, Risk For - Nursing Intervention	911.33	65	3	Skin Integrity, Risk for Impaired - Referred
847.22	1155	72	Aspiration, Risk For - Nursing Intervention	915.22	12201	72	Oral Mucous Membrane, Alteration in - Nursing Intervention
847.33	2	1	Aspiration, Risk For - Referred	915.33	165	4	Oral Mucous Membrane, Alteration in - Referred
848.22	20	3	Role Performance, Altered - Nursing Intervention	920.22	1643	24	Tissue Perfusion, Altered (Specify Type) - Nursing Interventi
852.22	2364	16	Self Care Deficit Bathing/Hygiene - Nursing Intervention	920.33	35	4	Tissue Perfusion, Altered (Specify Type) - Referred
852.33	104	5	Self Care Deficit Bathing/Hygiene - Referred	925.22	29	3	Neglect, Unilateral - Nursing Intervention
853.22	5893	42	Self Care Deficit Dressing/Grooming - Nursing Intervention	925.33	9	3	Neglect, Unilateral - Referred
853.33	86	3	Self Care Deficit Dressing/Grooming - Referred	930.22	1600	24	Urinary Elimination, Altered - Nursing Intervention
854.22	6103	44	Self Care Deficit Toileting - Nursing Intervention	930.33	47	4	Urinary Elimination, Altered - Referred
854.33	67	3	Self Care Deficit Toileting - Referred	940.22	2081	23	Incontinence, Functional - Nursing Intervention
857.22	1544	27	Self Care Deficit Feeding - Nursing Intervention	940.33	14	2	Incontinence, Functional - Referred
857.33	9	2	Self Care Deficit Feeding - Referred	945.22	105	4	Incontinence, Reflex - Nursing Intervention
865.22	1169	39	Sensory-Perceptual Alterations (specify) (Visual, auditory, ki	945.33	12	4	Incontinence, Reflex - Referred
865.33	7	1	Sensory-Perceptual Alterations (specify) (Visual, auditory, ki	950.22	228	6	Incontinence, Stress - Nursing Intervention
870.22	9	2	Sexuality Patterns, Altered - Nursing Intervention	950.33	1	1	Incontinence, Stress - Referred
870.33	4	1	Sexuality Patterns, Altered - Referred	955.22	1226	40	Incontinence, Total - Nursing Intervention
875.22	8	2	Sexual Dysfunction, Altered - Nursing Intervention	955.33	42	14	Incontinence, Total - Referred
875.33	1	1	Sexual Dysfunction, Altered - Referred	960.22	2443	37	Incontinence, Urge - Nursing Intervention
880.22	1445	18	Sleep Pattern Disturbance - Nursing Intervention	960.33	21	2	Incontinence, Urge - Referred
880.33	29	4	Sleep Pattern Disturbance - Referred	965.22	270	18	Urinary Retention - Nursing Intervention
885.22	24	2	Social Isolation - Nursing Intervention	970.22	286	7	Violence, Risk for: Self-Directed - Nursing Intervention
890.22	831	26	Social Interactions, Impaired - Nursing Intervention	970.33	28	2	Violence, Risk for: Self-Directed - Referred
890.33	1	1	Social Interactions, Impaired - Referred	971.22	239	4	Self-Mutilation, Risk For - Nursing Intervention
895.22	25	3	Spiritual Distress (Distress Of The Human Spirit) - Nursing I	971.33	44	2	Self-Mutilation, Risk For - Referred
895.33	3	2	Spiritual Distress (Distress Of The Human Spirit) - Referred	972.22	509	10	Violence, Risk For: Directed At Others - Nursing Intervention
896.22	1	1	Spiritual Well-being, Potential For Enhanced - Nursing Inter	972.33	28	2	Violence, Risk For: Directed At Others - Referred
900.22	35	2	Thought Processes, Altered - Nursing Intervention	976.22	7	2	Memory, Impaired - Nursing Intervention
900.33	5	2	Thought Processes, Altered - Referred	976.33	1	1	Memory, Impaired - Referred

**ASHAR Summary****Schools with Student Population - All****School Year: 2006-2007**

<b>Code</b>	<b>Count</b>	<b>AV/Sch</b>	<b>Description</b>	<b>Code</b>	<b>Count</b>	<b>AV/Sch</b>	<b>Description</b>
977.22	2		1 Environmental Interpretation Syndrome, Impaired - Nursing I				
980.22	196		6 Body Image Disturbance - Nursing Intervention				
980.33	7		1 Body Image Disturbance - Referred				
981.22	172		6 Self Esteem Disturbance - Nursing Intervention				
981.33	3		1 Self Esteem Disturbance - Referred				
982.22	578		41 Self esteem, Chronic Low - Nursing Intervention				
982.33	9		2 Self esteem, Chronic Low - Referred				
983.22	116		4 Self Esteem, Situational Low - Nursing Intervention				
983.33	15		4 Self Esteem, Situational Low - Referred				
984.22	4		1 Identity Disturbance, Personal - Nursing Intervention				
990.22	1		1 Infant Behavior, Risk For Disorganized - Nursing Intervention				
991.22	2		1 Infant Behavior, Disorganized - Nursing Intervention				
996.22	5		2 Perioperative Positioning Injury, Risk For - Nursing Interventi				
996.33	3		2 Perioperative Positioning Injury, Risk For - Referred				
1000.22	452		5 Staff Industrial Injury (Referral Required) - Nursing Interventi				
1000.33	323		4 Staff Industrial Injury (Referral Required) - Referred				
1005.22	1447		10 Staff Injury (Referral Not Required) - Nursing Intervention				
1005.33	362		5 Staff Injury (Referral Not Required) - Referred				
1015.22	14432		90 Staff Illness/Counseling - Nursing Intervention				
1015.33	1069		10 Staff Illness/Counseling - Referred				