

**ASHAR Summary**

**Schools with Student Population 1- 499**

**School Year: 2007-2008**

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
1	106474	1121	Illness - Nsg Assess/Tx	120	80	8	Dental # RN re-screened
5	33416	355	Injury at School - Nsg Assess/Tx	121	43	3	Dental Screening # referred Urgent
6	1510	19	Follow Up Injury at School - Nsg Assess/Tx	122	90	5	Dental Screening # referred Decay
10	10083	113	Injury at Home or Other - Nsg Assess/Tx (Initial & F/U)	123	20	2	Dental Screening # referred Other
15	51841	617	Medications - Daily # doses given	125	9752	168	Pediculosis # screened
18	25685	279	Medications - PRN # doses given	130	1158	29	Pediculosis # RN re-screened
20	15258	339	Skilled Nursing Procedures (consents required)	131	172	6	Pediculosis # referred
21	2130	55	IEP (required) Related Interventions	135	7	2	TB Skin Testing # screened
30	54311	597	Parental Contacts	140	6	1	TB Skin Testing # read by RN
35	122	6	Home Visits	145	2412	186	Acanthosis Nigricans Screening # screened
40	17945	195	Student Health Records (enrollment)	150	11	2	Acanthosis Nigricans Screening # RN re-screened
45	22966	252	Student Health Records (withdrawal)	151	10	3	Acanthosis Nigricans Screening # referred
50	29083	334	Immunization Records	160	356	21	Physical Exams/Assessments
55	2	1	Immunization Administration # adults	165	202	29	Neurodevelopmental Assessments
60	4	1	Immunization Administration # students	170	651	163	Fluoride Mouthrinse Program
65	18298	269	Vision # screened	175	1613	50	Health Education/Promotion/Resource
70	1916	38	Vision # RN re-screened	180	1347	48	Classroom Presentation to Students
71	2514	43	Vision # referred	185	333	33	Social/Developmental Histories
75	21380	278	Hearing # screened	190	601	25	Special Education - Evaluation/Re-Eval Assessment
80	1510	27	Hearing # RN re-screened	195	484	17	Child/Student Team Meetings
81	678	14	Hearing # referred	210	15467	221	Conferences w/ school personnel re: students
85	966	69	Scoliosis # screened	215	486	14	School Meetings
90	99	12	Scoliosis # RN re-screened	220	3380	73	Community Contacts / Meetings
91	21	3	Scoliosis # referred	225	43	3	School Environmental Inspection
95	12911	239	Height & Weight Screening # screened	230	8	4	University / College Courses
100	128	10	Height & Weight Screening # RN re-screened	235	154	6	Conferences / Workshops Attended
101	58	10	Height & Weight Screening # referred Underweight	240	81	5	Classes Workshops Given
102	230	46	Height & Weight Screening # referred At Risk	245	112	11	Preceptor of Student Nurses
103	258	29	Height & Weight Screening # referred Overweight	250	103	7	Professional Committee Participation
105	2203	63	B/P # screened	275	86	5	Emergency Calls to Other Schools
110	49	5	B/P # RN re-screened	280	8079	109	Students Sent Home by RN
111	3	1	B/P # referred	285	3507	72	Students Sent Home by Health Assistant
115	3776	140	Dental # screened	300.11	21	2	Absenteeism - Known as of 5/1

**ASHAR Summary**

**Schools with Student Population 1- 499**

**School Year: 2007-2008**

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
300.22	213	9	Absenteeism - Nursing Intervention	343.11	2	1	Coccidioidomycosis - Known as of 5/1
300.33	86	10	Absenteeism - Referred	344.11	9	1	Connective Tissue Disorders - Known as of 5/1
305.11	2	1	AIDS/HIV - Known as of 5/1	344.22	3	1	Connective Tissue Disorders - Nursing Intervention
305.22	2	1	AIDS/HIV - Nursing Intervention	345.11	8	1	Cystic Fibrosis - Known as of 5/1
310.11	3625	47	Allergy - Known as of 5/1	345.22	1594	399	Cystic Fibrosis - Nursing Intervention
310.22	6664	84	Allergy - Nursing Intervention	345.33	1	1	Cystic Fibrosis - Referred
310.33	114	4	Allergy - Referred	350.11	35	1	Diabetes - Type I - Known as of 5/1
315.11	1	1	Anorexia/Bulimia - Known as of 5/1	350.22	15280	392	Diabetes - Type I - Nursing Intervention
315.22	14	5	Anorexia/Bulimia - Nursing Intervention	350.33	32	2	Diabetes - Type I - Referred
315.33	2	2	Anorexia/Bulimia - Referred	351.11	12	2	Diabetes - Type II - Known as of 5/1
320.11	21	1	Arthritis/Rheumatic Disease - Known as of 5/1	351.22	10	1	Diabetes - Type II - Nursing Intervention
320.22	18	2	Arthritis/Rheumatic Disease - Nursing Intervention	351.33	3	2	Diabetes - Type II - Referred
325.11	1944	24	Asthma - without PCP Action Plan - Known as of 5/1	355.11	42	2	Endocrine Disorders - Known as of 5/1
325.22	8419	109	Asthma - without PCP Action Plan - Nursing Intervention	355.22	1009	84	Endocrine Disorders - Nursing Intervention
325.33	131	4	Asthma - without PCP Action Plan - Referred	355.33	5	1	Endocrine Disorders - Referred
326.11	377	7	Asthma - with PCP Action Plan - Known as of 5/1	356.11	255	5	Gastrointestinal Chronic - Known as of 5/1
326.22	5424	95	Asthma - with PCP Action Plan - Nursing Intervention	356.22	933	22	Gastrointestinal Chronic - Nursing Intervention
326.33	87	8	Asthma - with PCP Action Plan - Referred	356.33	20	3	Gastrointestinal Chronic - Referred
330.11	883	12	Attention Deficit Disorder/Hyperactivity - Known as of 5/1	358.11	110	3	Genitourinary Chronic - Known as of 5/1
330.22	24105	340	Attention Deficit Disorder/Hyperactivity - Nursing Intervention	358.22	1528	66	Genitourinary Chronic - Nursing Intervention
330.33	96	6	Attention Deficit Disorder/Hyperactivity - Referred	358.33	12	2	Genitourinary Chronic - Referred
332.11	143	4	Autism, Childhood - Known as of 5/1	359.22	176	10	Gynecological - Nursing Intervention
332.22	1215	93	Autism, Childhood - Nursing Intervention	359.33	5	3	Gynecological - Referred
332.33	6	3	Autism, Childhood - Referred	360.11	417	6	Hearing - Known as of 5/1
333.11	48	3	Autism, Spectrum Disorder - Known as of 5/1	360.22	737	17	Hearing - Nursing Intervention
333.22	51	13	Autism, Spectrum Disorder - Nursing Intervention	360.33	539	15	Hearing - Referred
333.33	1	1	Autism, Spectrum Disorder - Referred	365.11	247	4	Heart - Known as of 5/1
335.11	433	8	Birth Defects/Developmental - Known as of 5/1	365.22	145	5	Heart - Nursing Intervention
335.22	6149	293	Birth Defects/Developmental - Nursing Intervention	365.33	32	3	Heart - Referred
335.33	4	1	Birth Defects/Developmental - Referred	368.11	7	1	Hepatic & Biliary Disorders - Known as of 5/1
340.11	34	1	Bleeding Disorders - Known as of 5/1	368.22	313	104	Hepatic & Biliary Disorders - Nursing Intervention
340.22	392	23	Bleeding Disorders - Nursing Intervention	370.11	11	1	Hypertension - Known as of 5/1
340.33	47	16	Bleeding Disorders - Referred	370.22	123	15	Hypertension - Nursing Intervention

**ASHAR Summary**

**Schools with Student Population 1- 499**

**School Year: 2007-2008**

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
370.33	4	2	Hypertension - Referred	425.22	119	8	Weight Disorders - Nursing Intervention
372.11	329	6	Integumentary Chronic - Known as of 5/1	425.33	8	2	Weight Disorders - Referred
372.22	563	14	Integumentary Chronic - Nursing Intervention	500.22	7	2	Anemia - Nursing Intervention
372.33	14	1	Integumentary Chronic - Referred	500.33	2	2	Anemia - Referred
375.11	14	1	Malignancies - Known as of 5/1	505.22	210	5	Child Abuse/Neglect - Nursing Intervention
375.22	5	1	Malignancies - Nursing Intervention	505.33	125	4	Child Abuse/Neglect - Referred
380.11	321	5	Neuro Disorders - Known as of 5/1	510.22	2	1	Coccidioidomycosis - Nursing Intervention
380.22	2688	84	Neuro Disorders - Nursing Intervention	510.33	1	1	Coccidioidomycosis - Referred
380.33	29	2	Neuro Disorders - Referred	515.22	58	3	Commun. Rash - Varicella - Nursing Intervention
385.11	183	4	Orthopedic - Known as of 5/1	515.33	16	2	Commun. Rash - Varicella - Referred
385.22	1012	33	Orthopedic - Nursing Intervention	516.22	70	3	Commun. Rash - Impetigo - Nursing Intervention
385.33	42	3	Orthopedic - Referred	516.33	27	2	Commun. Rash - Impetigo - Referred
390.11	201	4	Psychiatric - Known as of 5/1	517.22	1	1	Commun. Rash - Rubella/Rubeola - Nursing Intervention
390.22	3994	121	Psychiatric - Nursing Intervention	518.22	312	6	Commun. Rash - Other - Nursing Intervention
390.33	33	3	Psychiatric - Referred	518.33	76	3	Commun. Rash - Other - Referred
395.11	18	2	Scoliosis - Known as of 5/1	520.22	1453	21	Conjunctivitis - Nursing Intervention
395.22	4	1	Scoliosis - Nursing Intervention	520.33	287	7	Conjunctivitis - Referred
400.11	206	4	Seizure Disorders - Known as of 5/1	525.22	668	12	Dental - Decay - Nursing Intervention
400.22	3029	104	Seizure Disorders - Nursing Intervention	525.33	213	8	Dental - Decay - Referred
400.33	21	2	Seizure Disorders - Referred	526.22	3346	45	Dental - Other - Nursing Intervention
405.11	20	2	Sickle Cell - Known as of 5/1	526.33	300	9	Dental - Other - Referred
405.22	33	7	Sickle Cell - Nursing Intervention	530.22	1602	28	Emotional/Adjustment Problems - Nursing Intervention
405.33	5	2	Sickle Cell - Referred	530.33	87	6	Emotional/Adjustment Problems - Referred
410.11	9	1	Tuberculosis - Known as of 5/1	531.22	926	14	Fever >101 with or w/o headache & no other recognizable sy
410.22	5	2	Tuberculosis - Nursing Intervention	531.33	236	8	Fever >101 with or w/o headache & no other recognizable sy
410.33	1	1	Tuberculosis - Referred	535.22	248	6	Fractures - Nursing Intervention
415.11	2082	32	Vision - Known as of 5/1	535.33	57	2	Fractures - Referred
415.22	3378	57	Vision - Nursing Intervention	540.22	570	12	Genitourinary - Nursing Intervention
415.33	2316	47	Vision - Referred	540.33	56	3	Genitourinary - Referred
420.11	68	2	Color Deficit - Known as of 5/1	543.22	1525	23	Gastrointestinal - Vomiting & Diarrhea w or w/o fever - Nursi
420.22	37	3	Color Deficit - Nursing Intervention	543.33	229	11	Gastrointestinal - Vomiting & Diarrhea w or w/o fever - Referr
420.33	31	3	Color Deficit - Referred	545.22	14948	180	Gastrointestinal - Other - Nursing Intervention
425.11	97	3	Weight Disorders - Known as of 5/1	545.33	598	15	Gastrointestinal - Other - Referred

**ASHAR Summary**

**Schools with Student Population 1- 499**

**School Year: 2007-2008**

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
546.22	552	15	Gynecological - Nursing Intervention	605.33	1	1	Suicide - Referred
546.33	13	2	Gynecological - Referred	610.22	166	5	Trauma (Referral Required) - Nursing Intervention
550.22	1	1	Hepatitis - Nursing Intervention	610.33	90	4	Trauma (Referral Required) - Referred
550.33	1	1	Hepatitis - Referred	620.22	1656	53	Activity Intolerance - Nursing Intervention
553.22	5	2	Hepatic and Biliary Disorders - Nursing Intervention	620.33	80	8	Activity Intolerance - Referred
555.22	21	2	Infectious Mononucleosis - Nursing Intervention	621.22	1598	73	Activity Intolerance, Risk For - Nursing Intervention
555.33	4	1	Infectious Mononucleosis - Referred	621.33	24	6	Activity Intolerance, Risk For - Referred
560.22	7271	97	Integumentary - Nursing Intervention	623.22	1	1	Adaptive Capacity, Intracranial:decreased - Nursing Interv
560.33	401	13	Integumentary - Referred	625.22	236	39	Adjustment impaired - Nursing Intervention
561.22	4	1	Meningitis/Encephalitis - Bacterial/Viral - Nursing Interventio	630.22	501	10	Anxiety - Nursing Intervention
563.22	2990	59	Musculoskeletal (acute, non-fracture) - Nursing Intervention	630.33	17	2	Anxiety - Referred
563.33	66	4	Musculoskeletal (acute, non-fracture) - Referred	635.22	1493	51	Body Temperature, Risk for, Alteration - Nursing Intervention
565.22	1220	19	Otitis Media/Externa - Nursing Intervention	635.33	105	12	Body Temperature, Risk for, Alteration - Referred
565.33	304	9	Otitis Media/Externa - Referred	640.22	6	1	Hypothermia - Nursing Intervention
570.22	709	16	Pediculosis - Nursing Intervention	640.33	1	1	Hypothermia - Referred
570.33	208	9	Pediculosis - Referred	645.22	576	20	Hyperthermia - Nursing Intervention
575.22	27	2	Pregnancy - Nursing Intervention	645.33	43	5	Hyperthermia - Referred
575.33	6	6	Pregnancy - Referred	650.22	130	16	Thermoregulation, Ineffective - Nursing Intervention
580.22	9911	125	Respiratory - Nursing Intervention	650.33	3	3	Thermoregulation, Ineffective - Referred
580.33	551	16	Respiratory - Referred	655.22	485	20	Constipation - Nursing Intervention
582.22	397	12	Respiratory - Influenza-like Illness (ILI) - Nursing Intervention	655.33	11	3	Constipation - Referred
582.33	69	5	Respiratory - Influenza-like Illness (ILI) - Referred	656.22	13	2	Constipation, Colonic - Nursing Intervention
585.22	10	3	Scabies - Nursing Intervention	656.33	5	5	Constipation, Colonic - Referred
585.33	4	1	Scabies - Referred	657.22	148	11	Constipation, Perceived - Nursing Intervention
590.22	3	1	Sexually Transmitted Diseases - Nursing Intervention	657.33	7	4	Constipation, Perceived - Referred
590.33	1	1	Sexually Transmitted Diseases - Referred	658.22	298	10	Incontinence, Bowel - Nursing Intervention
595.22	25	3	Substance Abuse - Nursing Intervention	658.33	38	5	Incontinence, Bowel - Referred
595.33	10	3	Substance Abuse - Referred	660.22	153	5	Diarrhea - Nursing Intervention
600.22	6	1	Suicide Behavior - Nursing Intervention	660.33	53	7	Diarrhea - Referred
600.33	11	3	Suicide Behavior - Referred	665.22	12	4	Cardiac Output, Alterations in - Decreased - Nursing Interv
603.22	2	1	Suicide Attempt - Nursing Intervention	666.22	3	2	Care Giver Role Strain - Nursing Intervention
603.33	2	1	Suicide Attempt - Referred	667.22	12	3	Caregiver Role Strain, Risk For - Nursing Intervention
605.22	2	1	Suicide - Nursing Intervention	667.33	7	7	Caregiver Role Strain, Risk For - Referred

## ASHAR Summary

## Schools with Student Population 1- 499

School Year: 2007-2008

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
675.22	43323	481	Pain - Nursing Intervention	720.22	2676	134	Fluid Volume Deficit - Nursing Intervention
675.33	815	20	Pain - Referred	720.33	17	17	Fluid Volume Deficit - Referred
680.22	123	5	Pain, Chronic - Nursing Intervention	722.22	354	15	Fluid Volume Deficit, Risk for - Nursing Intervention
680.33	10	1	Pain, Chronic - Referred	722.33	1	1	Fluid Volume Deficit, Risk for - Referred
690.22	13	2	Communication, Impaired - Verbal - Nursing Intervention	725.22	1	1	Fluid Volume Excess - Nursing Intervention
690.33	3	2	Communication, Impaired - Verbal - Referred	730.22	12	2	Grieving, Anticipatory - Nursing Intervention
691.22	2	1	Confusion, Acute - Nursing Intervention	730.33	5	5	Grieving, Anticipatory - Referred
692.22	2	1	Confusion, Chronic - Nursing Intervention	731.22	2	1	Greiving, Dysfunctional - Nursing Intervention
693.22	3	1	Coping (Community): Potential For Enhanced - Nursing Inter	731.33	1	1	Greiving, Dysfunctional - Referred
694.22	39	4	Coping (Community): Ineffective - Nursing Intervention	735.22	7	2	Growth and Development, Altered - Nursing Intervention
694.33	1	1	Coping (Community): Ineffective - Referred	735.33	2	2	Growth and Development, Altered - Referred
695.22	577	21	Coping (Individual), Ineffective - Individual - Nursing Interve	745.22	608	30	Health Maintenance - Alterations in - Nursing Intervention
695.33	11	2	Coping (Individual), Ineffective - Individual - Referred	745.33	8	1	Health Maintenance - Alterations in - Referred
696.22	183	31	Coping, Defensive - Nursing Intervention	746.22	295	17	Health - Seeking Behaviors ( specify ) - Nursing Intervention
696.33	1	1	Coping, Defensive - Referred	746.33	6	6	Health - Seeking Behaviors ( specify ) - Referred
697.22	4	1	Denial, Ineffective - Nursing Intervention	750.22	12	1	Home Maintenance Management, impaired - Nursing Interv
698.22	11	1	Coping (Family): Potential for Growth - Nursing Intervention	750.33	2	1	Home Maintenance Management, impaired - Referred
698.33	2	1	Coping (Family): Potential for Growth - Referred	755.22	4	1	Hopelessness - Nursing Intervention
699.22	38	3	Coping (Family): Ineffective: Compromised - Nursing Interve	760.22	3168	53	Infection, Risk for - Nursing Intervention
699.33	2	1	Coping (Family): Ineffective: Compromised - Referred	760.33	217	9	Infection, Risk for - Referred
700.22	34	9	Coping (Family), Ineffective: Disabling - Nursing Intervention	770.22	437	16	Injury, Risk for - Nursing Intervention
700.33	2	1	Coping (Family), Ineffective: Disabling - Referred	770.33	33	3	Injury, Risk for - Referred
701.22	559	56	Decisional Conflict - Nursing Intervention	771.22	6	1	Poisoning, Risk For - Nursing Intervention
701.33	6	6	Decisional Conflict - Referred	771.33	3	1	Poisoning, Risk For - Referred
703.22	1	1	Disuse Syndrome - Nursing Intervention	772.22	514	34	Trauma, Risk For - Nursing Intervention
705.22	3	2	Diversional Activity Deficit - Nursing Intervention	772.33	8	2	Trauma, Risk For - Referred
708.22	19	5	Energy Field Disturbance - Nursing Intervention	773.22	89	18	Management Of Therapeutic Regimen, Ineffective: Families
710.22	70	4	Family Processes, Alterations in - Nursing Intervention	773.33	17	9	Management Of Therapeutic Regimen, Ineffective: Families
710.33	20	3	Family Processes, Alterations in - Referred	774.22	2	2	Management of Therapeutic Regimen, Ineffective: Communi
711.22	2	1	Family Process, Altered: Alcoholism - Nursing Intervention	775.22	2996	94	Knowledge Deficit - Nursing Intervention
712.22	1124	26	Fatigue - Nursing Intervention	775.33	4	1	Knowledge Deficit - Referred
712.33	12	4	Fatigue - Referred	776.22	5	1	Loneliness, Risk for - Nursing Intervention
715.22	33	2	Fear - Nursing Intervention	778.22	189	27	Management of Thereputic Regimen, Ineffective (Individuals

**ASHAR Summary**

**Schools with Student Population 1- 499**

**School Year: 2007-2008**

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
778.33	19	10	Management of Therapeutic Regimen, Ineffective (Individuals	847.33	2	1	Aspiration, Risk For - Referred
779.22	74	7	Management Of Therapeutic Regimen, Effective: Individual -	848.22	2	1	Role Performance, Altered - Nursing Intervention
779.33	2	1	Management Of Therapeutic Regimen, Effective: Individual -	852.22	1565	39	Self Care Deficit Bathing/Hygiene - Nursing Intervention
780.22	262	11	Physical Mobility, Impaired - Nursing Intervention	852.33	26	4	Self Care Deficit Bathing/Hygiene - Referred
780.33	8	2	Physical Mobility, Impaired - Referred	853.22	2093	50	Self Care Deficit Dressing/Grooming - Nursing Intervention
782.22	1	1	Peripheral Neurovascular Dysfunction, Risk for - Nursing Int	853.33	41	5	Self Care Deficit Dressing/Grooming - Referred
785.22	363	20	Noncompliance - Nursing Intervention	854.22	1941	43	Self Care Deficit Toileting - Nursing Intervention
785.33	6	2	Noncompliance - Referred	854.33	37	4	Self Care Deficit Toileting - Referred
790.22	1912	42	Nutrition, Altered - Less than Body Requirements - Nursing I	857.22	1570	87	Self Care Deficit Feeding - Nursing Intervention
790.33	22	4	Nutrition, Altered - Less than Body Requirements - Referred	857.33	1	1	Self Care Deficit Feeding - Referred
791.22	11	2	Nutrition, Altered: Risk for More than Body Requirements - N	865.22	583	45	Sensory-Perceptual Alterations (specify) (Visual, auditory, ki
795.22	907	91	Swallowing, Impaired - Nursing Intervention	865.33	1	1	Sensory-Perceptual Alterations (specify) (Visual, auditory, ki
795.33	5	1	Swallowing, Impaired - Referred	870.22	3	2	Sexuality Patterns, Altered - Nursing Intervention
800.22	14	2	Nutrition, Altered - More than Body Requirements - Nursing I	875.22	3	1	Sexual Dysfunction, Altered - Nursing Intervention
805.22	27	2	Parenting, Altered - Nursing Intervention	875.33	1	1	Sexual Dysfunction, Altered - Referred
806.22	9	2	Parenting, Risk For Altered - Nursing Intervention	880.22	778	43	Sleep Pattern Disturbance - Nursing Intervention
806.33	2	1	Parenting, Risk For Altered - Referred	880.33	3	2	Sleep Pattern Disturbance - Referred
807.22	1	1	Parent/Infant/Child Attachment, Risk For Altered - Nursing In	885.22	21	11	Social Isolation - Nursing Intervention
808.22	4	1	Parental Role Conflict - Nursing Intervention	890.22	276	28	Social Interactions, Impaired - Nursing Intervention
808.33	1	1	Parental Role Conflict - Referred	890.33	2	1	Social Interactions, Impaired - Referred
815.22	1	1	Post-Trauma Response Syndrome - Nursing Intervention	895.22	2	1	Spiritual Distress (Distress Of The Human Spirit) - Nursing I
820.22	1	1	Rape-Trauma Syndrome - Nursing Intervention	896.22	1	1	Spiritual Well-being, Potential For Enhanced - Nursing Inter
825.22	39	10	Powerlessness - Nursing Intervention	896.33	1	1	Spiritual Well-being, Potential For Enhanced - Referred
827.22	4	1	Protection, Altered - Nursing Intervention	900.22	8	2	Thought Processes, Altered - Nursing Intervention
828.22	2	2	Relocation Stress Syndrome - Nursing Intervention	900.33	1	1	Thought Processes, Altered - Referred
831.33	1	1	Ventilation, Inability to Sustain Spontaneous - Referred	905.22	4347	76	Tissue Integrity, Impaired - Nursing Intervention
835.22	703	32	Ineffective Airway Clearance - Nursing Intervention	905.33	67	4	Tissue Integrity, Impaired - Referred
835.33	23	5	Ineffective Airway Clearance - Referred	910.22	11227	144	Skin Integrity, Impaired - Nursing Intervention
840.22	434	22	Breathing Pattern, Ineffective - Nursing Intervention	910.33	108	3	Skin Integrity, Impaired - Referred
840.33	3	2	Breathing Pattern, Ineffective - Referred	911.22	1870	40	Skin Integrity, Risk for Impaired - Intervention
845.22	149	8	Gas Exchange, Impaired - Nursing Intervention	911.33	48	5	Skin Integrity, Risk for Impaired - Referred
845.33	3	1	Gas Exchange, Impaired - Referred	915.22	2242	49	Oral Mucous Membrane, Alteration in - Nursing Intervention
847.22	611	102	Aspiration, Risk For - Nursing Intervention	915.33	52	5	Oral Mucous Membrane, Alteration in - Referred

**ASHAR Summary**

**Schools with Student Population 1- 499**

**School Year: 2007-2008**

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
920.22	627	39	Tissue Perfusion, Altered (Specify Type) - Nursing Interventi	1005.22	410	15	Staff Injury (Referral Not Required) - Nursing Intervention
920.33	15	5	Tissue Perfusion, Altered (Specify Type) - Referred	1005.33	36	3	Staff Injury (Referral Not Required) - Referred
925.22	8	3	Neglect, Unilateral - Nursing Intervention	1015.22	1466	33	Staff Illness/Counseling - Nursing Intervention
925.33	2	1	Neglect, Unilateral - Referred	1015.33	121	5	Staff Illness/Counseling - Referred
930.22	499	25	Urinary Elimination, Altered - Nursing Intervention				
930.33	42	11	Urinary Elimination, Altered - Referred				
940.22	598	24	Incontinence, Functional - Nursing Intervention				
940.33	87	15	Incontinence, Functional - Referred				
945.22	3	2	Incontinence, Reflex - Nursing Intervention				
945.33	1	1	Incontinence, Reflex - Referred				
950.22	48	5	Incontinence, Stress - Nursing Intervention				
955.22	34	3	Incontinence, Total - Nursing Intervention				
955.33	33	17	Incontinence, Total - Referred				
960.22	852	36	Incontinence, Urge - Nursing Intervention				
960.33	10	2	Incontinence, Urge - Referred				
965.22	52	9	Urinary Retention - Nursing Intervention				
965.33	2	1	Urinary Retention - Referred				
970.22	50	8	Violence, Risk for: Self-Directed - Nursing Intervention				
970.33	2	1	Violence, Risk for: Self-Directed - Referred				
971.22	16	2	Self-Mutilation, Risk For - Nursing Intervention				
971.33	6	2	Self-Mutilation, Risk For - Referred				
972.22	135	12	Violence, Risk For: Directed At Others - Nursing Intervention				
972.33	8	2	Violence, Risk For: Directed At Others - Referred				
976.22	2	1	Memory, Impaired - Nursing Intervention				
976.33	1	1	Memory, Impaired - Referred				
977.22	1	1	Environmental Interpretation Syndrome, Impaired - Nursing I				
980.22	11	2	Body Image Disturbance - Nursing Intervention				
981.22	10	2	Self Esteem Disturbance - Nursing Intervention				
981.33	1	1	Self Esteem Disturbance - Referred				
982.22	9	9	Self esteem, Chronic Low - Nursing Intervention				
983.22	7	2	Self Esteem, Situational Low - Nursing Intervention				
1000.22	106	5	Staff Industrial Injury (Referral Required) - Nursing Interventi				
1000.33	68	3	Staff Industrial Injury (Referral Required) - Referred				