

**ASHAR Summary - Average per 100 Students**

**Schools with Student Population - All**

**School Year: 2007-2008**

<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>
1	652336	283	Illness - Nsg Assess/Tx	120	498	2	Dental # RN re-screened
5	169239	73	Injury at School - Nsg Assess/Tx	121	282	1	Dental Screening # referred Urgent
6	10359	5	Follow Up Injury at School - Nsg Assess/Tx	122	626	2	Dental Screening # referred Decay
10	60134	26	Injury at Home or Other - Nsg Assess/Tx (Initial & F/U)	123	1016	4	Dental Screening # referred Other
15	248436	111	Medications - Daily # doses given	125	52156	33	Pediculosis # screened
18	185362	81	Medications - PRN # doses given	130	7782	7	Pediculosis # RN re-screened
20	70359	43	Skilled Nursing Procedures (consents required)	131	721	1	Pediculosis # referred
21	11292	9	IEP (required) Related Interventions	135	80	1	TB Skin Testing # screened
30	325944	142	Parental Contacts	140	221	1	TB Skin Testing # read by RN
35	1051	1	Home Visits	141	8	0	TB Skin Testing # referred
40	136477	60	Student Health Records (enrollment)	145	5763	27	Acanthosis Nigricans Screening # screened
45	155964	68	Student Health Records (withdrawal)	150	27	1	Acanthosis Nigricans Screening # RN re-screened
50	210762	93	Immunization Records	151	59	1	Acanthosis Nigricans Screening # referred
55	482	3	Immunization Administration # adults	160	1580	3	Physical Exams/Assessments
60	838	4	Immunization Administration # students	165	613	2	Neurodevelopmental Assessments
65	125514	62	Vision # screened	170	704	17	Fluoride Mouthrinse Program
70	15038	9	Vision # RN re-screened	175	7648	9	Health Education/Promotion/Resource
71	18303	11	Vision # referred	180	3370	4	Classroom Presentation to Students
75	134372	65	Hearing # screened	185	548	2	Social/Developmental Histories
80	10506	6	Hearing # RN re-screened	190	3345	5	Special Education - Evaluation/Re-Eval Assessment
81	4289	3	Hearing # referred	195	2326	3	Child/Student Team Meetings
85	12709	19	Scoliosis # screened	210	99427	50	Conferences w/ school personnel re: students
90	499	1	Scoliosis # RN re-screened	215	2747	2	School Meetings
91	266	1	Scoliosis # referred	220	11819	9	Community Contacts / Meetings
95	70689	60	Height & Weight Screening # screened	225	700	2	School Environmental Inspection
100	1217	5	Height & Weight Screening # RN re-screened	230	33	0	University / College Courses
101	198	2	Height & Weight Screening # referred Underweight	235	668	1	Conferences / Workshops Attended
102	813	10	Height & Weight Screening # referred At Risk	240	411	1	Classes Workshops Given
103	1351	8	Height & Weight Screening # referred Overweight	245	477	1	Preceptor of Student Nurses
105	11455	11	B/P # screened	250	390	1	Professional Committee Participation
110	1187	3	B/P # RN re-screened	275	380	1	Emergency Calls to Other Schools
111	42	0	B/P # referred	280	68340	32	Students Sent Home by RN
115	12260	23	Dental # screened	285	19363	17	Students Sent Home by Health Assistant

**ASHAR Summary - Average per 100 Students**

**Schools with Student Population - All**

**School Year: 2007-2008**

<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>
300.11	313	0	Absenteeism - Known as of 5/1	340.11	296	0	Bleeding Disorders - Known as of 5/1
300.22	1447	2	Absenteeism - Nursing Intervention	340.22	830	2	Bleeding Disorders - Nursing Intervention
300.33	351	1	Absenteeism - Referred	340.33	58	1	Bleeding Disorders - Referred
305.11	9	0	AIDS/HIV - Known as of 5/1	343.11	43	0	Coccidioidomycosis - Known as of 5/1
305.22	12	0	AIDS/HIV - Nursing Intervention	343.22	9	0	Coccidioidomycosis - Nursing Intervention
305.33	2	0	AIDS/HIV - Referred	344.11	71	0	Connective Tissue Disorders - Known as of 5/1
310.11	32222	15	Allergy - Known as of 5/1	344.22	474	3	Connective Tissue Disorders - Nursing Intervention
310.22	22710	11	Allergy - Nursing Intervention	344.33	1	0	Connective Tissue Disorders - Referred
310.33	549	1	Allergy - Referred	345.11	37	0	Cystic Fibrosis - Known as of 5/1
315.11	29	0	Anorexia/Bulimia - Known as of 5/1	345.22	5566	27	Cystic Fibrosis - Nursing Intervention
315.22	32	0	Anorexia/Bulimia - Nursing Intervention	345.33	6	0	Cystic Fibrosis - Referred
315.33	9	0	Anorexia/Bulimia - Referred	350.11	418	0	Diabetes - Type I - Known as of 5/1
320.11	184	0	Arthritis/Rheumatic Disease - Known as of 5/1	350.22	84972	55	Diabetes - Type I - Nursing Intervention
320.22	357	1	Arthritis/Rheumatic Disease - Nursing Intervention	350.33	183	0	Diabetes - Type I - Referred
320.33	4	0	Arthritis/Rheumatic Disease - Referred	351.11	62	0	Diabetes - Type II - Known as of 5/1
325.11	17673	8	Asthma - without PCP Action Plan - Known as of 5/1	351.22	1002	2	Diabetes - Type II - Nursing Intervention
325.22	47771	22	Asthma - without PCP Action Plan - Nursing Intervention	351.33	12	0	Diabetes - Type II - Referred
325.33	814	1	Asthma - without PCP Action Plan - Referred	355.11	512	0	Endocrine Disorders - Known as of 5/1
326.11	2426	1	Asthma - with PCP Action Plan - Known as of 5/1	355.22	3100	5	Endocrine Disorders - Nursing Intervention
326.22	21212	14	Asthma - with PCP Action Plan - Nursing Intervention	355.33	21	0	Endocrine Disorders - Referred
326.33	224	1	Asthma - with PCP Action Plan - Referred	356.11	1851	1	Gastrointestinal Chronic - Known as of 5/1
330.11	7770	4	Attention Deficit Disorder/Hyperactivity - Known as of 5/1	356.22	7366	5	Gastrointestinal Chronic - Nursing Intervention
330.22	111968	55	Attention Deficit Disorder/Hyperactivity - Nursing Intervention	356.33	89	0	Gastrointestinal Chronic - Referred
330.33	344	1	Attention Deficit Disorder/Hyperactivity - Referred	358.11	842	0	Genitourinary Chronic - Known as of 5/1
332.11	502	0	Autism, Childhood - Known as of 5/1	358.22	6235	5	Genitourinary Chronic - Nursing Intervention
332.22	4022	8	Autism, Childhood - Nursing Intervention	358.33	65	0	Genitourinary Chronic - Referred
332.33	16	0	Autism, Childhood - Referred	359.11	259	1	Gynecological - Known as of 5/1
333.11	200	0	Autism, Spectrum Disorder - Known as of 5/1	359.22	3970	4	Gynecological - Nursing Intervention
333.22	331	2	Autism, Spectrum Disorder - Nursing Intervention	359.33	48	0	Gynecological - Referred
333.33	2	0	Autism, Spectrum Disorder - Referred	360.11	3076	2	Hearing - Known as of 5/1
335.11	2166	1	Birth Defects/Developmental - Known as of 5/1	360.22	4928	3	Hearing - Nursing Intervention
335.22	21500	27	Birth Defects/Developmental - Nursing Intervention	360.33	3115	3	Hearing - Referred
335.33	22	0	Birth Defects/Developmental - Referred	365.11	1982	1	Heart - Known as of 5/1

**ASHAR Summary - Average per 100 Students**

**Schools with Student Population - All**

**School Year: 2007-2008**

<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>
365.22	1388	1	Heart - Nursing Intervention	410.33	11	0	Tuberculosis - Referred
365.33	102	0	Heart - Referred	415.11	25975	13	Vision - Known as of 5/1
368.11	64	0	Hepatic & Biliary Disorders - Known as of 5/1	415.22	24392	13	Vision - Nursing Intervention
368.22	322	4	Hepatic & Biliary Disorders - Nursing Intervention	415.33	17071	11	Vision - Referred
370.11	122	0	Hypertension - Known as of 5/1	420.11	688	1	Color Deficit - Known as of 5/1
370.22	701	2	Hypertension - Nursing Intervention	420.22	216	1	Color Deficit - Nursing Intervention
370.33	29	0	Hypertension - Referred	420.33	196	1	Color Deficit - Referred
372.11	2272	1	Integumentary Chronic - Known as of 5/1	425.11	1496	2	Weight Disorders - Known as of 5/1
372.22	2430	2	Integumentary Chronic - Nursing Intervention	425.22	497	1	Weight Disorders - Nursing Intervention
372.33	79	0	Integumentary Chronic - Referred	425.33	220	1	Weight Disorders - Referred
375.11	141	0	Malignancies - Known as of 5/1	500.22	15	0	Anemia - Nursing Intervention
375.22	293	1	Malignancies - Nursing Intervention	500.33	3	0	Anemia - Referred
375.33	3	0	Malignancies - Referred	505.22	901	1	Child Abuse/Neglect - Nursing Intervention
380.11	3792	2	Neuro Disorders - Known as of 5/1	505.33	507	1	Child Abuse/Neglect - Referred
380.22	17444	11	Neuro Disorders - Nursing Intervention	510.22	11	0	Coccidioidomycosis - Nursing Intervention
380.33	139	0	Neuro Disorders - Referred	510.33	1	0	Coccidioidomycosis - Referred
385.11	1480	1	Orthopedic - Known as of 5/1	515.22	378	0	Commun. Rash - Varicella - Nursing Intervention
385.22	6703	5	Orthopedic - Nursing Intervention	515.33	90	0	Commun. Rash - Varicella - Referred
385.33	258	1	Orthopedic - Referred	516.22	311	1	Commun. Rash - Impetigo - Nursing Intervention
390.11	2210	1	Psychiatric - Known as of 5/1	516.33	97	0	Commun. Rash - Impetigo - Referred
390.22	14583	11	Psychiatric - Nursing Intervention	517.22	4	0	Commun. Rash - Rubella/Rubeola - Nursing Intervention
390.33	133	0	Psychiatric - Referred	518.22	1438	1	Commun. Rash - Other - Nursing Intervention
395.11	404	0	Scoliosis - Known as of 5/1	518.33	314	0	Commun. Rash - Other - Referred
395.22	617	2	Scoliosis - Nursing Intervention	520.22	8084	4	Conjunctivitis - Nursing Intervention
395.33	15	0	Scoliosis - Referred	520.33	1814	1	Conjunctivitis - Referred
400.11	1380	1	Seizure Disorders - Known as of 5/1	525.22	5053	3	Dental - Decay - Nursing Intervention
400.22	9502	8	Seizure Disorders - Nursing Intervention	525.33	1275	1	Dental - Decay - Referred
400.33	117	0	Seizure Disorders - Referred	526.22	15689	8	Dental - Other - Nursing Intervention
405.11	86	0	Sickle Cell - Known as of 5/1	526.33	936	1	Dental - Other - Referred
405.22	582	3	Sickle Cell - Nursing Intervention	530.22	9877	5	Emotional/Adjustment Problems - Nursing Intervention
405.33	7	0	Sickle Cell - Referred	530.33	470	1	Emotional/Adjustment Problems - Referred
410.11	80	0	Tuberculosis - Known as of 5/1	531.22	5355	3	Fever >101 with or w/o headache & no other recognizable sy
410.22	65	0	Tuberculosis - Nursing Intervention	531.33	33565	40	Fever >101 with or w/o headache & no other recognizable sy

**ASHAR Summary - Average per 100 Students**

**Schools with Student Population - All**

**School Year: 2007-2008**

<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>
535.22	2012	1	Fractures - Nursing Intervention	590.22	25	0	Sexually Transmitted Diseases - Nursing Intervention
535.33	286	0	Fractures - Referred	590.33	6	0	Sexually Transmitted Diseases - Referred
540.22	11852	6	Genitourinary - Nursing Intervention	595.22	329	1	Substance Abuse - Nursing Intervention
540.33	289	0	Genitourinary - Referred	595.33	95	0	Substance Abuse - Referred
543.22	10913	6	Gastrointestinal - Vomiting & Diarrhea w or w/o fever - Nursi	600.22	53	0	Suicide Behavior - Nursing Intervention
543.33	609	1	Gastrointestinal - Vomiting & Diarrhea w or w/o fever - Referr	600.33	30	0	Suicide Behavior - Referred
545.22	111696	51	Gastrointestinal - Other - Nursing Intervention	603.22	15	0	Suicide Attempt - Nursing Intervention
545.33	2477	2	Gastrointestinal - Other - Referred	603.33	10	0	Suicide Attempt - Referred
546.22	14186	10	Gynecological - Nursing Intervention	605.22	9	0	Suicide - Nursing Intervention
546.33	136	0	Gynecological - Referred	605.33	2	0	Suicide - Referred
550.22	21	0	Hepatitis - Nursing Intervention	610.22	1549	1	Trauma (Referral Required) - Nursing Intervention
550.33	3	0	Hepatitis - Referred	610.33	919	1	Trauma (Referral Required) - Referred
553.22	333	6	Hepatic and Biliary Disorders - Nursing Intervention	620.22	8426	7	Activity Intolerance - Nursing Intervention
555.22	138	0	Infectious Mononucleosis - Nursing Intervention	620.33	246	1	Activity Intolerance - Referred
555.33	18	0	Infectious Mononucleosis - Referred	621.22	6447	9	Activity Intolerance, Risk For - Nursing Intervention
560.22	41571	20	Integumentary - Nursing Intervention	621.33	45	0	Activity Intolerance, Risk For - Referred
560.33	1241	1	Integumentary - Referred	623.22	7	0	Adaptive Capacity, Intracranial:decreased - Nursing Interve
561.22	17	0	Meningitis/Encephalitis - Bacterial/Viral - Nursing Interventio	623.33	1	0	Adaptive Capacity, Intracranial:decreased - Referred
561.33	2	0	Meningitis/Encephalitis - Bacterial/Viral - Referred	625.22	372	1	Adjustment impaired - Nursing Intervention
563.22	33863	21	Musculoskeletal (acute, non-fracture) - Nursing Intervention	625.33	8	0	Adjustment impaired - Referred
563.33	782	1	Musculoskeletal (acute, non-fracture) - Referred	630.22	3352	2	Anxiety - Nursing Intervention
565.22	7395	4	Otitis Media/Externa - Nursing Intervention	630.33	102	0	Anxiety - Referred
565.33	1465	1	Otitis Media/Externa - Referred	635.22	4037	4	Body Temperature, Risk for, Alteration - Nursing Intervention
570.22	7826	5	Pediculosis - Nursing Intervention	635.33	203	1	Body Temperature, Risk for, Alteration - Referred
570.33	1887	3	Pediculosis - Referred	640.22	60	0	Hypothermia - Nursing Intervention
575.22	556	1	Pregnancy - Nursing Intervention	640.33	7	0	Hypothermia - Referred
575.33	79	0	Pregnancy - Referred	645.22	5064	4	Hyperthermia - Nursing Intervention
580.22	69272	33	Respiratory - Nursing Intervention	645.33	205	1	Hyperthermia - Referred
580.33	2720	2	Respiratory - Referred	650.22	444	1	Thermoregulation, Ineffective - Nursing Intervention
582.22	4664	4	Respiratory - Influenza-like Illness (ILI) - Nursing Intervention	650.33	7	0	Thermoregulation, Ineffective - Referred
582.33	348	1	Respiratory - Influenza-like Illness (ILI) - Referred	655.22	1101	2	Constipation - Nursing Intervention
585.22	59	0	Scabies - Nursing Intervention	655.33	58	0	Constipation - Referred
585.33	20	0	Scabies - Referred	656.22	270	1	Constipation, Colonic - Nursing Intervention

**ASHAR Summary - Average per 100 Students**

**Schools with Student Population - All**

**School Year: 2007-2008**

<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>
656.33	11	0	Constipation, Colonic - Referred	696.33	11	0	Coping, Defensive - Referred
657.22	394	1	Constipation, Perceived - Nursing Intervention	697.22	31	0	Denial, Ineffective - Nursing Intervention
657.33	12	0	Constipation, Perceived - Referred	698.22	203	1	Coping (Family): Potential for Growth - Nursing Intervention
658.22	1749	2	Incontinence, Bowel - Nursing Intervention	698.33	36	1	Coping (Family): Potential for Growth - Referred
658.33	90	1	Incontinence, Bowel - Referred	699.22	293	0	Coping (Family): Ineffective: Compromised - Nursing Interv
660.22	1361	1	Diarrhea - Nursing Intervention	699.33	45	0	Coping (Family): Ineffective: Compromised - Referred
660.33	136	0	Diarrhea - Referred	700.22	169	1	Coping (Family), Ineffective: Disabling - Nursing Intervention
661.22	20	0	Breastfeeding, Effective - Nursing Intervention	700.33	11	0	Coping (Family), Ineffective: Disabling - Referred
662.22	2	0	Breastfeeding, Ineffective - Nursing Intervention	701.22	3460	13	Decisional Conflict - Nursing Intervention
663.22	2	0	Breastfeeding, Interrupted - Nursing Intervention	701.33	29	1	Decisional Conflict - Referred
665.22	30	0	Cardiac Output, Alterations in - Decreased - Nursing Interv	703.22	3	0	Disuse Syndrome - Nursing Intervention
665.33	4	0	Cardiac Output, Alterations in - Decreased - Referred	705.22	11	0	Diversional Activity Deficit - Nursing Intervention
666.22	21	0	Care Giver Role Strain - Nursing Intervention	706.22	2	0	Dysreflexia - Nursing Intervention
666.33	2	0	Care Giver Role Strain - Referred	708.22	820	3	Energy Field Disturbance - Nursing Intervention
667.22	46	0	Caregiver Role Strain, Risk For - Nursing Intervention	708.33	20	0	Energy Field Disturbance - Referred
667.33	18	0	Caregiver Role Strain, Risk For - Referred	710.22	460	1	Family Processes, Alterations in - Nursing Intervention
675.22	306333	137	Pain - Nursing Intervention	710.33	92	0	Family Processes, Alterations in - Referred
675.33	3604	3	Pain - Referred	711.22	11	0	Family Process, Altered: Alcoholism - Nursing Intervention
680.22	822	1	Pain, Chronic - Nursing Intervention	711.33	3	0	Family Process, Altered: Alcoholism - Referred
680.33	45	0	Pain, Chronic - Referred	712.22	5575	4	Fatigue - Nursing Intervention
690.22	52	0	Communication, Impaired - Verbal - Nursing Intervention	712.33	70	0	Fatigue - Referred
690.33	7	0	Communication, Impaired - Verbal - Referred	715.22	218	0	Fear - Nursing Intervention
691.22	44	0	Confusion, Acute - Nursing Intervention	715.33	17	0	Fear - Referred
691.33	11	0	Confusion, Acute - Referred	720.22	5612	6	Fluid Volume Deficit - Nursing Intervention
692.22	12	0	Confusion, Chronic - Nursing Intervention	720.33	37	0	Fluid Volume Deficit - Referred
692.33	4	0	Confusion, Chronic - Referred	722.22	6605	7	Fluid Volume Deficit, Risk for - Nursing Intervention
693.22	78	1	Coping (Community): Potential For Enhanced - Nursing Inter	722.33	35	0	Fluid Volume Deficit, Risk for - Referred
693.33	5	0	Coping (Community): Potential For Enhanced - Referred	725.22	5	0	Fluid Volume Excess - Nursing Intervention
694.22	456	1	Coping (Community): Ineffective - Nursing Intervention	730.22	101	0	Grieving, Anticipatory - Nursing Intervention
694.33	9	0	Coping (Community): Ineffective - Referred	730.33	17	0	Grieving, Anticipatory - Referred
695.22	5989	5	Coping (Individual), Ineffective - Individual - Nursing Interv	731.22	22	0	Grieving, Dysfunctional - Nursing Intervention
695.33	158	1	Coping (Individual), Ineffective - Individual - Referred	731.33	5	0	Grieving, Dysfunctional - Referred
696.22	426	2	Coping, Defensive - Nursing Intervention	735.22	35	0	Growth and Development, Altered - Nursing Intervention

**ASHAR Summary - Average per 100 Students**

**Schools with Student Population - All**

**School Year: 2007-2008**

<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>
735.33	6	0	Growth and Development, Altered - Referred	785.33	344	3	Noncompliance - Referred
745.22	17087	20	Health Maintenance - Alterations in - Nursing Intervention	790.22	15431	10	Nutrition, Altered - Less than Body Requirements - Nursing I
745.33	209	1	Health Maintenance - Alterations in - Referred	790.33	211	1	Nutrition, Altered - Less than Body Requirements - Referred
746.22	2812	5	Health - Seeking Behaviors ( specify ) - Nursing Intervention	791.22	297	1	Nutrition, Altered: Risk for More than Body Requirements - N
746.33	90	1	Health - Seeking Behaviors ( specify ) - Referred	791.33	5	0	Nutrition, Altered: Risk for More than Body Requirements - R
750.22	92	0	Home Maintenance Management, impaired - Nursing Interv	795.22	2314	6	Swallowing, Impaired - Nursing Intervention
750.33	9	0	Home Maintenance Management, impaired - Referred	795.33	12	0	Swallowing, Impaired - Referred
755.22	44	0	Hopelessness - Nursing Intervention	800.22	127	0	Nutrition, Altered - More than Body Requirements - Nursing I
755.33	2	0	Hopelessness - Referred	800.33	1	0	Nutrition, Altered - More than Body Requirements - Referred
760.22	28915	16	Infection, Risk for - Nursing Intervention	805.22	287	1	Parenting, Altered - Nursing Intervention
760.33	1226	2	Infection, Risk for - Referred	805.33	8	0	Parenting, Altered - Referred
770.22	4219	4	Injury, Risk for - Nursing Intervention	806.22	31	0	Parenting, Risk For Altered - Nursing Intervention
770.33	722	3	Injury, Risk for - Referred	806.33	5	0	Parenting, Risk For Altered - Referred
771.22	47	0	Poisoning, Risk For - Nursing Intervention	807.22	10	0	Parent/Infant/Child Attachment, Risk For Altered - Nursing In
771.33	15	0	Poisoning, Risk For - Referred	807.33	1	0	Parent/Infant/Child Attachment, Risk For Altered - Referred
772.22	1153	2	Trauma, Risk For - Nursing Intervention	808.22	23	0	Parental Role Conflict - Nursing Intervention
772.33	129	0	Trauma, Risk For - Referred	808.33	3	0	Parental Role Conflict - Referred
773.22	174	1	Management Of Therapeutic Regimen, Ineffective: Families	815.22	16	0	Post-Trauma Response Syndrome - Nursing Intervention
773.33	26	1	Management Of Therapeutic Regimen, Ineffective: Families	815.33	4	0	Post-Trauma Response Syndrome - Referred
774.22	17	0	Management of Therapeutic Regimen, Ineffective: Communi	820.22	23	0	Rape-Trauma Syndrome - Nursing Intervention
774.33	2	0	Management of Therapeutic Regimen, Ineffective: Communi	820.33	3	0	Rape-Trauma Syndrome - Referred
775.22	19552	19	Knowledge Deficit - Nursing Intervention	822.22	3	0	Rape-Trauma Syndrome: Silent Reaction - Nursing Intervent
775.33	110	1	Knowledge Deficit - Referred	822.33	2	0	Rape-Trauma Syndrome: Silent Reaction - Referred
776.22	18	0	Loneliness, Risk for - Nursing Intervention	825.22	151	1	Powerlessness - Nursing Intervention
778.22	924	3	Management of Thereputic Regimen, Ineffective (Individuals	825.33	1	0	Powerlessness - Referred
778.33	128	1	Management of Thereputic Regimen, Ineffective (Individuals	827.22	32	0	Protection, Altered - Nursing Intervention
779.22	1856	6	Management Of Therapeutic Regimen, Effective: Individual -	827.33	1	0	Protection, Altered - Referred
779.33	9	0	Management Of Therapeutic Regimen, Effective: Individual -	828.22	4	0	Relocation Stress Syndrome - Nursing Intervention
780.22	3775	4	Physical Mobility, Impaired - Nursing Intervention	828.33	1	0	Relocation Stress Syndrome - Referred
780.33	210	1	Physical Mobility, Impaired - Referred	831.22	499	10	Ventilation, Inability to Sustain Spontaneous - Nursing Interv
782.22	342	3	Peripheral Neurovascular Dysfunction, Risk for - Nursing Int	831.33	2	0	Ventilation, Inability to Sustain Spontaneous - Referred
782.33	2	0	Peripheral Neurovascular Dysfunction, Risk for - Referred	832.22	2	0	Ventilatory Weaning Response, Dysfunctional (DVWR) - Nur
785.22	4354	7	Noncompliance - Nursing Intervention	835.22	4892	9	Ineffective Airway Clearance - Nursing Intervention

**ASHAR Summary - Average per 100 Students**

**Schools with Student Population - All**

**School Year: 2007-2008**

<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>
835.33	111	1	Ineffective Airway Clearance - Referred	900.22	78	0	Thought Processes, Altered - Nursing Intervention
840.22	1847	3	Breathing Pattern, Ineffective - Nursing Intervention	900.33	7	0	Thought Processes, Altered - Referred
840.33	61	0	Breathing Pattern, Ineffective - Referred	905.22	31566	17	Tissue Integrity, Impaired - Nursing Intervention
845.22	2522	6	Gas Exchange, Impaired - Nursing Intervention	905.33	348	1	Tissue Integrity, Impaired - Referred
845.33	49	0	Gas Exchange, Impaired - Referred	910.22	59088	29	Skin Integrity, Impaired - Nursing Intervention
846.22	1198	32	Suffocation, Risk For - Nursing Intervention	910.33	655	1	Skin Integrity, Impaired - Referred
847.22	939	9	Aspiration, Risk For - Nursing Intervention	911.22	8259	8	Skin Integrity, Risk for Impaired - Intervention
847.33	5	0	Aspiration, Risk For - Referred	911.33	81	0	Skin Integrity, Risk for Impaired - Referred
848.22	10	0	Role Performance, Altered - Nursing Intervention	915.22	13496	10	Oral Mucous Membrane, Alteration in - Nursing Intervention
852.22	3938	3	Self Care Deficit Bathing/Hygiene - Nursing Intervention	915.33	150	0	Oral Mucous Membrane, Alteration in - Referred
852.33	43	0	Self Care Deficit Bathing/Hygiene - Referred	920.22	1976	4	Tissue Perfusion, Altered (Specify Type) - Nursing Interventi
853.22	10418	8	Self Care Deficit Dressing/Grooming - Nursing Intervention	920.33	39	0	Tissue Perfusion, Altered (Specify Type) - Referred
853.33	117	1	Self Care Deficit Dressing/Grooming - Referred	925.22	20	0	Neglect, Unilateral - Nursing Intervention
854.22	7434	6	Self Care Deficit Toileting - Nursing Intervention	925.33	3	0	Neglect, Unilateral - Referred
854.33	151	1	Self Care Deficit Toileting - Referred	930.22	2380	3	Urinary Elimination, Altered - Nursing Intervention
857.22	2675	5	Self Care Deficit Feeding - Nursing Intervention	930.33	69	0	Urinary Elimination, Altered - Referred
857.33	29	1	Self Care Deficit Feeding - Referred	940.22	3293	5	Incontinence, Functional - Nursing Intervention
865.22	1744	5	Sensory-Perceptual Alterations (specify) (Visual, auditory, ki	940.33	92	1	Incontinence, Functional - Referred
865.33	34	0	Sensory-Perceptual Alterations (specify) (Visual, auditory, ki	945.22	197	1	Incontinence, Reflex - Nursing Intervention
870.22	10	0	Sexuality Patterns, Altered - Nursing Intervention	945.33	8	0	Incontinence, Reflex - Referred
870.33	2	0	Sexuality Patterns, Altered - Referred	950.22	335	1	Incontinence, Stress - Nursing Intervention
875.22	5	0	Sexual Dysfunction, Altered - Nursing Intervention	950.33	2	0	Incontinence, Stress - Referred
875.33	1	0	Sexual Dysfunction, Altered - Referred	955.22	968	3	Incontinence, Total - Nursing Intervention
880.22	1391	2	Sleep Pattern Disturbance - Nursing Intervention	955.33	38	1	Incontinence, Total - Referred
880.33	17	0	Sleep Pattern Disturbance - Referred	960.22	3894	7	Incontinence, Urge - Nursing Intervention
885.22	234	3	Social Isolation - Nursing Intervention	960.33	18	0	Incontinence, Urge - Referred
885.33	1	0	Social Isolation - Referred	965.22	315	2	Urinary Retention - Nursing Intervention
890.22	460	1	Social Interactions, Impaired - Nursing Intervention	965.33	5	0	Urinary Retention - Referred
890.33	11	0	Social Interactions, Impaired - Referred	970.22	179	1	Violence, Risk for: Self-Directed - Nursing Intervention
895.22	17	0	Spiritual Distress (Distress Of The Human Spirit) - Nursing I	970.33	16	0	Violence, Risk for: Self-Directed - Referred
895.33	1	0	Spiritual Distress (Distress Of The Human Spirit) - Referred	971.22	206	0	Self-Mutilation, Risk For - Nursing Intervention
896.22	13	0	Spiritual Well-being, Potential For Enhanced - Nursing Inter	971.33	53	0	Self-Mutilation, Risk For - Referred
896.33	2	0	Spiritual Well-being, Potential For Enhanced - Referred	972.22	382	1	Violence, Risk For: Directed At Others - Nursing Intervention

**ASHAR Summary - Average per 100 Students****Schools with Student Population - All****School Year: 2007-2008**

<b>Code</b>	<b>Count</b>	<b>AV/100</b>	<b>Description</b>	<b>Code</b>	<b>Count</b>	<b>AV/100</b>	<b>Description</b>
972.33	42	0	Violence, Risk For: Directed At Others - Referred				
976.22	8	0	Memory, Impaired - Nursing Intervention				
976.33	2	0	Memory, Impaired - Referred				
977.22	2	0	Environmental Interpretation Syndrome, Impaired - Nursing I				
980.22	310	1	Body Image Disturbance - Nursing Intervention				
980.33	7	0	Body Image Disturbance - Referred				
981.22	74	0	Self Esteem Disturbance - Nursing Intervention				
981.33	5	0	Self Esteem Disturbance - Referred				
982.22	21	0	Self esteem, Chronic Low - Nursing Intervention				
983.22	292	1	Self Esteem, Situational Low - Nursing Intervention				
983.33	11	1	Self Esteem, Situational Low - Referred				
984.22	11	1	Identity Disturbance, Personal - Nursing Intervention				
990.22	1	0	Infant Behavior, Risk For Disorganized - Nursing Intervention				
991.22	1	0	Infant Behavior, Disorganized - Nursing Intervention				
992.22	1	0	Infant Behavior, Potential For Enhanced Organized - Nursing				
996.22	2	0	Perioperative Positioning Injury, Risk For - Nursing Interventi				
996.33	1	0	Perioperative Positioning Injury, Risk For - Referred				
1000.22	16094	17	Staff Industrial Injury (Referral Required) - Nursing Interventi				
1000.33	433	1	Staff Industrial Injury (Referral Required) - Referred				
1005.22	2644	2	Staff Injury (Referral Not Required) - Nursing Intervention				
1005.33	230	0	Staff Injury (Referral Not Required) - Referred				
1015.22	10776	8	Staff Illness/Counseling - Nursing Intervention				
1015.33	1098	1	Staff Illness/Counseling - Referred				