

ASHAR Summary

Schools with Student Population - All

School Year: 2008-2009

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
1	587417	1865	Illness - Nsg Assess/Tx	120	233	8	Dental # RN re-screened
5	142466	454	Injury at School - Nsg Assess/Tx	121	79	3	Dental Screening # referred Urgent
6	8171	30	Follow Up Injury at School - Nsg Assess/Tx	122	152	5	Dental Screening # referred Decay
10	52556	171	Injury at Home or Other - Nsg Assess/Tx (Initial & F/U)	123	670	17	Dental Screening # referred Other
15	233219	785	Medications - Daily # doses given	125	38441	186	Pediculosis # screened
18	183952	609	Medications - PRN # doses given	130	5499	40	Pediculosis # RN re-screened
20	77006	353	Skilled Nursing Procedures (consents required)	131	660	7	Pediculosis # referred
21	9344	60	IEP (required) Related Interventions	135	131	11	TB Skin Testing # screened
30	284011	916	Parental Contacts	140	197	9	TB Skin Testing # read by RN
35	455	6	Home Visits	141	4	1	TB Skin Testing # referred
40	113291	363	Student Health Records (enrollment)	145	1673	64	Acanthosis Nigricans Screening # screened
45	195493	631	Student Health Records (withdrawal)	150	180	26	Acanthosis Nigricans Screening # RN re-screened
50	203573	672	Immunization Records	151	37	4	Acanthosis Nigricans Screening # referred
55	59	5	Immunization Administration # adults	160	2756	38	Physical Exams/Assessments
60	755	38	Immunization Administration # students	165	281	12	Neurodevelopmental Assessments
65	116685	451	Vision # screened	170	13146	1878	Fluoride Mouthrinse Program
70	11666	59	Vision # RN re-screened	175	11495	92	Health Education/Promotion/Resource
71	14593	73	Vision # referred	180	3140	30	Classroom Presentation to Students
75	118392	450	Hearing # screened	185	644	17	Social/Developmental Histories
80	8873	42	Hearing # RN re-screened	190	2544	31	Special Education - Evaluation/Re-Eval Assessment
81	2357	15	Hearing # referred	195	1997	21	Child/Student Team Meetings
85	11812	155	Scoliosis # screened	210	91939	383	Conferences w/ school personnel re: students
90	344	8	Scoliosis # RN re-screened	215	2342	19	School Meetings
91	346	9	Scoliosis # referred	220	10749	64	Community Contacts / Meetings
95	56105	369	Height & Weight Screening # screened	225	1614	28	School Environmental Inspection
100	305	11	Height & Weight Screening # RN re-screened	230	28	2	University / College Courses
101	68	7	Height & Weight Screening # referred Underweight	235	549	6	Conferences / Workshops Attended
102	489	70	Height & Weight Screening # referred At Risk	240	1173	18	Classes Workshops Given
103	603	60	Height & Weight Screening # referred Overweight	245	365	8	Preceptor of Student Nurses
105	5982	60	B/P # screened	250	548	9	Professional Committee Participation
110	616	16	B/P # RN re-screened	275	215	5	Emergency Calls to Other Schools
111	65	4	B/P # referred	280	62922	231	Students Sent Home by RN
115	5011	84	Dental # screened	285	18163	111	Students Sent Home by Health Assistant

ASHAR Summary

Schools with Student Population - All

School Year: 2008-2009

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
300.11	268	5	Absenteeism - Known as of 5/1	340.11	335	2	Bleeding Disorders - Known as of 5/1
300.22	1482	26	Absenteeism - Nursing Intervention	340.22	501	9	Bleeding Disorders - Nursing Intervention
300.33	476	20	Absenteeism - Referred	340.33	28	3	Bleeding Disorders - Referred
305.11	6	1	AIDS/HIV - Known as of 5/1	343.11	35	3	Coccidioidomycosis - Known as of 5/1
305.22	6	1	AIDS/HIV - Nursing Intervention	343.22	12	2	Coccidioidomycosis - Nursing Intervention
305.33	2	1	AIDS/HIV - Referred	343.33	1	1	Coccidioidomycosis - Referred
310.11	32916	115	Allergy - Known as of 5/1	344.11	75	1	Connective Tissue Disorders - Known as of 5/1
310.22	22070	79	Allergy - Nursing Intervention	344.22	42	2	Connective Tissue Disorders - Nursing Intervention
310.33	601	6	Allergy - Referred	344.33	2	1	Connective Tissue Disorders - Referred
315.11	27	1	Anorexia/Bulimia - Known as of 5/1	345.11	34	1	Cystic Fibrosis - Known as of 5/1
315.22	70	3	Anorexia/Bulimia - Nursing Intervention	345.22	3117	94	Cystic Fibrosis - Nursing Intervention
315.33	10	3	Anorexia/Bulimia - Referred	345.33	6	1	Cystic Fibrosis - Referred
320.11	186	2	Arthritis/Rheumatic Disease - Known as of 5/1	350.11	441	2	Diabetes - Type I - Known as of 5/1
320.22	366	6	Arthritis/Rheumatic Disease - Nursing Intervention	350.22	76770	415	Diabetes - Type I - Nursing Intervention
320.33	20	3	Arthritis/Rheumatic Disease - Referred	350.33	235	5	Diabetes - Type I - Referred
325.11	16312	56	Asthma - without PCP Action Plan - Known as of 5/1	351.11	58	1	Diabetes - Type II - Known as of 5/1
325.22	41219	144	Asthma - without PCP Action Plan - Nursing Intervention	351.22	2852	56	Diabetes - Type II - Nursing Intervention
325.33	748	6	Asthma - without PCP Action Plan - Referred	351.33	14	2	Diabetes - Type II - Referred
326.11	2621	11	Asthma - with PCP Action Plan - Known as of 5/1	355.11	551	3	Endocrine Disorders - Known as of 5/1
326.22	25031	124	Asthma - with PCP Action Plan - Nursing Intervention	355.22	1901	32	Endocrine Disorders - Nursing Intervention
326.33	163	4	Asthma - with PCP Action Plan - Referred	355.33	19	2	Endocrine Disorders - Referred
330.11	7601	27	Attention Deficit Disorder/Hyperactivity - Known as of 5/1	356.11	1945	8	Gastrointestinal Chronic - Known as of 5/1
330.22	106803	408	Attention Deficit Disorder/Hyperactivity - Nursing Intervention	356.22	11948	64	Gastrointestinal Chronic - Nursing Intervention
330.33	131	4	Attention Deficit Disorder/Hyperactivity - Referred	356.33	156	3	Gastrointestinal Chronic - Referred
332.11	614	4	Autism, Childhood - Known as of 5/1	358.11	789	4	Genitourinary Chronic - Known as of 5/1
332.22	3059	51	Autism, Childhood - Nursing Intervention	358.22	6354	51	Genitourinary Chronic - Nursing Intervention
332.33	6	1	Autism, Childhood - Referred	358.33	69	3	Genitourinary Chronic - Referred
333.11	225	2	Autism, Spectrum Disorder - Known as of 5/1	359.11	251	6	Gynecological - Known as of 5/1
333.22	513	21	Autism, Spectrum Disorder - Nursing Intervention	359.22	3007	24	Gynecological - Nursing Intervention
333.33	1	1	Autism, Spectrum Disorder - Referred	359.33	47	2	Gynecological - Referred
335.11	2076	9	Birth Defects/Developmental - Known as of 5/1	360.11	2648	10	Hearing - Known as of 5/1
335.22	23741	253	Birth Defects/Developmental - Nursing Intervention	360.22	4130	23	Hearing - Nursing Intervention
335.33	24	2	Birth Defects/Developmental - Referred	360.33	2010	15	Hearing - Referred

ASHAR Summary

Schools with Student Population - All

School Year: 2008-2009

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
365.11	2016	8	Heart - Known as of 5/1	410.11	66	1	Tuberculosis - Known as of 5/1
365.22	2120	17	Heart - Nursing Intervention	410.22	28	2	Tuberculosis - Nursing Intervention
365.33	99	2	Heart - Referred	410.33	3	2	Tuberculosis - Referred
368.11	63	1	Hepatic & Biliary Disorders - Known as of 5/1	415.11	25813	96	Vision - Known as of 5/1
368.22	649	50	Hepatic & Biliary Disorders - Nursing Intervention	415.22	21327	92	Vision - Nursing Intervention
368.33	1	1	Hepatic & Biliary Disorders - Referred	415.33	12430	71	Vision - Referred
370.11	116	2	Hypertension - Known as of 5/1	420.11	636	5	Color Deficit - Known as of 5/1
370.22	1051	28	Hypertension - Nursing Intervention	420.22	526	8	Color Deficit - Nursing Intervention
370.33	40	3	Hypertension - Referred	420.33	508	9	Color Deficit - Referred
372.11	2291	10	Integumentary Chronic - Known as of 5/1	425.11	1241	11	Weight Disorders - Known as of 5/1
372.22	2338	17	Integumentary Chronic - Nursing Intervention	425.22	888	18	Weight Disorders - Nursing Intervention
372.33	61	2	Integumentary Chronic - Referred	425.33	45	3	Weight Disorders - Referred
375.11	150	2	Malignancies - Known as of 5/1	430.11	2625	11	Other Chronic
375.22	306	7	Malignancies - Nursing Intervention	430.22	2358	29	Other Chronic - Nursing Intervention
375.33	8	2	Malignancies - Referred	430.33	19	2	Other Chronic - Referred
380.11	3657	15	Neuro Disorders - Known as of 5/1	500.22	27	2	Anemia - Nursing Intervention
380.22	17240	93	Neuro Disorders - Nursing Intervention	500.33	4	1	Anemia - Referred
380.33	226	4	Neuro Disorders - Referred	505.22	589	5	Child Abuse/Neglect - Nursing Intervention
385.11	1387	7	Orthopedic - Known as of 5/1	505.33	303	4	Child Abuse/Neglect - Referred
385.22	5396	37	Orthopedic - Nursing Intervention	510.22	9	1	Coccidioidomycosis - Nursing Intervention
385.33	324	6	Orthopedic - Referred	515.22	148	2	Commun. Rash - Varicella - Nursing Intervention
390.11	2259	10	Psychiatric - Known as of 5/1	515.33	46	1	Commun. Rash - Varicella - Referred
390.22	13840	87	Psychiatric - Nursing Intervention	516.22	200	3	Commun. Rash - Impetigo - Nursing Intervention
390.33	202	5	Psychiatric - Referred	516.33	58	2	Commun. Rash - Impetigo - Referred
395.11	436	4	Scoliosis - Known as of 5/1	517.22	5	1	Commun. Rash - Rubella/Rubeola - Nursing Intervention
395.22	127	4	Scoliosis - Nursing Intervention	517.33	1	1	Commun. Rash - Rubella/Rubeola - Referred
395.33	21	2	Scoliosis - Referred	518.22	1836	10	Commun. Rash - Other - Nursing Intervention
400.11	1360	6	Seizure Disorders - Known as of 5/1	518.33	192	2	Commun. Rash - Other - Referred
400.22	10815	73	Seizure Disorders - Nursing Intervention	520.22	5689	21	Conjunctivitis - Nursing Intervention
400.33	151	3	Seizure Disorders - Referred	520.33	1253	8	Conjunctivitis - Referred
405.11	57	1	Sickle Cell - Known as of 5/1	525.22	3634	16	Dental - Decay - Nursing Intervention
405.22	97	8	Sickle Cell - Nursing Intervention	525.33	976	9	Dental - Decay - Referred
405.33	2	1	Sickle Cell - Referred	526.22	14530	54	Dental - Other - Nursing Intervention

ASHAR Summary

Schools with Student Population - All

School Year: 2008-2009

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
526.33	795	6	Dental - Other - Referred	580.22	65946	234	Respiratory - Nursing Intervention
530.22	7471	35	Emotional/Adjustment Problems - Nursing Intervention	580.33	2879	20	Respiratory - Referred
530.33	369	5	Emotional/Adjustment Problems - Referred	582.22	3918	21	Respiratory - Influenza-like Illness (ILI) - Nursing Intervention
531.22	4644	20	Fever >101 with or w/o headache & no other recognizable sy	582.33	457	6	Respiratory - Influenza-like Illness (ILI) - Referred
531.33	645	7	Fever >101 with or w/o headache & no other recognizable sy	585.22	81	2	Scabies - Nursing Intervention
535.22	1967	11	Fractures - Nursing Intervention	585.33	17	2	Scabies - Referred
535.33	355	4	Fractures - Referred	590.22	30	3	Sexually Transmitted Diseases - Nursing Intervention
540.22	11120	55	Genitourinary - Nursing Intervention	590.33	11	4	Sexually Transmitted Diseases - Referred
540.33	293	4	Genitourinary - Referred	595.22	489	9	Substance Abuse - Nursing Intervention
543.22	9323	41	Gastrointestinal - Vomiting & Diarrhea w or w/o fever - Nursi	595.33	141	5	Substance Abuse - Referred
543.33	490	7	Gastrointestinal - Vomiting & Diarrhea w or w/o fever - Referr	600.22	65	3	Suicide Behavior - Nursing Intervention
545.22	103871	353	Gastrointestinal - Other - Nursing Intervention	600.33	47	3	Suicide Behavior - Referred
545.33	3194	22	Gastrointestinal - Other - Referred	603.22	22	2	Suicide Attempt - Nursing Intervention
546.22	16369	80	Gynecological - Nursing Intervention	603.33	6	1	Suicide Attempt - Referred
546.33	539	15	Gynecological - Referred	605.22	10	1	Suicide - Nursing Intervention
550.22	11	1	Hepatitis - Nursing Intervention	605.33	3	1	Suicide - Referred
550.33	2	1	Hepatitis - Referred	610.22	1379	10	Trauma (Referral Required) - Nursing Intervention
553.22	418	60	Hepatic and Biliary Disorders - Nursing Intervention	610.33	899	10	Trauma (Referral Required) - Referred
553.33	9	9	Hepatic and Biliary Disorders - Referred	620.22	11381	76	Activity Intolerance - Nursing Intervention
555.22	193	4	Infectious Mononucleosis - Nursing Intervention	620.33	772	20	Activity Intolerance - Referred
555.33	34	3	Infectious Mononucleosis - Referred	621.22	6936	70	Activity Intolerance, Risk For - Nursing Intervention
560.22	37419	139	Integumentary - Nursing Intervention	621.33	115	9	Activity Intolerance, Risk For - Referred
560.33	1093	10	Integumentary - Referred	623.22	4	1	Adaptive Capacity, Intracranial:decreased - Nursing Interve
561.22	57	4	Meningitis/Encephalitis - Bacterial/Viral - Nursing Interventio	623.33	1	1	Adaptive Capacity, Intracranial:decreased - Referred
561.33	2	2	Meningitis/Encephalitis - Bacterial/Viral - Referred	625.22	568	12	Adjustment impaired - Nursing Intervention
563.22	29617	128	Musculoskeletal (acute, non-fracture) - Nursing Intervention	625.33	13	1	Adjustment impaired - Referred
563.33	1128	10	Musculoskeletal (acute, non-fracture) - Referred	630.22	4219	21	Anxiety - Nursing Intervention
565.22	6501	25	Otitis Media/Externa - Nursing Intervention	630.33	172	4	Anxiety - Referred
565.33	1299	10	Otitis Media/Externa - Referred	635.22	3437	29	Body Temperature, Risk for, Alteration - Nursing Intervention
570.22	5431	28	Pediculosis - Nursing Intervention	635.33	123	5	Body Temperature, Risk for, Alteration - Referred
570.33	687	9	Pediculosis - Referred	640.22	45	2	Hypothermia - Nursing Intervention
575.22	591	8	Pregnancy - Nursing Intervention	640.33	3	1	Hypothermia - Referred
575.33	94	4	Pregnancy - Referred	645.22	3795	31	Hyperthermia - Nursing Intervention

ASHAR Summary

Schools with Student Population - All

School Year: 2008-2009

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
645.33	378	16	Hyperthermia - Referred	693.33	4	2	Coping (Community): Potential For Enhanced - Referred
650.22	320	6	Thermoregulation, Ineffective - Nursing Intervention	694.22	230	6	Coping (Community): Ineffective - Nursing Intervention
650.33	9	2	Thermoregulation, Ineffective - Referred	694.33	7	2	Coping (Community): Ineffective - Referred
655.22	900	8	Constipation - Nursing Intervention	695.22	6954	47	Coping (Individual), Ineffective - Individual - Nursing Interv
655.33	31	2	Constipation - Referred	695.33	471	11	Coping (Individual), Ineffective - Individual - Referred
656.22	105	4	Constipation, Colonic - Nursing Intervention	696.22	359	10	Coping, Defensive - Nursing Intervention
656.33	10	3	Constipation, Colonic - Referred	696.33	7	2	Coping, Defensive - Referred
657.22	168	3	Constipation, Perceived - Nursing Intervention	697.22	12	1	Denial, Ineffective - Nursing Intervention
657.33	3	1	Constipation, Perceived - Referred	697.33	1	1	Denial, Ineffective - Referred
658.22	2213	16	Incontinence, Bowel - Nursing Intervention	698.22	221	7	Coping (Family): Potential for Growth - Nursing Intervention
658.33	56	2	Incontinence, Bowel - Referred	698.33	41	7	Coping (Family): Potential for Growth - Referred
660.22	1380	10	Diarrhea - Nursing Intervention	699.22	305	5	Coping (Family): Ineffective: Compromised - Nursing Interv
660.33	120	4	Diarrhea - Referred	699.33	45	2	Coping (Family): Ineffective: Compromised - Referred
661.22	66	17	Breastfeeding, Effective - Nursing Intervention	700.22	229	6	Coping (Family), Ineffective: Disabling - Nursing Intervention
662.22	2	1	Breastfeeding, Ineffective - Nursing Intervention	700.33	29	3	Coping (Family), Ineffective: Disabling - Referred
663.22	2	1	Breastfeeding, Interrupted - Nursing Intervention	701.22	576	18	Decisional Conflict - Nursing Intervention
664.22	1	1	Infant Feeding Pattern, Ineffective - Nursing Intervention	701.33	38	5	Decisional Conflict - Referred
665.22	96	5	Cardiac Output, Alterations in - Decreased - Nursing Interv	703.22	3	1	Disuse Syndrome - Nursing Intervention
665.33	13	2	Cardiac Output, Alterations in - Decreased - Referred	705.22	9	1	Diversional Activity Deficit - Nursing Intervention
666.22	32	2	Care Giver Role Strain - Nursing Intervention	705.33	2	1	Diversional Activity Deficit - Referred
666.33	9	5	Care Giver Role Strain - Referred	706.22	6	2	Dysreflexia - Nursing Intervention
667.22	40	1	Caregiver Role Strain, Risk For - Nursing Intervention	706.33	3	3	Dysreflexia - Referred
667.33	17	2	Caregiver Role Strain, Risk For - Referred	708.22	1215	41	Energy Field Disturbance - Nursing Intervention
675.22	292299	965	Pain - Nursing Intervention	708.33	4	1	Energy Field Disturbance - Referred
675.33	5313	33	Pain - Referred	710.22	440	6	Family Processes, Alterations in - Nursing Intervention
680.22	605	8	Pain, Chronic - Nursing Intervention	710.33	54	2	Family Processes, Alterations in - Referred
680.33	79	3	Pain, Chronic - Referred	711.22	17	2	Family Process, Altered: Alcoholism - Nursing Intervention
690.22	869	36	Communication, Impaired - Verbal - Nursing Intervention	712.22	5437	29	Fatigue - Nursing Intervention
691.22	37	1	Confusion, Acute - Nursing Intervention	712.33	123	4	Fatigue - Referred
691.33	17	2	Confusion, Acute - Referred	715.22	435	6	Fear - Nursing Intervention
692.22	16	2	Confusion, Chronic - Nursing Intervention	715.33	12	2	Fear - Referred
692.33	5	2	Confusion, Chronic - Referred	720.22	5415	40	Fluid Volume Deficit - Nursing Intervention
693.22	49	3	Coping (Community): Potential For Enhanced - Nursing Inter	720.33	51	4	Fluid Volume Deficit - Referred

ASHAR Summary

Schools with Student Population - All

School Year: 2008-2009

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
722.22	3700	34	Fluid Volume Deficit, Risk for - Nursing Intervention	778.22	403	12	Management of Therapeutic Regimen, Ineffective (Individuals
722.33	52	3	Fluid Volume Deficit, Risk for - Referred	778.33	11	2	Management of Therapeutic Regimen, Ineffective (Individuals
725.22	25	2	Fluid Volume Excess - Nursing Intervention	779.22	486	15	Management Of Therapeutic Regimen, Effective: Individual -
725.33	2	1	Fluid Volume Excess - Referred	779.33	6	2	Management Of Therapeutic Regimen, Effective: Individual -
730.22	105	2	Grieving, Anticipatory - Nursing Intervention	780.22	3569	33	Physical Mobility, Impaired - Nursing Intervention
730.33	13	1	Grieving, Anticipatory - Referred	780.33	198	8	Physical Mobility, Impaired - Referred
731.22	49	2	Grieving, Dysfunctional - Nursing Intervention	782.22	52	3	Peripheral Neurovascular Dysfunction, Risk for - Nursing Int
731.33	16	4	Grieving, Dysfunctional - Referred	782.33	2	1	Peripheral Neurovascular Dysfunction, Risk for - Referred
735.22	40	2	Growth and Development, Altered - Nursing Intervention	785.22	3202	43	Noncompliance - Nursing Intervention
745.22	11850	132	Health Maintenance - Alterations in - Nursing Intervention	785.33	236	14	Noncompliance - Referred
745.33	141	9	Health Maintenance - Alterations in - Referred	790.22	15445	76	Nutrition, Altered - Less than Body Requirements - Nursing I
746.22	2759	44	Health - Seeking Behaviors (specify) - Nursing Intervention	790.33	131	6	Nutrition, Altered - Less than Body Requirements - Referred
746.33	94	9	Health - Seeking Behaviors (specify) - Referred	791.22	472	15	Nutrition, Altered: Risk for More than Body Requirements - N
750.22	324	9	Home Maintenance Management, impaired - Nursing Interv	791.33	5	1	Nutrition, Altered: Risk for More than Body Requirements - R
750.33	7	2	Home Maintenance Management, impaired - Referred	795.22	1553	31	Swallowing, Impaired - Nursing Intervention
755.22	145	6	Hopelessness - Nursing Intervention	795.33	51	7	Swallowing, Impaired - Referred
755.33	14	2	Hopelessness - Referred	800.22	175	5	Nutrition, Altered - More than Body Requirements - Nursing I
760.22	25060	106	Infection, Risk for - Nursing Intervention	800.33	12	4	Nutrition, Altered - More than Body Requirements - Referred
760.33	1415	13	Infection, Risk for - Referred	805.22	80	3	Parenting, Altered - Nursing Intervention
770.22	5100	38	Injury, Risk for - Nursing Intervention	805.33	5	1	Parenting, Altered - Referred
770.33	658	17	Injury, Risk for - Referred	806.22	42	2	Parenting, Risk For Altered - Nursing Intervention
771.22	51	2	Poisoning, Risk For - Nursing Intervention	806.33	6	1	Parenting, Risk For Altered - Referred
771.33	18	2	Poisoning, Risk For - Referred	807.22	5	3	Parent/Infant/Child Attachment, Risk For Altered - Nursing In
772.22	1743	26	Trauma, Risk For - Nursing Intervention	808.22	29	1	Parental Role Conflict - Nursing Intervention
772.33	57	2	Trauma, Risk For - Referred	808.33	4	1	Parental Role Conflict - Referred
773.22	178	6	Management Of Therapeutic Regimen, Ineffective: Families	815.22	39	2	Post-Trauma Response Syndrome - Nursing Intervention
773.33	25	3	Management Of Therapeutic Regimen, Ineffective: Families	815.33	2	1	Post-Trauma Response Syndrome - Referred
774.22	26	2	Management of Therapeutic Regimen, Ineffective: Communi	820.22	6	1	Rape-Trauma Syndrome - Nursing Intervention
774.33	3	1	Management of Therapeutic Regimen, Ineffective: Communi	820.33	1	1	Rape-Trauma Syndrome - Referred
775.22	25281	196	Knowledge Deficit - Nursing Intervention	821.22	3	1	Rape-Trauma Syndrome: Compound Reaction - Nursing Inte
775.33	300	18	Knowledge Deficit - Referred	821.33	1	1	Rape-Trauma Syndrome: Compound Reaction - Referred
776.22	46	3	Loneliness, Risk for - Nursing Intervention	822.22	4	1	Rape-Trauma Syndrome: Silent Reaction - Nursing Intervent
776.33	2	2	Loneliness, Risk for - Referred	822.33	1	1	Rape-Trauma Syndrome: Silent Reaction - Referred

ASHAR Summary

Schools with Student Population - All

School Year: 2008-2009

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
825.22	158	7	Powerlessness - Nursing Intervention	875.33	1	1	Sexual Dysfunction, Altered - Referred
825.33	3	2	Powerlessness - Referred	880.22	1524	18	Sleep Pattern Disturbance - Nursing Intervention
827.22	89	8	Protection, Altered - Nursing Intervention	880.33	20	3	Sleep Pattern Disturbance - Referred
827.33	3	2	Protection, Altered - Referred	885.22	29	2	Social Isolation - Nursing Intervention
828.22	6	2	Relocation Stress Syndrome - Nursing Intervention	885.33	1	1	Social Isolation - Referred
828.33	1	1	Relocation Stress Syndrome - Referred	890.22	585	14	Social Interactions, Impaired - Nursing Intervention
831.22	1	1	Ventilation, Inability to Sustain Spontaneous - Nursing Interv	890.33	18	5	Social Interactions, Impaired - Referred
831.33	1	1	Ventilation, Inability to Sustain Spontaneous - Referred	895.22	28	2	Spiritual Distress (Distress Of The Human Spirit) - Nursing I
832.22	2	1	Ventilatory Weaning Response, Dysfunctional (DVWR) - Nur	895.33	4	1	Spiritual Distress (Distress Of The Human Spirit) - Referred
835.22	1728	22	Ineffective Airway Clearance - Nursing Intervention	896.22	5	3	Spiritual Well-being, Potential For Enhanced - Nursing Inter
835.33	91	6	Ineffective Airway Clearance - Referred	900.22	77	2	Thought Processes, Altered - Nursing Intervention
840.22	1339	17	Breathing Pattern, Ineffective - Nursing Intervention	900.33	10	1	Thought Processes, Altered - Referred
840.33	50	4	Breathing Pattern, Ineffective - Referred	905.22	32001	127	Tissue Integrity, Impaired - Nursing Intervention
845.22	1537	29	Gas Exchange, Impaired - Nursing Intervention	905.33	506	6	Tissue Integrity, Impaired - Referred
845.33	31	3	Gas Exchange, Impaired - Referred	910.22	47572	174	Skin Integrity, Impaired - Nursing Intervention
846.22	377	126	Suffocation, Risk For - Nursing Intervention	910.33	553	5	Skin Integrity, Impaired - Referred
847.22	344	15	Aspiration, Risk For - Nursing Intervention	911.22	6001	40	Skin Integrity, Risk for Impaired - Intervention
847.33	4	1	Aspiration, Risk For - Referred	911.33	43	1	Skin Integrity, Risk for Impaired - Referred
848.22	10	1	Role Performance, Altered - Nursing Intervention	915.22	11941	66	Oral Mucous Membrane, Alteration in - Nursing Intervention
848.33	1	1	Role Performance, Altered - Referred	915.33	88	2	Oral Mucous Membrane, Alteration in - Referred
852.22	2462	15	Self Care Deficit Bathing/Hygiene - Nursing Intervention	920.22	1167	16	Tissue Perfusion, Altered (Specify Type) - Nursing Interventi
852.33	32	1	Self Care Deficit Bathing/Hygiene - Referred	920.33	28	2	Tissue Perfusion, Altered (Specify Type) - Referred
853.22	8386	51	Self Care Deficit Dressing/Grooming - Nursing Intervention	925.22	24	2	Neglect, Unilateral - Nursing Intervention
853.33	127	3	Self Care Deficit Dressing/Grooming - Referred	925.33	2	1	Neglect, Unilateral - Referred
854.22	7796	47	Self Care Deficit Toileting - Nursing Intervention	930.22	2412	25	Urinary Elimination, Altered - Nursing Intervention
854.33	86	3	Self Care Deficit Toileting - Referred	930.33	21	1	Urinary Elimination, Altered - Referred
857.22	2180	32	Self Care Deficit Feeding - Nursing Intervention	940.22	4343	48	Incontinence, Functional - Nursing Intervention
857.33	8	1	Self Care Deficit Feeding - Referred	940.33	33	3	Incontinence, Functional - Referred
865.22	155	6	Sensory-Perceptual Alterations (specify) (Visual, auditory, ki	945.22	146	7	Incontinence, Reflex - Nursing Intervention
865.33	3	2	Sensory-Perceptual Alterations (specify) (Visual, auditory, ki	945.33	11	2	Incontinence, Reflex - Referred
870.22	5	1	Sexuality Patterns, Altered - Nursing Intervention	950.22	278	6	Incontinence, Stress - Nursing Intervention
870.33	3	2	Sexuality Patterns, Altered - Referred	950.33	17	4	Incontinence, Stress - Referred
875.22	7	1	Sexual Dysfunction, Altered - Nursing Intervention	955.22	699	16	Incontinence, Total - Nursing Intervention

ASHAR Summary

Schools with Student Population - All

School Year: 2008-2009

Code	Count	AV/Sch	Description	Code	Count	AV/Sch	Description
955.33	6	1	Incontinence, Total - Referred	1015.22	12533	73	Staff Illness/Counseling - Nursing Intervention
960.22	2470	31	Incontinence, Urge - Nursing Intervention	1015.33	682	6	Staff Illness/Counseling - Referred
960.33	23	2	Incontinence, Urge - Referred				
965.22	314	20	Urinary Retention - Nursing Intervention				
965.33	3	1	Urinary Retention - Referred				
970.22	122	3	Violence, Risk for: Self-Directed - Nursing Intervention				
970.33	20	2	Violence, Risk for: Self-Directed - Referred				
971.22	167	3	Self-Mutilation, Risk For - Nursing Intervention				
971.33	31	2	Self-Mutilation, Risk For - Referred				
972.22	359	6	Violence, Risk For: Directed At Others - Nursing Intervention				
972.33	18	2	Violence, Risk For: Directed At Others - Referred				
976.22	4	1	Memory, Impaired - Nursing Intervention				
976.33	1	1	Memory, Impaired - Referred				
977.22	3	2	Environmental Interpretation Syndrome, Impaired - Nursing I				
980.22	381	8	Body Image Disturbance - Nursing Intervention				
980.33	4	2	Body Image Disturbance - Referred				
981.22	149	4	Self Esteem Disturbance - Nursing Intervention				
981.33	17	6	Self Esteem Disturbance - Referred				
982.22	69	4	Self esteem, Chronic Low - Nursing Intervention				
982.33	2	1	Self esteem, Chronic Low - Referred				
983.22	135	4	Self Esteem, Situational Low - Nursing Intervention				
983.33	21	7	Self Esteem, Situational Low - Referred				
984.22	74	7	Identity Disturbance, Personal - Nursing Intervention				
990.22	1	1	Infant Behavior, Risk For Disorganized - Nursing Intervention				
991.22	2	1	Infant Behavior, Disorganized - Nursing Intervention				
992.22	1	1	Infant Behavior, Potential For Enhanced Organized - Nursing				
992.33	1	1	Infant Behavior, Potential For Enhanced Organized - Referre				
996.22	9	1	Perioperative Positioning Injury, Risk For - Nursing Interventi				
996.33	5	1	Perioperative Positioning Injury, Risk For - Referred				
1000.22	394	5	Staff Industrial Injury (Referral Required) - Nursing Interventi				
1000.33	26353	376	Staff Industrial Injury (Referral Required) - Referred				
1005.22	1870	14	Staff Injury (Referral Not Required) - Nursing Intervention				
1005.33	317	5	Staff Injury (Referral Not Required) - Referred				