

ASHAR Summary - Average per 100 Students

Schools with Student Population - All

School Year: 2008-2009

<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>
1	587417	263	Illness - Nsg Assess/Tx	120	233	1	Dental # RN re-screened
5	142466	64	Injury at School - Nsg Assess/Tx	121	79	0	Dental Screening # referred Urgent
6	8171	4	Follow Up Injury at School - Nsg Assess/Tx	122	152	1	Dental Screening # referred Decay
10	52556	24	Injury at Home or Other - Nsg Assess/Tx (Initial & F/U)	123	670	2	Dental Screening # referred Other
15	233219	108	Medications - Daily # doses given	125	38441	26	Pediculosis # screened
18	183952	84	Medications - PRN # doses given	130	5499	6	Pediculosis # RN re-screened
20	77006	45	Skilled Nursing Procedures (consents required)	131	660	1	Pediculosis # referred
21	9344	7	IEP (required) Related Interventions	135	131	1	TB Skin Testing # screened
30	284011	128	Parental Contacts	140	197	1	TB Skin Testing # read by RN
35	455	1	Home Visits	141	4	0	TB Skin Testing # referred
40	113291	51	Student Health Records (enrollment)	145	1673	10	Acanthosis Nigricans Screening # screened
45	195493	89	Student Health Records (withdrawal)	150	180	3	Acanthosis Nigricans Screening # RN re-screened
50	203573	94	Immunization Records	151	37	1	Acanthosis Nigricans Screening # referred
55	59	1	Immunization Administration # adults	160	2756	5	Physical Exams/Assessments
60	755	4	Immunization Administration # students	165	281	2	Neurodevelopmental Assessments
65	116685	60	Vision # screened	170	13146	262	Fluoride Mouthrinse Program
70	11666	8	Vision # RN re-screened	175	11495	12	Health Education/Promotion/Resource
71	14593	9	Vision # referred	180	3140	4	Classroom Presentation to Students
75	118392	61	Hearing # screened	185	644	2	Social/Developmental Histories
80	8873	5	Hearing # RN re-screened	190	2544	4	Special Education - Evaluation/Re-Eval Assessment
81	2357	2	Hearing # referred	195	1997	3	Child/Student Team Meetings
85	11812	22	Scoliosis # screened	210	91939	50	Conferences w/ school personnel re: students
90	344	1	Scoliosis # RN re-screened	215	2342	2	School Meetings
91	346	1	Scoliosis # referred	220	10749	8	Community Contacts / Meetings
95	56105	49	Height & Weight Screening # screened	225	1614	4	School Environmental Inspection
100	305	2	Height & Weight Screening # RN re-screened	230	28	0	University / College Courses
101	68	1	Height & Weight Screening # referred Underweight	235	549	1	Conferences / Workshops Attended
102	489	9	Height & Weight Screening # referred At Risk	240	1173	2	Classes Workshops Given
103	603	8	Height & Weight Screening # referred Overweight	245	365	1	Preceptor of Student Nurses
105	5982	7	B/P # screened	250	548	1	Professional Committee Participation
110	616	1	B/P # RN re-screened	275	215	1	Emergency Calls to Other Schools
111	65	0	B/P # referred	280	62922	31	Students Sent Home by RN
115	5011	12	Dental # screened	285	18163	16	Students Sent Home by Health Assistant

ASHAR Summary - Average per 100 Students

Schools with Student Population - All

School Year: 2008-2009

<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>
300.11	268	0	Absenteeism - Known as of 5/1	340.11	335	0	Bleeding Disorders - Known as of 5/1
300.22	1482	3	Absenteeism - Nursing Intervention	340.22	501	1	Bleeding Disorders - Nursing Intervention
300.33	476	2	Absenteeism - Referred	340.33	28	0	Bleeding Disorders - Referred
305.11	6	0	AIDS/HIV - Known as of 5/1	343.11	35	0	Coccidioidomycosis - Known as of 5/1
305.22	6	0	AIDS/HIV - Nursing Intervention	343.22	12	0	Coccidioidomycosis - Nursing Intervention
305.33	2	0	AIDS/HIV - Referred	343.33	1	0	Coccidioidomycosis - Referred
310.11	32916	16	Allergy - Known as of 5/1	344.11	75	0	Connective Tissue Disorders - Known as of 5/1
310.22	22070	11	Allergy - Nursing Intervention	344.22	42	0	Connective Tissue Disorders - Nursing Intervention
310.33	601	1	Allergy - Referred	344.33	2	0	Connective Tissue Disorders - Referred
315.11	27	0	Anorexia/Bulimia - Known as of 5/1	345.11	34	0	Cystic Fibrosis - Known as of 5/1
315.22	70	0	Anorexia/Bulimia - Nursing Intervention	345.22	3117	11	Cystic Fibrosis - Nursing Intervention
315.33	10	0	Anorexia/Bulimia - Referred	345.33	6	0	Cystic Fibrosis - Referred
320.11	186	0	Arthritis/Rheumatic Disease - Known as of 5/1	350.11	441	0	Diabetes - Type I - Known as of 5/1
320.22	366	1	Arthritis/Rheumatic Disease - Nursing Intervention	350.22	76770	50	Diabetes - Type I - Nursing Intervention
320.33	20	0	Arthritis/Rheumatic Disease - Referred	350.33	235	1	Diabetes - Type I - Referred
325.11	16312	8	Asthma - without PCP Action Plan - Known as of 5/1	351.11	58	0	Diabetes - Type II - Known as of 5/1
325.22	41219	19	Asthma - without PCP Action Plan - Nursing Intervention	351.22	2852	6	Diabetes - Type II - Nursing Intervention
325.33	748	1	Asthma - without PCP Action Plan - Referred	351.33	14	0	Diabetes - Type II - Referred
326.11	2621	1	Asthma - with PCP Action Plan - Known as of 5/1	355.11	551	0	Endocrine Disorders - Known as of 5/1
326.22	25031	17	Asthma - with PCP Action Plan - Nursing Intervention	355.22	1901	3	Endocrine Disorders - Nursing Intervention
326.33	163	0	Asthma - with PCP Action Plan - Referred	355.33	19	0	Endocrine Disorders - Referred
330.11	7601	4	Attention Deficit Disorder/Hyperactivity - Known as of 5/1	356.11	1945	1	Gastrointestinal Chronic - Known as of 5/1
330.22	106803	54	Attention Deficit Disorder/Hyperactivity - Nursing Intervention	356.22	11948	8	Gastrointestinal Chronic - Nursing Intervention
330.33	131	1	Attention Deficit Disorder/Hyperactivity - Referred	356.33	156	0	Gastrointestinal Chronic - Referred
332.11	614	0	Autism, Childhood - Known as of 5/1	358.11	789	0	Genitourinary Chronic - Known as of 5/1
332.22	3059	6	Autism, Childhood - Nursing Intervention	358.22	6354	6	Genitourinary Chronic - Nursing Intervention
332.33	6	0	Autism, Childhood - Referred	358.33	69	0	Genitourinary Chronic - Referred
333.11	225	0	Autism, Spectrum Disorder - Known as of 5/1	359.11	251	1	Gynecological - Known as of 5/1
333.22	513	2	Autism, Spectrum Disorder - Nursing Intervention	359.22	3007	3	Gynecological - Nursing Intervention
333.33	1	0	Autism, Spectrum Disorder - Referred	359.33	47	0	Gynecological - Referred
335.11	2076	1	Birth Defects/Developmental - Known as of 5/1	360.11	2648	1	Hearing - Known as of 5/1
335.22	23741	31	Birth Defects/Developmental - Nursing Intervention	360.22	4130	3	Hearing - Nursing Intervention
335.33	24	0	Birth Defects/Developmental - Referred	360.33	2010	2	Hearing - Referred

ASHAR Summary - Average per 100 Students

Schools with Student Population - All

School Year: 2008-2009

<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>
365.11	2016	1	Heart - Known as of 5/1	410.11	66	0	Tuberculosis - Known as of 5/1
365.22	2120	2	Heart - Nursing Intervention	410.22	28	0	Tuberculosis - Nursing Intervention
365.33	99	0	Heart - Referred	410.33	3	0	Tuberculosis - Referred
368.11	63	0	Hepatic & Biliary Disorders - Known as of 5/1	415.11	25813	13	Vision - Known as of 5/1
368.22	649	4	Hepatic & Biliary Disorders - Nursing Intervention	415.22	21327	12	Vision - Nursing Intervention
368.33	1	0	Hepatic & Biliary Disorders - Referred	415.33	12430	9	Vision - Referred
370.11	116	0	Hypertension - Known as of 5/1	420.11	636	1	Color Deficit - Known as of 5/1
370.22	1051	3	Hypertension - Nursing Intervention	420.22	526	1	Color Deficit - Nursing Intervention
370.33	40	0	Hypertension - Referred	420.33	508	1	Color Deficit - Referred
372.11	2291	1	Integumentary Chronic - Known as of 5/1	425.11	1241	1	Weight Disorders - Known as of 5/1
372.22	2338	2	Integumentary Chronic - Nursing Intervention	425.22	888	2	Weight Disorders - Nursing Intervention
372.33	61	0	Integumentary Chronic - Referred	425.33	45	0	Weight Disorders - Referred
375.11	150	0	Malignancies - Known as of 5/1	430.11	2625	1	Other Chronic
375.22	306	1	Malignancies - Nursing Intervention	430.22	2358	4	Other Chronic - Nursing Intervention
375.33	8	0	Malignancies - Referred	430.33	19	0	Other Chronic - Referred
380.11	3657	2	Neuro Disorders - Known as of 5/1	500.22	27	0	Anemia - Nursing Intervention
380.22	17240	11	Neuro Disorders - Nursing Intervention	500.33	4	0	Anemia - Referred
380.33	226	0	Neuro Disorders - Referred	505.22	589	1	Child Abuse/Neglect - Nursing Intervention
385.11	1387	1	Orthopedic - Known as of 5/1	505.33	303	1	Child Abuse/Neglect - Referred
385.22	5396	4	Orthopedic - Nursing Intervention	510.22	9	0	Coccidioidomycosis - Nursing Intervention
385.33	324	1	Orthopedic - Referred	515.22	148	0	Commun. Rash - Varicella - Nursing Intervention
390.11	2259	1	Psychiatric - Known as of 5/1	515.33	46	0	Commun. Rash - Varicella - Referred
390.22	13840	10	Psychiatric - Nursing Intervention	516.22	200	0	Commun. Rash - Impetigo - Nursing Intervention
390.33	202	1	Psychiatric - Referred	516.33	58	0	Commun. Rash - Impetigo - Referred
395.11	436	0	Scoliosis - Known as of 5/1	517.22	5	0	Commun. Rash - Rubella/Rubeola - Nursing Intervention
395.22	127	0	Scoliosis - Nursing Intervention	517.33	1	0	Commun. Rash - Rubella/Rubeola - Referred
395.33	21	0	Scoliosis - Referred	518.22	1836	1	Commun. Rash - Other - Nursing Intervention
400.11	1360	1	Seizure Disorders - Known as of 5/1	518.33	192	0	Commun. Rash - Other - Referred
400.22	10815	9	Seizure Disorders - Nursing Intervention	520.22	5689	3	Conjunctivitis - Nursing Intervention
400.33	151	0	Seizure Disorders - Referred	520.33	1253	1	Conjunctivitis - Referred
405.11	57	0	Sickle Cell - Known as of 5/1	525.22	3634	2	Dental - Decay - Nursing Intervention
405.22	97	1	Sickle Cell - Nursing Intervention	525.33	976	1	Dental - Decay - Referred
405.33	2	0	Sickle Cell - Referred	526.22	14530	7	Dental - Other - Nursing Intervention

ASHAR Summary - Average per 100 Students

Schools with Student Population - All

School Year: 2008-2009

<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>
526.33	795	1	Dental - Other - Referred	580.22	65946	32	Respiratory - Nursing Intervention
530.22	7471	5	Emotional/Adjustment Problems - Nursing Intervention	580.33	2879	2	Respiratory - Referred
530.33	369	1	Emotional/Adjustment Problems - Referred	582.22	3918	3	Respiratory - Influenza-like Illness (ILI) - Nursing Intervention
531.22	4644	3	Fever >101 with or w/o headache & no other recognizable sy	582.33	457	1	Respiratory - Influenza-like Illness (ILI) - Referred
531.33	645	1	Fever >101 with or w/o headache & no other recognizable sy	585.22	81	0	Scabies - Nursing Intervention
535.22	1967	1	Fractures - Nursing Intervention	585.33	17	0	Scabies - Referred
535.33	355	0	Fractures - Referred	590.22	30	0	Sexually Transmitted Diseases - Nursing Intervention
540.22	11120	7	Genitourinary - Nursing Intervention	590.33	11	0	Sexually Transmitted Diseases - Referred
540.33	293	0	Genitourinary - Referred	595.22	489	1	Substance Abuse - Nursing Intervention
543.22	9323	5	Gastrointestinal - Vomiting & Diarrhea w or w/o fever - Nursi	595.33	141	0	Substance Abuse - Referred
543.33	490	1	Gastrointestinal - Vomiting & Diarrhea w or w/o fever - Referr	600.22	65	0	Suicide Behavior - Nursing Intervention
545.22	103871	48	Gastrointestinal - Other - Nursing Intervention	600.33	47	0	Suicide Behavior - Referred
545.33	3194	3	Gastrointestinal - Other - Referred	603.22	22	0	Suicide Attempt - Nursing Intervention
546.22	16369	10	Gynecological - Nursing Intervention	603.33	6	0	Suicide Attempt - Referred
546.33	539	1	Gynecological - Referred	605.22	10	0	Suicide - Nursing Intervention
550.22	11	0	Hepatitis - Nursing Intervention	605.33	3	0	Suicide - Referred
550.33	2	0	Hepatitis - Referred	610.22	1379	1	Trauma (Referral Required) - Nursing Intervention
553.22	418	6	Hepatic and Biliary Disorders - Nursing Intervention	610.33	899	1	Trauma (Referral Required) - Referred
553.33	9	1	Hepatic and Biliary Disorders - Referred	620.22	11381	9	Activity Intolerance - Nursing Intervention
555.22	193	0	Infectious Mononucleosis - Nursing Intervention	620.33	772	2	Activity Intolerance - Referred
555.33	34	0	Infectious Mononucleosis - Referred	621.22	6936	9	Activity Intolerance, Risk For - Nursing Intervention
560.22	37419	19	Integumentary - Nursing Intervention	621.33	115	1	Activity Intolerance, Risk For - Referred
560.33	1093	1	Integumentary - Referred	623.22	4	0	Adaptive Capacity, Intracranial:decreased - Nursing Interve
561.22	57	0	Meningitis/Encephalitis - Bacterial/Viral - Nursing Interventio	623.33	1	0	Adaptive Capacity, Intracranial:decreased - Referred
561.33	2	0	Meningitis/Encephalitis - Bacterial/Viral - Referred	625.22	568	1	Adjustment impaired - Nursing Intervention
563.22	29617	17	Musculoskeletal (acute, non-fracture) - Nursing Intervention	625.33	13	0	Adjustment impaired - Referred
563.33	1128	1	Musculoskeletal (acute, non-fracture) - Referred	630.22	4219	3	Anxiety - Nursing Intervention
565.22	6501	3	Otitis Media/Externa - Nursing Intervention	630.33	172	0	Anxiety - Referred
565.33	1299	1	Otitis Media/Externa - Referred	635.22	3437	4	Body Temperature, Risk for, Alteration - Nursing Intervention
570.22	5431	4	Pediculosis - Nursing Intervention	635.33	123	1	Body Temperature, Risk for, Alteration - Referred
570.33	687	1	Pediculosis - Referred	640.22	45	0	Hypothermia - Nursing Intervention
575.22	591	1	Pregnancy - Nursing Intervention	640.33	3	0	Hypothermia - Referred
575.33	94	0	Pregnancy - Referred	645.22	3795	4	Hyperthermia - Nursing Intervention

ASHAR Summary - Average per 100 Students

Schools with Student Population - All

School Year: 2008-2009

<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>
645.33	378	2	Hyperthermia - Referred	693.33	4	0	Coping (Community): Potential For Enhanced - Referred
650.22	320	1	Thermoregulation, Ineffective - Nursing Intervention	694.22	230	1	Coping (Community): Ineffective - Nursing Intervention
650.33	9	0	Thermoregulation, Ineffective - Referred	694.33	7	0	Coping (Community): Ineffective - Referred
655.22	900	1	Constipation - Nursing Intervention	695.22	6954	6	Coping (Individual), Ineffective - Individual - Nursing Interv
655.33	31	0	Constipation - Referred	695.33	471	1	Coping (Individual), Ineffective - Individual - Referred
656.22	105	1	Constipation, Colonic - Nursing Intervention	696.22	359	1	Coping, Defensive - Nursing Intervention
656.33	10	0	Constipation, Colonic - Referred	696.33	7	0	Coping, Defensive - Referred
657.22	168	0	Constipation, Perceived - Nursing Intervention	697.22	12	0	Denial, Ineffective - Nursing Intervention
657.33	3	0	Constipation, Perceived - Referred	697.33	1	0	Denial, Ineffective - Referred
658.22	2213	2	Incontinence, Bowel - Nursing Intervention	698.22	221	1	Coping (Family): Potential for Growth - Nursing Intervention
658.33	56	0	Incontinence, Bowel - Referred	698.33	41	0	Coping (Family): Potential for Growth - Referred
660.22	1380	1	Diarrhea - Nursing Intervention	699.22	305	1	Coping (Family): Ineffective: Compromised - Nursing Interv
660.33	120	0	Diarrhea - Referred	699.33	45	0	Coping (Family): Ineffective: Compromised - Referred
661.22	66	1	Breastfeeding, Effective - Nursing Intervention	700.22	229	1	Coping (Family), Ineffective: Disabling - Nursing Intervention
662.22	2	0	Breastfeeding, Ineffective - Nursing Intervention	700.33	29	0	Coping (Family), Ineffective: Disabling - Referred
663.22	2	0	Breastfeeding, Interrupted - Nursing Intervention	701.22	576	2	Decisional Conflict - Nursing Intervention
664.22	1	0	Infant Feeding Pattern, Ineffective - Nursing Intervention	701.33	38	0	Decisional Conflict - Referred
665.22	96	1	Cardiac Output, Alterations in - Decreased - Nursing Interv	703.22	3	0	Disuse Syndrome - Nursing Intervention
665.33	13	0	Cardiac Output, Alterations in - Decreased - Referred	705.22	9	0	Diversional Activity Deficit - Nursing Intervention
666.22	32	0	Care Giver Role Strain - Nursing Intervention	705.33	2	0	Diversional Activity Deficit - Referred
666.33	9	0	Care Giver Role Strain - Referred	706.22	6	0	Dysreflexia - Nursing Intervention
667.22	40	0	Caregiver Role Strain, Risk For - Nursing Intervention	706.33	3	0	Dysreflexia - Referred
667.33	17	0	Caregiver Role Strain, Risk For - Referred	708.22	1215	5	Energy Field Disturbance - Nursing Intervention
675.22	292299	135	Pain - Nursing Intervention	708.33	4	0	Energy Field Disturbance - Referred
675.33	5313	4	Pain - Referred	710.22	440	1	Family Processes, Alterations in - Nursing Intervention
680.22	605	1	Pain, Chronic - Nursing Intervention	710.33	54	0	Family Processes, Alterations in - Referred
680.33	79	0	Pain, Chronic - Referred	711.22	17	0	Family Process, Altered: Alcoholism - Nursing Intervention
690.22	869	4	Communication, Impaired - Verbal - Nursing Intervention	712.22	5437	4	Fatigue - Nursing Intervention
691.22	37	0	Confusion, Acute - Nursing Intervention	712.33	123	0	Fatigue - Referred
691.33	17	0	Confusion, Acute - Referred	715.22	435	1	Fear - Nursing Intervention
692.22	16	0	Confusion, Chronic - Nursing Intervention	715.33	12	0	Fear - Referred
692.33	5	0	Confusion, Chronic - Referred	720.22	5415	5	Fluid Volume Deficit - Nursing Intervention
693.22	49	0	Coping (Community): Potential For Enhanced - Nursing Inter	720.33	51	0	Fluid Volume Deficit - Referred

ASHAR Summary - Average per 100 Students

Schools with Student Population - All

School Year: 2008-2009

Code	Count	AV/100	Description	Code	Count	AV/100	Description
722.22	3700	4	Fluid Volume Deficit, Risk for - Nursing Intervention	778.22	403	1	Management of Therapeutic Regimen, Ineffective (Individuals
722.33	52	0	Fluid Volume Deficit, Risk for - Referred	778.33	11	0	Management of Therapeutic Regimen, Ineffective (Individuals
725.22	25	0	Fluid Volume Excess - Nursing Intervention	779.22	486	2	Management Of Therapeutic Regimen, Effective: Individual -
725.33	2	0	Fluid Volume Excess - Referred	779.33	6	0	Management Of Therapeutic Regimen, Effective: Individual -
730.22	105	0	Grieving, Anticipatory - Nursing Intervention	780.22	3569	4	Physical Mobility, Impaired - Nursing Intervention
730.33	13	0	Grieving, Anticipatory - Referred	780.33	198	1	Physical Mobility, Impaired - Referred
731.22	49	0	Grieving, Dysfunctional - Nursing Intervention	782.22	52	0	Peripheral Neurovascular Dysfunction, Risk for - Nursing Int
731.33	16	0	Grieving, Dysfunctional - Referred	782.33	2	0	Peripheral Neurovascular Dysfunction, Risk for - Referred
735.22	40	0	Growth and Development, Altered - Nursing Intervention	785.22	3202	5	Noncompliance - Nursing Intervention
745.22	11850	14	Health Maintenance - Alterations in - Nursing Intervention	785.33	236	1	Noncompliance - Referred
745.33	141	1	Health Maintenance - Alterations in - Referred	790.22	15445	10	Nutrition, Altered - Less than Body Requirements - Nursing I
746.22	2759	5	Health - Seeking Behaviors (specify) - Nursing Intervention	790.33	131	1	Nutrition, Altered - Less than Body Requirements - Referred
746.33	94	1	Health - Seeking Behaviors (specify) - Referred	791.22	472	2	Nutrition, Altered: Risk for More than Body Requirements - N
750.22	324	1	Home Maintenance Management, impaired - Nursing Interv	791.33	5	0	Nutrition, Altered: Risk for More than Body Requirements - R
750.33	7	0	Home Maintenance Management, impaired - Referred	795.22	1553	4	Swallowing, Impaired - Nursing Intervention
755.22	145	1	Hopelessness - Nursing Intervention	795.33	51	1	Swallowing, Impaired - Referred
755.33	14	0	Hopelessness - Referred	800.22	175	1	Nutrition, Altered - More than Body Requirements - Nursing I
760.22	25060	14	Infection, Risk for - Nursing Intervention	800.33	12	0	Nutrition, Altered - More than Body Requirements - Referred
760.33	1415	2	Infection, Risk for - Referred	805.22	80	0	Parenting, Altered - Nursing Intervention
770.22	5100	5	Injury, Risk for - Nursing Intervention	805.33	5	0	Parenting, Altered - Referred
770.33	658	2	Injury, Risk for - Referred	806.22	42	0	Parenting, Risk For Altered - Nursing Intervention
771.22	51	0	Poisoning, Risk For - Nursing Intervention	806.33	6	0	Parenting, Risk For Altered - Referred
771.33	18	0	Poisoning, Risk For - Referred	807.22	5	0	Parent/Infant/Child Attachment, Risk For Altered - Nursing In
772.22	1743	3	Trauma, Risk For - Nursing Intervention	808.22	29	0	Parental Role Conflict - Nursing Intervention
772.33	57	0	Trauma, Risk For - Referred	808.33	4	0	Parental Role Conflict - Referred
773.22	178	1	Management Of Therapeutic Regimen, Ineffective: Families	815.22	39	0	Post-Trauma Response Syndrome - Nursing Intervention
773.33	25	0	Management Of Therapeutic Regimen, Ineffective: Families	815.33	2	0	Post-Trauma Response Syndrome - Referred
774.22	26	0	Management of Therapeutic Regimen, Ineffective: Communi	820.22	6	0	Rape-Trauma Syndrome - Nursing Intervention
774.33	3	0	Management of Therapeutic Regimen, Ineffective: Communi	820.33	1	0	Rape-Trauma Syndrome - Referred
775.22	25281	24	Knowledge Deficit - Nursing Intervention	821.22	3	0	Rape-Trauma Syndrome: Compound Reaction - Nursing Inte
775.33	300	2	Knowledge Deficit - Referred	821.33	1	0	Rape-Trauma Syndrome: Compound Reaction - Referred
776.22	46	0	Loneliness, Risk for - Nursing Intervention	822.22	4	0	Rape-Trauma Syndrome: Silent Reaction - Nursing Intervent
776.33	2	0	Loneliness, Risk for - Referred	822.33	1	0	Rape-Trauma Syndrome: Silent Reaction - Referred

ASHAR Summary - Average per 100 Students

Schools with Student Population - All

School Year: 2008-2009

<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>
825.22	158	1	Powerlessness - Nursing Intervention	875.33	1	0	Sexual Dysfunction, Altered - Referred
825.33	3	0	Powerlessness - Referred	880.22	1524	2	Sleep Pattern Disturbance - Nursing Intervention
827.22	89	1	Protection, Altered - Nursing Intervention	880.33	20	0	Sleep Pattern Disturbance - Referred
827.33	3	0	Protection, Altered - Referred	885.22	29	0	Social Isolation - Nursing Intervention
828.22	6	0	Relocation Stress Syndrome - Nursing Intervention	885.33	1	0	Social Isolation - Referred
828.33	1	0	Relocation Stress Syndrome - Referred	890.22	585	2	Social Interactions, Impaired - Nursing Intervention
831.22	1	0	Ventilation, Inability to Sustain Spontaneous - Nursing Interv	890.33	18	0	Social Interactions, Impaired - Referred
831.33	1	0	Ventilation, Inability to Sustain Spontaneous - Referred	895.22	28	0	Spiritual Distress (Distress Of The Human Spirit) - Nursing I
832.22	2	0	Ventilatory Weaning Response, Dysfunctional (DVWR) - Nur	895.33	4	0	Spiritual Distress (Distress Of The Human Spirit) - Referred
835.22	1728	3	Ineffective Airway Clearance - Nursing Intervention	896.22	5	0	Spiritual Well-being, Potential For Enhanced - Nursing Inter
835.33	91	1	Ineffective Airway Clearance - Referred	900.22	77	0	Thought Processes, Altered - Nursing Intervention
840.22	1339	2	Breathing Pattern, Ineffective - Nursing Intervention	900.33	10	0	Thought Processes, Altered - Referred
840.33	50	1	Breathing Pattern, Ineffective - Referred	905.22	32001	17	Tissue Integrity, Impaired - Nursing Intervention
845.22	1537	3	Gas Exchange, Impaired - Nursing Intervention	905.33	506	1	Tissue Integrity, Impaired - Referred
845.33	31	0	Gas Exchange, Impaired - Referred	910.22	47572	24	Skin Integrity, Impaired - Nursing Intervention
846.22	377	19	Suffocation, Risk For - Nursing Intervention	910.33	553	1	Skin Integrity, Impaired - Referred
847.22	344	2	Aspiration, Risk For - Nursing Intervention	911.22	6001	5	Skin Integrity, Risk for Impaired - Intervention
847.33	4	0	Aspiration, Risk For - Referred	911.33	43	0	Skin Integrity, Risk for Impaired - Referred
848.22	10	0	Role Performance, Altered - Nursing Intervention	915.22	11941	9	Oral Mucous Membrane, Alteration in - Nursing Intervention
848.33	1	0	Role Performance, Altered - Referred	915.33	88	0	Oral Mucous Membrane, Alteration in - Referred
852.22	2462	2	Self Care Deficit Bathing/Hygiene - Nursing Intervention	920.22	1167	2	Tissue Perfusion, Altered (Specify Type) - Nursing Interventi
852.33	32	0	Self Care Deficit Bathing/Hygiene - Referred	920.33	28	0	Tissue Perfusion, Altered (Specify Type) - Referred
853.22	8386	7	Self Care Deficit Dressing/Grooming - Nursing Intervention	925.22	24	0	Neglect, Unilateral - Nursing Intervention
853.33	127	0	Self Care Deficit Dressing/Grooming - Referred	925.33	2	0	Neglect, Unilateral - Referred
854.22	7796	6	Self Care Deficit Toileting - Nursing Intervention	930.22	2412	3	Urinary Elimination, Altered - Nursing Intervention
854.33	86	0	Self Care Deficit Toileting - Referred	930.33	21	0	Urinary Elimination, Altered - Referred
857.22	2180	4	Self Care Deficit Feeding - Nursing Intervention	940.22	4343	7	Incontinence, Functional - Nursing Intervention
857.33	8	0	Self Care Deficit Feeding - Referred	940.33	33	0	Incontinence, Functional - Referred
865.22	155	1	Sensory-Perceptual Alterations (specify) (Visual, auditory, ki	945.22	146	1	Incontinence, Reflex - Nursing Intervention
865.33	3	0	Sensory-Perceptual Alterations (specify) (Visual, auditory, ki	945.33	11	0	Incontinence, Reflex - Referred
870.22	5	0	Sexuality Patterns, Altered - Nursing Intervention	950.22	278	1	Incontinence, Stress - Nursing Intervention
870.33	3	0	Sexuality Patterns, Altered - Referred	950.33	17	1	Incontinence, Stress - Referred
875.22	7	0	Sexual Dysfunction, Altered - Nursing Intervention	955.22	699	2	Incontinence, Total - Nursing Intervention

ASHAR Summary - Average per 100 Students

Schools with Student Population - All

School Year: 2008-2009

<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>
955.33	6	0	Incontinence, Total - Referred	1015.22	12533	9	Staff Illness/Counseling - Nursing Intervention
960.22	2470	4	Incontinence, Urge - Nursing Intervention	1015.33	682	1	Staff Illness/Counseling - Referred
960.33	23	0	Incontinence, Urge - Referred				
965.22	314	2	Urinary Retention - Nursing Intervention				
965.33	3	0	Urinary Retention - Referred				
970.22	122	0	Violence, Risk for: Self-Directed - Nursing Intervention				
970.33	20	0	Violence, Risk for: Self-Directed - Referred				
971.22	167	0	Self-Mutilation, Risk For - Nursing Intervention				
971.33	31	0	Self-Mutilation, Risk For - Referred				
972.22	359	1	Violence, Risk For: Directed At Others - Nursing Intervention				
972.33	18	0	Violence, Risk For: Directed At Others - Referred				
976.22	4	0	Memory, Impaired - Nursing Intervention				
976.33	1	0	Memory, Impaired - Referred				
977.22	3	0	Environmental Interpretation Syndrome, Impaired - Nursing I				
980.22	381	1	Body Image Disturbance - Nursing Intervention				
980.33	4	0	Body Image Disturbance - Referred				
981.22	149	0	Self Esteem Disturbance - Nursing Intervention				
981.33	17	1	Self Esteem Disturbance - Referred				
982.22	69	0	Self esteem, Chronic Low - Nursing Intervention				
982.33	2	0	Self esteem, Chronic Low - Referred				
983.22	135	0	Self Esteem, Situational Low - Nursing Intervention				
983.33	21	1	Self Esteem, Situational Low - Referred				
984.22	74	1	Identity Disturbance, Personal - Nursing Intervention				
990.22	1	0	Infant Behavior, Risk For Disorganized - Nursing Intervention				
991.22	2	0	Infant Behavior, Disorganized - Nursing Intervention				
992.22	1	0	Infant Behavior, Potential For Enhanced Organized - Nursing				
992.33	1	0	Infant Behavior, Potential For Enhanced Organized - Referre				
996.22	9	0	Perioperative Positioning Injury, Risk For - Nursing Interventi				
996.33	5	0	Perioperative Positioning Injury, Risk For - Referred				
1000.22	394	1	Staff Industrial Injury (Referral Required) - Nursing Interventi				
1000.33	26353	43	Staff Industrial Injury (Referral Required) - Referred				
1005.22	1870	2	Staff Injury (Referral Not Required) - Nursing Intervention				
1005.33	317	1	Staff Injury (Referral Not Required) - Referred				