

ASHAR Summary

Schools with Student Population 1- 499

School Year: 2009-2010

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
1	77368	900	Illness - Nsg Assess/Tx	120	16	3	Dental # RN re-screened
5	20667	243	Injury at School - Nsg Assess/Tx	121	12	2	Dental Screening # referred Urgent
6	992	17	Follow Up Injury at School - Nsg Assess/Tx	122	16	2	Dental Screening # referred Decay
10	7458	101	Injury at Home or Other - Nsg Assess/Tx (Initial & F/U)	123	53	8	Dental Screening # referred Other
15	52678	722	Medications - Daily # doses given	125	4021	109	Pediculosis # screened
18	24058	312	Medications - PRN # doses given	130	337	17	Pediculosis # RN re-screened
20	18240	456	Skilled Nursing Procedures (consents required)	131	52	4	Pediculosis # referred
21	375	14	IEP (required) Related Interventions	135	6	6	TB Skin Testing # screened
30	34907	436	Parental Contacts	140	8	4	TB Skin Testing # read by RN
35	58	3	Home Visits	145	248	62	Acanthosis Nigricans Screening # screened
40	14470	168	Student Health Records (enrollment)	150	13	4	Acanthosis Nigricans Screening # RN re-screened
45	20070	233	Student Health Records (withdrawal)	151	8	4	Acanthosis Nigricans Screening # referred
50	19340	233	Immunization Records	160	244	12	Physical Exams/Assessments
55	20	5	Immunization Administration # adults	165	207	15	Neurodevelopmental Assessments
60	321	46	Immunization Administration # students	170	17318	4330	Fluoride Mouthrinse Program
65	14199	254	Vision # screened	175	2472	92	Health Education/Promotion/Resource
70	1144	27	Vision # RN re-screened	180	1129	54	Classroom Presentation to Students
71	1465	34	Vision # referred	185	89	6	Social/Developmental Histories
75	15013	250	Hearing # screened	190	379	22	Special Education - Evaluation/Re-Eval Assessment
80	700	16	Hearing # RN re-screened	195	490	26	Child/Student Team Meetings
81	195	6	Hearing # referred	210	13810	261	Conferences w/ school personnel re: students
85	822	59	Scoliosis # screened	215	374	17	School Meetings
90	22	6	Scoliosis # RN re-screened	220	1930	62	Community Contacts / Meetings
91	7	2	Scoliosis # referred	225	47	4	School Environmental Inspection
95	8045	251	Height & Weight Screening # screened	230	3	2	University / College Courses
100	39	4	Height & Weight Screening # RN re-screened	235	53	5	Conferences / Workshops Attended
101	26	7	Height & Weight Screening # referred Underweight	240	61	7	Classes Workshops Given
102	70	35	Height & Weight Screening # referred At Risk	245	36	4	Preceptor of Student Nurses
103	184	61	Height & Weight Screening # referred Overweight	250	63	6	Professional Committee Participation
105	562	30	B/P # screened	275	46	7	Emergency Calls to Other Schools
110	8	1	B/P # RN re-screened	280	8338	137	Students Sent Home by RN
111	6	2	B/P # referred	285	2055	54	Students Sent Home by Health Assistant
115	729	56	Dental # screened	300.11	67	6	Absenteeism - Known as of 5/1

ASHAR Summary

Schools with Student Population 1- 499

School Year: 2009-2010

Code	Count	AV/Sch	Description	Code	Count	AV/Sch	Description
300.22	187	17	Absenteeism - Nursing Intervention	345.11	3	1	Cystic Fibrosis - Known as of 5/1
300.33	35	12	Absenteeism - Referred	345.22	741	185	Cystic Fibrosis - Nursing Intervention
305.11	2	1	AIDS/HIV - Known as of 5/1	350.11	41	1	Diabetes - Type I - Known as of 5/1
305.22	9	3	AIDS/HIV - Nursing Intervention	350.22	8764	283	Diabetes - Type I - Nursing Intervention
305.33	1	1	AIDS/HIV - Referred	350.33	6	2	Diabetes - Type I - Referred
310.11	3611	52	Allergy - Known as of 5/1	351.11	10	1	Diabetes - Type II - Known as of 5/1
310.22	3625	54	Allergy - Nursing Intervention	351.22	18	3	Diabetes - Type II - Nursing Intervention
310.33	134	6	Allergy - Referred	355.11	59	2	Endocrine Disorders - Known as of 5/1
315.11	2	1	Anorexia/Bulimia - Known as of 5/1	355.22	551	50	Endocrine Disorders - Nursing Intervention
315.22	21	7	Anorexia/Bulimia - Nursing Intervention	356.11	280	5	Gastrointestinal Chronic - Known as of 5/1
315.33	2	2	Anorexia/Bulimia - Referred	356.22	7362	230	Gastrointestinal Chronic - Nursing Intervention
320.11	23	1	Arthritis/Rheumatic Disease - Known as of 5/1	356.33	30	6	Gastrointestinal Chronic - Referred
320.22	895	128	Arthritis/Rheumatic Disease - Nursing Intervention	358.11	87	2	Genitourinary Chronic - Known as of 5/1
325.11	1777	26	Asthma - without PCP Action Plan - Known as of 5/1	358.22	1976	82	Genitourinary Chronic - Nursing Intervention
325.22	7170	118	Asthma - without PCP Action Plan - Nursing Intervention	358.33	5	1	Genitourinary Chronic - Referred
325.33	108	4	Asthma - without PCP Action Plan - Referred	359.11	9	1	Gynecological - Known as of 5/1
326.11	321	6	Asthma - with PCP Action Plan - Known as of 5/1	359.22	729	30	Gynecological - Nursing Intervention
326.22	2441	55	Asthma - with PCP Action Plan - Nursing Intervention	359.33	10	2	Gynecological - Referred
326.33	11	1	Asthma - with PCP Action Plan - Referred	360.11	292	5	Hearing - Known as of 5/1
330.11	880	13	Attention Deficit Disorder/Hyperactivity - Known as of 5/1	360.22	291	7	Hearing - Nursing Intervention
330.22	22583	389	Attention Deficit Disorder/Hyperactivity - Nursing Intervention	360.33	111	5	Hearing - Referred
330.33	22	2	Attention Deficit Disorder/Hyperactivity - Referred	365.11	273	5	Heart - Known as of 5/1
332.11	186	5	Autism, Childhood - Known as of 5/1	365.22	154	6	Heart - Nursing Intervention
332.22	542	45	Autism, Childhood - Nursing Intervention	365.33	7	1	Heart - Referred
333.11	44	2	Autism, Spectrum Disorder - Known as of 5/1	368.11	6	1	Hepatic & Biliary Disorders - Known as of 5/1
333.22	597	66	Autism, Spectrum Disorder - Nursing Intervention	368.22	181	91	Hepatic & Biliary Disorders - Nursing Intervention
335.11	446	9	Birth Defects/Developmental - Known as of 5/1	370.11	16	1	Hypertension - Known as of 5/1
335.22	12725	707	Birth Defects/Developmental - Nursing Intervention	370.22	35	4	Hypertension - Nursing Intervention
335.33	26	5	Birth Defects/Developmental - Referred	370.33	2	1	Hypertension - Referred
340.11	41	2	Bleeding Disorders - Known as of 5/1	372.11	334	6	Integumentary Chronic - Known as of 5/1
340.22	135	10	Bleeding Disorders - Nursing Intervention	372.22	512	14	Integumentary Chronic - Nursing Intervention
340.33	2	2	Bleeding Disorders - Referred	372.33	25	3	Integumentary Chronic - Referred
344.11	10	1	Connective Tissue Disorders - Known as of 5/1	375.11	16	1	Malignancies - Known as of 5/1

ASHAR Summary

Schools with Student Population 1- 499

School Year: 2009-2010

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
375.22	491	61	Malignancies - Nursing Intervention	505.22	185	7	Child Abuse/Neglect - Nursing Intervention
380.11	300	5	Neuro Disorders - Known as of 5/1	505.33	71	4	Child Abuse/Neglect - Referred
380.22	5985	171	Neuro Disorders - Nursing Intervention	510.22	4	2	Coccidioidomycosis - Nursing Intervention
380.33	2	1	Neuro Disorders - Referred	515.22	15	1	Commun. Rash - Varicella - Nursing Intervention
385.11	168	4	Orthopedic - Known as of 5/1	515.33	7	1	Commun. Rash - Varicella - Referred
385.22	5847	195	Orthopedic - Nursing Intervention	516.22	24	2	Commun. Rash - Impetigo - Nursing Intervention
385.33	9	1	Orthopedic - Referred	516.33	12	2	Commun. Rash - Impetigo - Referred
390.11	285	7	Psychiatric - Known as of 5/1	517.22	1	1	Commun. Rash - Rubella/Rubeola - Nursing Intervention
390.22	6698	231	Psychiatric - Nursing Intervention	518.22	217	6	Commun. Rash - Other - Nursing Intervention
390.33	15	2	Psychiatric - Referred	518.33	74	4	Commun. Rash - Other - Referred
395.11	32	1	Scoliosis - Known as of 5/1	520.22	728	12	Conjunctivitis - Nursing Intervention
395.22	31	6	Scoliosis - Nursing Intervention	520.33	162	4	Conjunctivitis - Referred
400.11	184	4	Seizure Disorders - Known as of 5/1	525.22	317	7	Dental - Decay - Nursing Intervention
400.22	7928	360	Seizure Disorders - Nursing Intervention	525.33	80	3	Dental - Decay - Referred
400.33	21	3	Seizure Disorders - Referred	526.22	2836	42	Dental - Other - Nursing Intervention
405.11	6	2	Sickle Cell - Known as of 5/1	526.33	269	9	Dental - Other - Referred
405.22	10	5	Sickle Cell - Nursing Intervention	530.22	2684	57	Emotional/Adjustment Problems - Nursing Intervention
405.33	1	1	Sickle Cell - Referred	530.33	85	7	Emotional/Adjustment Problems - Referred
410.11	5	1	Tuberculosis - Known as of 5/1	531.22	704	12	Fever >101 with or w/o headache & no other recognizable sy
415.11	2563	40	Vision - Known as of 5/1	531.33	71	3	Fever >101 with or w/o headache & no other recognizable sy
415.22	5274	94	Vision - Nursing Intervention	535.22	203	6	Fractures - Nursing Intervention
415.33	1240	33	Vision - Referred	535.33	48	3	Fractures - Referred
420.11	82	3	Color Deficit - Known as of 5/1	540.22	868	24	Genitourinary - Nursing Intervention
420.22	57	5	Color Deficit - Nursing Intervention	540.33	22	1	Genitourinary - Referred
420.33	52	5	Color Deficit - Referred	543.22	2045	42	Gastrointestinal - Vomiting & Diarrhea w or w/o fever - Nursi
425.11	143	5	Weight Disorders - Known as of 5/1	543.33	65	5	Gastrointestinal - Vomiting & Diarrhea w or w/o fever - Referr
425.22	1480	135	Weight Disorders - Nursing Intervention	545.22	13090	182	Gastrointestinal - Other - Nursing Intervention
425.33	1	1	Weight Disorders - Referred	545.33	223	8	Gastrointestinal - Other - Referred
430.11	470	8	Other Chronic	546.22	1019	23	Gynecological - Nursing Intervention
430.22	3131	142	Other Chronic - Nursing Intervention	546.33	7	1	Gynecological - Referred
430.33	12	3	Other Chronic - Referred	553.22	3	2	Hepatic and Biliary Disorders - Nursing Intervention
500.22	45	15	Anemia - Nursing Intervention	555.22	3	1	Infectious Mononucleosis - Nursing Intervention
500.33	1	1	Anemia - Referred	560.22	4040	72	Integumentary - Nursing Intervention

ASHAR Summary

Schools with Student Population 1- 499

School Year: 2009-2010

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
560.33	110	5	Integumentary - Referred	635.22	336	13	Body Temperature, Risk for, Alteration - Nursing Intervention
561.22	1	1	Meningitis/Encephalitis - Bacterial/Viral - Nursing Interventio	635.33	25	4	Body Temperature, Risk for, Alteration - Referred
563.22	2859	54	Musculoskeletal (acute, non-fracture) - Nursing Intervention	640.22	7	2	Hypothermia - Nursing Intervention
563.33	136	6	Musculoskeletal (acute, non-fracture) - Referred	640.33	1	1	Hypothermia - Referred
565.22	898	15	Otitis Media/Externa - Nursing Intervention	645.22	391	20	Hyperthermia - Nursing Intervention
565.33	243	8	Otitis Media/Externa - Referred	645.33	20	3	Hyperthermia - Referred
570.22	357	9	Pediculosis - Nursing Intervention	650.22	10	1	Thermoregulation, Ineffective - Nursing Intervention
570.33	37	2	Pediculosis - Referred	655.22	296	13	Constipation - Nursing Intervention
575.22	36	3	Pregnancy - Nursing Intervention	655.33	8	3	Constipation - Referred
575.33	2	1	Pregnancy - Referred	656.22	4	1	Constipation, Colonic - Nursing Intervention
580.22	8797	131	Respiratory - Nursing Intervention	656.33	3	2	Constipation, Colonic - Referred
580.33	300	8	Respiratory - Referred	657.22	43	4	Constipation, Perceived - Nursing Intervention
582.22	1511	25	Respiratory - Influenza-like Illness (ILI) - Nursing Intervention	657.33	1	1	Constipation, Perceived - Referred
582.33	205	6	Respiratory - Influenza-like Illness (ILI) - Referred	658.22	317	13	Incontinence, Bowel - Nursing Intervention
585.22	14	2	Scabies - Nursing Intervention	658.33	11	2	Incontinence, Bowel - Referred
585.33	7	2	Scabies - Referred	660.22	139	5	Diarrhea - Nursing Intervention
590.22	4	1	Sexually Transmitted Diseases - Nursing Intervention	660.33	27	5	Diarrhea - Referred
595.22	39	4	Substance Abuse - Nursing Intervention	664.22	796	796	Infant Feeding Pattern, Ineffective - Nursing Intervention
595.33	9	3	Substance Abuse - Referred	665.22	90	23	Cardiac Output, Alterations in - Decreased - Nursing Interv
600.22	5	1	Suicide Behavior - Nursing Intervention	666.22	6	2	Care Giver Role Strain - Nursing Intervention
600.33	2	1	Suicide Behavior - Referred	666.33	2	1	Care Giver Role Strain - Referred
603.22	1	1	Suicide Attempt - Nursing Intervention	667.22	7	1	Caregiver Role Strain, Risk For - Nursing Intervention
603.33	1	1	Suicide Attempt - Referred	675.22	35512	473	Pain - Nursing Intervention
610.22	259	9	Trauma (Referral Required) - Nursing Intervention	675.33	666	21	Pain - Referred
610.33	49	3	Trauma (Referral Required) - Referred	680.22	229	12	Pain, Chronic - Nursing Intervention
620.22	1312	50	Activity Intolerance - Nursing Intervention	680.33	11	2	Pain, Chronic - Referred
620.33	18	2	Activity Intolerance - Referred	690.22	164	21	Communication, Impaired - Verbal - Nursing Intervention
621.22	1530	64	Activity Intolerance, Risk For - Nursing Intervention	691.22	5	1	Confusion, Acute - Nursing Intervention
621.33	1	1	Activity Intolerance, Risk For - Referred	691.33	1	1	Confusion, Acute - Referred
625.22	110	11	Adjustment impaired - Nursing Intervention	692.22	1	1	Confusion, Chronic - Nursing Intervention
625.33	1	1	Adjustment impaired - Referred	693.22	3	1	Coping (Community): Potential For Enhanced - Nursing Inter
630.22	466	11	Anxiety - Nursing Intervention	694.22	15	2	Coping (Community): Ineffective - Nursing Intervention
630.33	15	2	Anxiety - Referred	695.22	637	27	Coping (Individual), Ineffective - Individual - Nursing Interve

ASHAR Summary

Schools with Student Population 1- 499

School Year: 2009-2010

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
695.33	6	2	Coping (Individual), Ineffective - Individual - Referred	755.22	4	1	Hopelessness - Nursing Intervention
696.22	20	3	Coping, Defensive - Nursing Intervention	760.22	2658	50	Infection, Risk for - Nursing Intervention
697.22	3	1	Denial, Ineffective - Nursing Intervention	760.33	63	5	Infection, Risk for - Referred
698.22	7	2	Coping (Family): Potential for Growth - Nursing Intervention	770.22	606	18	Injury, Risk for - Nursing Intervention
698.33	1	1	Coping (Family): Potential for Growth - Referred	770.33	50	6	Injury, Risk for - Referred
699.22	33	2	Coping (Family): Ineffective: Compromised - Nursing Interv	771.22	4	1	Poisoning, Risk For - Nursing Intervention
699.33	2	1	Coping (Family): Ineffective: Compromised - Referred	771.33	1	1	Poisoning, Risk For - Referred
700.22	24	3	Coping (Family), Ineffective: Disabling - Nursing Intervention	772.22	73	6	Trauma, Risk For - Nursing Intervention
700.33	2	1	Coping (Family), Ineffective: Disabling - Referred	772.33	6	3	Trauma, Risk For - Referred
701.22	13	2	Decisional Conflict - Nursing Intervention	773.22	42	11	Management Of Therapeutic Regimen, Ineffective: Families
705.22	1	1	Diversional Activity Deficit - Nursing Intervention	773.33	1	1	Management Of Therapeutic Regimen, Ineffective: Families
708.22	504	63	Energy Field Disturbance - Nursing Intervention	774.22	3	1	Management of Therapeutic Regimen, Ineffective: Communi
710.22	70	4	Family Processes, Alterations in - Nursing Intervention	774.33	1	1	Management of Therapeutic Regimen, Ineffective: Communi
710.33	3	2	Family Processes, Alterations in - Referred	775.22	2045	85	Knowledge Deficit - Nursing Intervention
711.22	4	4	Family Process, Altered: Alcoholism - Nursing Intervention	775.33	13	7	Knowledge Deficit - Referred
712.22	581	13	Fatigue - Nursing Intervention	776.22	5	1	Loneliness, Risk for - Nursing Intervention
712.33	1	1	Fatigue - Referred	778.22	64	13	Management of Thereputic Regimen, Ineffective (Individuals
715.22	30	3	Fear - Nursing Intervention	779.22	16	2	Management Of Therapeutic Regimen, Effective: Individual -
715.33	2	2	Fear - Referred	780.22	144	7	Physical Mobility, Impaired - Nursing Intervention
720.22	524	25	Fluid Volume Deficit - Nursing Intervention	780.33	14	4	Physical Mobility, Impaired - Referred
722.22	1490	75	Fluid Volume Deficit, Risk for - Nursing Intervention	782.22	2	1	Peripheral Neurovascular Dysfunction, Risk for - Nursing Int
722.33	1	1	Fluid Volume Deficit, Risk for - Referred	785.22	320	21	Noncompliance - Nursing Intervention
725.22	4	1	Fluid Volume Excess - Nursing Intervention	785.33	9	3	Noncompliance - Referred
730.22	69	9	Grieving, Anticipatory - Nursing Intervention	790.22	2015	46	Nutrition, Altered - Less than Body Requirements - Nursing I
730.33	1	1	Grieving, Anticipatory - Referred	790.33	10	1	Nutrition, Altered - Less than Body Requirements - Referred
731.22	4	1	Greiving, Dysfunctional - Nursing Intervention	791.22	612	102	Nutrition, Altered: Risk for More than Body Requirements - N
735.22	1209	173	Growth and Development, Altered - Nursing Intervention	791.33	1	1	Nutrition, Altered: Risk for More than Body Requirements - R
745.22	1354	113	Health Maintenance - Alterations in - Nursing Intervention	795.22	195	33	Swallowing, Impaired - Nursing Intervention
745.33	9	3	Health Maintenance - Alterations in - Referred	795.33	1	1	Swallowing, Impaired - Referred
746.22	228	14	Health - Seeking Behaviors (specify) - Nursing Intervention	800.22	23	4	Nutrition, Altered - More than Body Requirements - Nursing I
746.33	21	21	Health - Seeking Behaviors (specify) - Referred	800.33	1	1	Nutrition, Altered - More than Body Requirements - Referred
750.22	174	22	Home Maintenance Management, impaired - Nursing Interv	805.22	25	3	Parenting, Altered - Nursing Intervention
750.33	1	1	Home Maintenance Management, impaired - Referred	805.33	1	1	Parenting, Altered - Referred

ASHAR Summary

Schools with Student Population 1- 499

School Year: 2009-2010

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
806.22	13	3	Parenting, Risk For Altered - Nursing Intervention	895.33	1	1	Spiritual Distress (Distress Of The Human Spirit) - Referred
806.33	3	2	Parenting, Risk For Altered - Referred	900.22	7	1	Thought Processes, Altered - Nursing Intervention
808.22	3	1	Parental Role Conflict - Nursing Intervention	905.22	5106	88	Tissue Integrity, Impaired - Nursing Intervention
815.22	8	1	Post-Trauma Response Syndrome - Nursing Intervention	905.33	57	3	Tissue Integrity, Impaired - Referred
820.22	1	1	Rape-Trauma Syndrome - Nursing Intervention	910.22	9423	145	Skin Integrity, Impaired - Nursing Intervention
825.22	26	5	Powerlessness - Nursing Intervention	910.33	98	4	Skin Integrity, Impaired - Referred
825.33	1	1	Powerlessness - Referred	911.22	827	32	Skin Integrity, Risk for Impaired - Intervention
828.22	1	1	Relocation Stress Syndrome - Nursing Intervention	911.33	9	2	Skin Integrity, Risk for Impaired - Referred
831.22	107	107	Ventilation, Inability to Sustain Spontaneous - Nursing Interv	915.22	2312	51	Oral Mucous Membrane, Alteration in - Nursing Intervention
835.22	365	23	Ineffective Airway Clearance - Nursing Intervention	915.33	28	2	Oral Mucous Membrane, Alteration in - Referred
835.33	5	2	Ineffective Airway Clearance - Referred	920.22	54	4	Tissue Perfusion, Altered (Specify Type) - Nursing Interventi
840.22	178	14	Breathing Pattern, Ineffective - Nursing Intervention	920.33	2	1	Tissue Perfusion, Altered (Specify Type) - Referred
840.33	4	1	Breathing Pattern, Ineffective - Referred	925.22	1	1	Neglect, Unilateral - Nursing Intervention
845.22	112	19	Gas Exchange, Impaired - Nursing Intervention	925.33	4	4	Neglect, Unilateral - Referred
846.22	91	30	Suffocation, Risk For - Nursing Intervention	930.22	237	11	Urinary Elimination, Altered - Nursing Intervention
846.33	1	1	Suffocation, Risk For - Referred	930.33	8	2	Urinary Elimination, Altered - Referred
847.22	296	33	Aspiration, Risk For - Nursing Intervention	940.22	586	29	Incontinence, Functional - Nursing Intervention
847.33	1	1	Aspiration, Risk For - Referred	940.33	22	11	Incontinence, Functional - Referred
848.22	1	1	Role Performance, Altered - Nursing Intervention	945.22	2	1	Incontinence, Reflex - Nursing Intervention
852.22	534	18	Self Care Deficit Bathing/Hygiene - Nursing Intervention	945.33	1	1	Incontinence, Reflex - Referred
852.33	2	2	Self Care Deficit Bathing/Hygiene - Referred	950.22	39	7	Incontinence, Stress - Nursing Intervention
853.22	1729	56	Self Care Deficit Dressing/Grooming - Nursing Intervention	955.22	36	6	Incontinence, Total - Nursing Intervention
853.33	10	2	Self Care Deficit Dressing/Grooming - Referred	955.33	1	1	Incontinence, Total - Referred
854.22	928	32	Self Care Deficit Toileting - Nursing Intervention	960.22	182	20	Incontinence, Urge - Nursing Intervention
854.33	5	1	Self Care Deficit Toileting - Referred	965.22	45	9	Urinary Retention - Nursing Intervention
857.22	228	23	Self Care Deficit Feeding - Nursing Intervention	965.33	2	2	Urinary Retention - Referred
865.22	2	1	Sensory-Perceptual Alterations (specify) (Visual, auditory, ki	970.22	16	2	Violence, Risk for: Self-Directed - Nursing Intervention
870.22	1	1	Sexuality Patterns, Altered - Nursing Intervention	970.33	6	2	Violence, Risk for: Self-Directed - Referred
880.22	171	9	Sleep Pattern Disturbance - Nursing Intervention	971.22	33	3	Self-Mutilation, Risk For - Nursing Intervention
880.33	4	2	Sleep Pattern Disturbance - Referred	971.33	11	2	Self-Mutilation, Risk For - Referred
885.22	5	1	Social Isolation - Nursing Intervention	972.22	59	8	Violence, Risk For: Directed At Others - Nursing Intervention
890.22	134	13	Social Interactions, Impaired - Nursing Intervention	972.33	2	1	Violence, Risk For: Directed At Others - Referred
895.22	4	1	Spiritual Distress (Distress Of The Human Spirit) - Nursing I	980.22	72	8	Body Image Disturbance - Nursing Intervention

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
981.22	11	2	Self Esteem Disturbance - Nursing Intervention				
982.22	2	1	Self esteem, Chronic Low - Nursing Intervention				
983.22	11	2	Self Esteem, Situational Low - Nursing Intervention				
983.33	1	1	Self Esteem, Situational Low - Referred				
990.22	1	1	Infant Behavior, Risk For Disorganized - Nursing Intervention				
1000.22	51	3	Staff Industrial Injury (Referral Required) - Nursing Interventi				
1000.33	22	2	Staff Industrial Injury (Referral Required) - Referred				
1005.22	115	5	Staff Injury (Referral Not Required) - Nursing Intervention				
1005.33	17	2	Staff Injury (Referral Not Required) - Referred				
1015.22	1060	33	Staff Illness/Counseling - Nursing Intervention				
1015.33	75	4	Staff Illness/Counseling - Referred				
