

ASHAR Summary

Schools with Student Population - 2500 and above

School Year: 2009-2010

Code	Count	AV/Sch	Description	Code	Count	AV/Sch	Description
1	9257	3086	Illness - Nsg Assess/Tx	300.22	97	97	Absenteeism - Nursing Intervention
5	672	224	Injury at School - Nsg Assess/Tx	300.33	39	39	Absenteeism - Referred
6	289	96	Follow Up Injury at School - Nsg Assess/Tx	310.11	1627	542	Allergy - Known as of 5/1
10	926	309	Injury at Home or Other - Nsg Assess/Tx (Initial & F/U)	310.22	144	48	Allergy - Nursing Intervention
15	3396	1132	Medications - Daily # doses given	310.33	23	12	Allergy - Referred
18	4688	1563	Medications - PRN # doses given	315.11	1	1	Anorexia/Bulimia - Known as of 5/1
20	1737	579	Skilled Nursing Procedures (consents required)	320.11	4	4	Arthritis/Rheumatic Disease - Known as of 5/1
21	21	11	IEP (required) Related Interventions	320.22	8	8	Arthritis/Rheumatic Disease - Nursing Intervention
30	4721	1574	Parental Contacts	320.33	1	1	Arthritis/Rheumatic Disease - Referred
35	1	1	Home Visits	325.11	729	243	Asthma - without PCP Action Plan - Known as of 5/1
40	4353	1451	Student Health Records (enrollment)	325.22	154	51	Asthma - without PCP Action Plan - Nursing Intervention
45	4983	1661	Student Health Records (withdrawal)	325.33	36	18	Asthma - without PCP Action Plan - Referred
50	4842	1614	Immunization Records	326.11	77	26	Asthma - with PCP Action Plan - Known as of 5/1
65	967	484	Vision # screened	326.22	10	3	Asthma - with PCP Action Plan - Nursing Intervention
70	100	100	Vision # RN re-screened	326.33	2	1	Asthma - with PCP Action Plan - Referred
71	282	282	Vision # referred	330.11	463	154	Attention Deficit Disorder/Hyperactivity - Known as of 5/1
75	2029	676	Hearing # screened	330.22	1558	519	Attention Deficit Disorder/Hyperactivity - Nursing Intervention
80	148	49	Hearing # RN re-screened	330.33	4	4	Attention Deficit Disorder/Hyperactivity - Referred
81	67	34	Hearing # referred	332.11	23	8	Autism, Childhood - Known as of 5/1
105	154	77	B/P # screened	333.11	5	2	Autism, Spectrum Disorder - Known as of 5/1
110	3	2	B/P # RN re-screened	333.22	2	2	Autism, Spectrum Disorder - Nursing Intervention
111	1	1	B/P # referred	335.11	24	8	Birth Defects/Developmental - Known as of 5/1
122	1	1	Dental Screening # referred Decay	335.22	412	206	Birth Defects/Developmental - Nursing Intervention
140	14	14	TB Skin Testing # read by RN	340.11	34	11	Bleeding Disorders - Known as of 5/1
160	34	17	Physical Exams/Assessments	340.22	2	1	Bleeding Disorders - Nursing Intervention
190	9	9	Special Education - Evaluation/Re-Eval Assessment	340.33	2	1	Bleeding Disorders - Referred
195	2	2	Child/Student Team Meetings	344.11	4	2	Connective Tissue Disorders - Known as of 5/1
210	298	99	Conferences w/ school personnel re: students	345.11	1	1	Cystic Fibrosis - Known as of 5/1
215	13	13	School Meetings	350.11	28	9	Diabetes - Type I - Known as of 5/1
220	3	1	Community Contacts / Meetings	350.22	1880	627	Diabetes - Type I - Nursing Intervention
245	7	7	Preceptor of Student Nurses	350.33	15	8	Diabetes - Type I - Referred
280	1206	402	Students Sent Home by RN	351.11	1	1	Diabetes - Type II - Known as of 5/1
300.11	11	4	Absenteeism - Known as of 5/1	355.11	35	12	Endocrine Disorders - Known as of 5/1

ASHAR Summary

Schools with Student Population - 2500 and above

School Year: 2009-2010

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
355.22	4	2	Endocrine Disorders - Nursing Intervention	390.22	81	41	Psychiatric - Nursing Intervention
356.11	96	32	Gastrointestinal Chronic - Known as of 5/1	390.33	22	11	Psychiatric - Referred
356.22	323	108	Gastrointestinal Chronic - Nursing Intervention	395.11	31	10	Scoliosis - Known as of 5/1
356.33	17	9	Gastrointestinal Chronic - Referred	395.22	1	1	Scoliosis - Nursing Intervention
358.11	26	9	Genitourinary Chronic - Known as of 5/1	400.11	50	17	Seizure Disorders - Known as of 5/1
358.22	148	49	Genitourinary Chronic - Nursing Intervention	400.22	494	165	Seizure Disorders - Nursing Intervention
358.33	3	2	Genitourinary Chronic - Referred	400.33	6	3	Seizure Disorders - Referred
359.11	41	14	Gynecological - Known as of 5/1	405.11	1	1	Sickle Cell - Known as of 5/1
359.22	70	23	Gynecological - Nursing Intervention	410.11	4	2	Tuberculosis - Known as of 5/1
359.33	13	7	Gynecological - Referred	415.11	1613	538	Vision - Known as of 5/1
360.11	131	44	Hearing - Known as of 5/1	415.22	473	158	Vision - Nursing Intervention
360.22	82	82	Hearing - Nursing Intervention	415.33	298	149	Vision - Referred
360.33	67	67	Hearing - Referred	420.11	31	10	Color Deficit - Known as of 5/1
365.11	68	23	Heart - Known as of 5/1	420.22	191	191	Color Deficit - Nursing Intervention
365.22	28	9	Heart - Nursing Intervention	420.33	191	191	Color Deficit - Referred
365.33	12	6	Heart - Referred	425.11	2	1	Weight Disorders - Known as of 5/1
368.11	1	1	Hepatic & Biliary Disorders - Known as of 5/1	430.11	206	69	Other Chronic
368.22	1	1	Hepatic & Biliary Disorders - Nursing Intervention	430.22	119	119	Other Chronic - Nursing Intervention
370.11	4	2	Hypertension - Known as of 5/1	430.33	7	7	Other Chronic - Referred
370.22	10	5	Hypertension - Nursing Intervention	505.22	1	1	Child Abuse/Neglect - Nursing Intervention
370.33	1	1	Hypertension - Referred	510.22	1	1	Coccidioidomycosis - Nursing Intervention
372.11	118	59	Integumentary Chronic - Known as of 5/1	518.22	14	7	Commun. Rash - Other - Nursing Intervention
372.22	4	2	Integumentary Chronic - Nursing Intervention	518.33	4	2	Commun. Rash - Other - Referred
375.11	9	3	Malignancies - Known as of 5/1	520.22	41	21	Conjunctivitis - Nursing Intervention
375.22	5	5	Malignancies - Nursing Intervention	520.33	14	7	Conjunctivitis - Referred
375.33	2	2	Malignancies - Referred	525.22	6	6	Dental - Decay - Nursing Intervention
380.11	262	87	Neuro Disorders - Known as of 5/1	526.22	144	48	Dental - Other - Nursing Intervention
380.22	331	166	Neuro Disorders - Nursing Intervention	526.33	14	7	Dental - Other - Referred
380.33	33	17	Neuro Disorders - Referred	530.22	90	45	Emotional/Adjustment Problems - Nursing Intervention
385.11	121	40	Orthopedic - Known as of 5/1	531.22	33	17	Fever >101 with or w/o headache & no other recognizable sy
385.22	34	17	Orthopedic - Nursing Intervention	531.33	21	11	Fever >101 with or w/o headache & no other recognizable sy
385.33	16	8	Orthopedic - Referred	535.22	73	24	Fractures - Nursing Intervention
390.11	137	46	Psychiatric - Known as of 5/1	535.33	13	13	Fractures - Referred

ASHAR Summary

Schools with Student Population - 2500 and above

School Year: 2009-2010

Code	Count	AV/Sch	Description	Code	Count	AV/Sch	Description
540.22	90	30	Genitourinary - Nursing Intervention	630.33	27	14	Anxiety - Referred
540.33	6	3	Genitourinary - Referred	650.22	24	12	Thermoregulation, Ineffective - Nursing Intervention
543.22	13	4	Gastrointestinal - Vomiting & Diarrhea w or w/o fever - Nursin	655.22	3	3	Constipation - Nursing Intervention
543.33	3	1	Gastrointestinal - Vomiting & Diarrhea w or w/o fever - Referr	655.33	1	1	Constipation - Referred
545.22	1880	627	Gastrointestinal - Other - Nursing Intervention	656.22	1	1	Constipation, Colonic - Nursing Intervention
545.33	120	40	Gastrointestinal - Other - Referred	657.22	1	1	Constipation, Perceived - Nursing Intervention
546.22	791	264	Gynecological - Nursing Intervention	660.22	3	3	Diarrhea - Nursing Intervention
546.33	22	22	Gynecological - Referred	675.22	4349	1450	Pain - Nursing Intervention
555.22	8	8	Infectious Mononucleosis - Nursing Intervention	675.33	182	61	Pain - Referred
555.33	3	3	Infectious Mononucleosis - Referred	680.22	5	3	Pain, Chronic - Nursing Intervention
560.22	359	120	Integumentary - Nursing Intervention	694.22	2	2	Coping (Community): Ineffective - Nursing Intervention
560.33	21	11	Integumentary - Referred	695.22	26	13	Coping (Individual), Ineffective - Individual - Nursing Interven
563.22	1068	356	Musculoskeletal (acute, non-fracture) - Nursing Intervention	695.33	8	8	Coping (Individual), Ineffective - Individual - Referred
563.33	112	37	Musculoskeletal (acute, non-fracture) - Referred	696.22	10	5	Coping, Defensive - Nursing Intervention
565.22	23	23	Otitis Media/Externa - Nursing Intervention	696.33	2	2	Coping, Defensive - Referred
570.22	2	2	Pediculosis - Nursing Intervention	698.22	30	30	Coping (Family): Potential for Growth - Nursing Intervention
575.22	37	37	Pregnancy - Nursing Intervention	698.33	7	7	Coping (Family): Potential for Growth - Referred
580.22	1158	386	Respiratory - Nursing Intervention	699.22	5	5	Coping (Family): Ineffective: Compromised - Nursing Interver
580.33	154	51	Respiratory - Referred	699.33	3	3	Coping (Family): Ineffective: Compromised - Referred
582.22	62	21	Respiratory - Influenza-like Illness (ILI) - Nursing Intervention	700.22	4	4	Coping (Family), Ineffective: Disabling - Nursing Intervention
582.33	36	18	Respiratory - Influenza-like Illness (ILI) - Referred	700.33	1	1	Coping (Family), Ineffective: Disabling - Referred
590.22	1	1	Sexually Transmitted Diseases - Nursing Intervention	701.22	46	46	Decisional Conflict - Nursing Intervention
595.22	22	7	Substance Abuse - Nursing Intervention	701.33	9	9	Decisional Conflict - Referred
595.33	9	9	Substance Abuse - Referred	710.22	3	2	Family Processes, Alterations in - Nursing Intervention
610.22	5	3	Trauma (Referral Required) - Nursing Intervention	712.22	135	68	Fatigue - Nursing Intervention
610.33	3	3	Trauma (Referral Required) - Referred	712.33	10	10	Fatigue - Referred
620.22	395	198	Activity Intolerance - Nursing Intervention	715.22	2	2	Fear - Nursing Intervention
620.33	64	32	Activity Intolerance - Referred	715.33	1	1	Fear - Referred
621.22	184	184	Activity Intolerance, Risk For - Nursing Intervention	720.22	385	128	Fluid Volume Deficit - Nursing Intervention
621.33	52	52	Activity Intolerance, Risk For - Referred	720.33	9	3	Fluid Volume Deficit - Referred
625.22	1	1	Adjustment impaired - Nursing Intervention	722.22	50	17	Fluid Volume Deficit, Risk for - Nursing Intervention
625.33	1	1	Adjustment impaired - Referred	722.33	8	3	Fluid Volume Deficit, Risk for - Referred
630.22	155	52	Anxiety - Nursing Intervention	725.22	1	1	Fluid Volume Excess - Nursing Intervention

ASHAR Summary

Schools with Student Population - 2500 and above

School Year: 2009-2010

Code	Count	AV/Sch	Description	Code	Count	AV/Sch	Description
730.22	5	5	Grieving, Anticipatory - Nursing Intervention	853.22	23	12	Self Care Deficit Dressing/Grooming - Nursing Intervention
730.33	3	3	Grieving, Anticipatory - Referred	854.22	9	9	Self Care Deficit Toileting - Nursing Intervention
731.22	2	1	Greiving, Dysfunctional - Nursing Intervention	885.22	1	1	Social Isolation - Nursing Intervention
731.33	1	1	Greiving, Dysfunctional - Referred	905.22	188	63	Tissue Integrity, Impaired - Nursing Intervention
745.22	1	1	Health Maintenance - Alterations in - Nursing Intervention	905.33	5	2	Tissue Integrity, Impaired - Referred
746.22	53	53	Health - Seeking Behaviors (specify) - Nursing Intervention	910.22	904	301	Skin Integrity, Impaired - Nursing Intervention
746.33	1	1	Health - Seeking Behaviors (specify) - Referred	910.33	24	8	Skin Integrity, Impaired - Referred
760.22	628	314	Infection, Risk for - Nursing Intervention	911.22	3	2	Skin Integrity, Risk for Impaired - Intervention
760.33	100	50	Infection, Risk for - Referred	915.22	3	2	Oral Mucous Membrane, Alteration in - Nursing Intervention
770.22	93	93	Injury, Risk for - Nursing Intervention	920.22	11	11	Tissue Perfusion, Altered (Specify Type) - Nursing Interventic
770.33	6	6	Injury, Risk for - Referred	920.33	1	1	Tissue Perfusion, Altered (Specify Type) - Referred
771.22	1	1	Poisoning, Risk For - Nursing Intervention	930.22	1	1	Urinary Elimination, Altered - Nursing Intervention
771.33	1	1	Poisoning, Risk For - Referred	970.22	1	1	Violence, Risk for: Self-Directed - Nursing Intervention
772.22	19	19	Trauma, Risk For - Nursing Intervention	972.22	6	6	Violence, Risk For: Directed At Others - Nursing Intervention
772.33	4	4	Trauma, Risk For - Referred	972.33	2	2	Violence, Risk For: Directed At Others - Referred
775.22	533	267	Knowledge Deficit - Nursing Intervention	980.22	1	1	Body Image Disturbance - Nursing Intervention
775.33	71	71	Knowledge Deficit - Referred	981.22	1	1	Self Esteem Disturbance - Nursing Intervention
778.22	2	1	Management of Thereputic Regimen, Ineffective (Individuals)	982.22	1	1	Self esteem, Chronic Low - Nursing Intervention
778.33	1	1	Management of Thereputic Regimen, Ineffective (Individuals)	983.22	51	51	Self Esteem, Situational Low - Nursing Intervention
779.22	4	2	Management Of Therapeutic Regimen, Effective: Individual -	983.33	3	3	Self Esteem, Situational Low - Referred
780.22	2	2	Physical Mobility, Impaired - Nursing Intervention	1000.22	4	2	Staff Industrial Injury (Referral Required) - Nursing Interventic
785.22	101	101	Noncompliance - Nursing Intervention	1000.33	5	2	Staff Industrial Injury (Referral Required) - Referred
785.33	29	29	Noncompliance - Referred	1005.22	15	8	Staff Injury (Referral Not Required) - Nursing Intervention
790.22	835	278	Nutrition, Altered - Less than Body Requirements - Nursing In	1015.22	100	50	Staff Illness/Counseling - Nursing Intervention
790.33	16	8	Nutrition, Altered - Less than Body Requirements - Referred	1015.33	1	1	Staff Illness/Counseling - Referred
791.22	1	1	Nutrition, Altered: Risk for More than Body Requirements - N				
800.22	2	2	Nutrition, Altered - More than Body Requirements - Nursing I				
835.22	8	8	Ineffective Airway Clearance - Nursing Intervention				
835.33	3	3	Ineffective Airway Clearance - Referred				
840.22	2	2	Breathing Pattern, Ineffective - Nursing Intervention				
840.33	1	1	Breathing Pattern, Ineffective - Referred				
845.22	6	6	Gas Exchange, Impaired - Nursing Intervention				
852.22	22	11	Self Care Deficit Bathing/Hygiene - Nursing Intervention				