

ASHAR Summary

Schools with Student Population - All

School Year: 2009-2010

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
1	528794	1793	Illness - Nsg Assess/Tx	120	510	17	Dental # RN re-screened
5	127623	437	Injury at School - Nsg Assess/Tx	121	49	3	Dental Screening # referred Urgent
6	9873	40	Follow Up Injury at School - Nsg Assess/Tx	122	255	8	Dental Screening # referred Decay
10	44941	162	Injury at Home or Other - Nsg Assess/Tx (Initial & F/U)	123	270	8	Dental Screening # referred Other
15	231836	840	Medications - Daily # doses given	125	33262	187	Pediculosis # screened
18	161694	571	Medications - PRN # doses given	130	3654	30	Pediculosis # RN re-screened
20	74723	393	Skilled Nursing Procedures (consents required)	131	562	7	Pediculosis # referred
21	8513	69	IEP (required) Related Interventions	135	120	20	TB Skin Testing # screened
30	258129	893	Parental Contacts	140	157	8	TB Skin Testing # read by RN
35	356	5	Home Visits	141	1	1	TB Skin Testing # referred
40	119271	404	Student Health Records (enrollment)	145	2564	111	Acanthosis Nigricans Screening # screened
45	139658	477	Student Health Records (withdrawal)	150	35	7	Acanthosis Nigricans Screening # RN re-screened
50	177581	619	Immunization Records	151	38	3	Acanthosis Nigricans Screening # referred
55	442	37	Immunization Administration # adults	160	2548	41	Physical Exams/Assessments
60	1005	36	Immunization Administration # students	165	564	16	Neurodevelopmental Assessments
65	102848	436	Vision # screened	170	17320	2887	Fluoride Mouthrinse Program
70	9181	50	Vision # RN re-screened	175	9289	101	Health Education/Promotion/Resource
71	10721	54	Vision # referred	180	2591	36	Classroom Presentation to Students
75	106835	443	Hearing # screened	185	304	10	Social/Developmental Histories
80	7409	37	Hearing # RN re-screened	190	1357	24	Special Education - Evaluation/Re-Eval Assessment
81	1926	12	Hearing # referred	195	1706	23	Child/Student Team Meetings
85	10639	142	Scoliosis # screened	210	93826	413	Conferences w/ school personnel re: students
90	343	11	Scoliosis # RN re-screened	215	1806	19	School Meetings
91	242	8	Scoliosis # referred	220	8124	60	Community Contacts / Meetings
95	47406	376	Height & Weight Screening # screened	225	579	13	School Environmental Inspection
100	236	8	Height & Weight Screening # RN re-screened	230	19	2	University / College Courses
101	85	11	Height & Weight Screening # referred Underweight	235	341	6	Conferences / Workshops Attended
102	728	73	Height & Weight Screening # referred At Risk	240	273	7	Classes Workshops Given
103	1128	87	Height & Weight Screening # referred Overweight	245	306	7	Preceptor of Student Nurses
105	4327	53	B/P # screened	250	385	9	Professional Committee Participation
110	386	10	B/P # RN re-screened	275	214	6	Emergency Calls to Other Schools
111	44	3	B/P # referred	280	62331	253	Students Sent Home by RN
115	4481	77	Dental # screened	285	16062	125	Students Sent Home by Health Assistant

ASHAR Summary

Schools with Student Population - All

School Year: 2009-2010

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
300.11	250	5	Absenteeism - Known as of 5/1	340.22	523	11	Bleeding Disorders - Nursing Intervention
300.22	1270	24	Absenteeism - Nursing Intervention	340.33	16	1	Bleeding Disorders - Referred
300.33	182	10	Absenteeism - Referred	343.11	16	1	Coccidioidomycosis - Known as of 5/1
305.11	6	1	AIDS/HIV - Known as of 5/1	343.22	9	2	Coccidioidomycosis - Nursing Intervention
305.22	15	2	AIDS/HIV - Nursing Intervention	343.33	3	2	Coccidioidomycosis - Referred
305.33	3	2	AIDS/HIV - Referred	344.11	73	1	Connective Tissue Disorders - Known as of 5/1
310.11	30902	114	Allergy - Known as of 5/1	344.22	99	8	Connective Tissue Disorders - Nursing Intervention
310.22	17745	67	Allergy - Nursing Intervention	344.33	3	1	Connective Tissue Disorders - Referred
310.33	886	9	Allergy - Referred	345.11	33	1	Cystic Fibrosis - Known as of 5/1
315.11	23	1	Anorexia/Bulimia - Known as of 5/1	345.22	5131	151	Cystic Fibrosis - Nursing Intervention
315.22	154	7	Anorexia/Bulimia - Nursing Intervention	345.33	2	1	Cystic Fibrosis - Referred
315.33	7	2	Anorexia/Bulimia - Referred	350.11	404	2	Diabetes - Type I - Known as of 5/1
320.11	177	2	Arthritis/Rheumatic Disease - Known as of 5/1	350.22	73291	416	Diabetes - Type I - Nursing Intervention
320.22	1389	26	Arthritis/Rheumatic Disease - Nursing Intervention	350.33	353	7	Diabetes - Type I - Referred
320.33	24	2	Arthritis/Rheumatic Disease - Referred	351.11	72	1	Diabetes - Type II - Known as of 5/1
325.11	15665	58	Asthma - without PCP Action Plan - Known as of 5/1	351.22	2176	43	Diabetes - Type II - Nursing Intervention
325.22	39434	153	Asthma - without PCP Action Plan - Nursing Intervention	351.33	21	3	Diabetes - Type II - Referred
325.33	962	7	Asthma - without PCP Action Plan - Referred	355.11	562	3	Endocrine Disorders - Known as of 5/1
326.11	2798	12	Asthma - with PCP Action Plan - Known as of 5/1	355.22	2638	47	Endocrine Disorders - Nursing Intervention
326.22	19144	101	Asthma - with PCP Action Plan - Nursing Intervention	355.33	13	1	Endocrine Disorders - Referred
326.33	84	2	Asthma - with PCP Action Plan - Referred	356.11	2173	9	Gastrointestinal Chronic - Known as of 5/1
330.11	7445	28	Attention Deficit Disorder/Hyperactivity - Known as of 5/1	356.22	15586	95	Gastrointestinal Chronic - Nursing Intervention
330.22	100693	408	Attention Deficit Disorder/Hyperactivity - Nursing Intervention	356.33	113	3	Gastrointestinal Chronic - Referred
330.33	183	5	Attention Deficit Disorder/Hyperactivity - Referred	358.11	863	4	Genitourinary Chronic - Known as of 5/1
332.11	714	4	Autism, Childhood - Known as of 5/1	358.22	5769	52	Genitourinary Chronic - Nursing Intervention
332.22	3126	64	Autism, Childhood - Nursing Intervention	358.33	50	2	Genitourinary Chronic - Referred
332.33	2	1	Autism, Childhood - Referred	359.11	299	6	Gynecological - Known as of 5/1
333.11	278	3	Autism, Spectrum Disorder - Known as of 5/1	359.22	3736	32	Gynecological - Nursing Intervention
333.22	1006	35	Autism, Spectrum Disorder - Nursing Intervention	359.33	39	2	Gynecological - Referred
335.11	2133	10	Birth Defects/Developmental - Known as of 5/1	360.11	2542	10	Hearing - Known as of 5/1
335.22	32491	378	Birth Defects/Developmental - Nursing Intervention	360.22	3199	19	Hearing - Nursing Intervention
335.33	46	4	Birth Defects/Developmental - Referred	360.33	1640	14	Hearing - Referred
340.11	350	3	Bleeding Disorders - Known as of 5/1	365.11	2087	8	Heart - Known as of 5/1

ASHAR Summary

Schools with Student Population - All

School Year: 2009-2010

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
365.22	1767	13	Heart - Nursing Intervention	410.22	28	3	Tuberculosis - Nursing Intervention
365.33	123	3	Heart - Referred	410.33	5	2	Tuberculosis - Referred
368.11	58	1	Hepatic & Biliary Disorders - Known as of 5/1	415.11	25008	97	Vision - Known as of 5/1
368.22	597	54	Hepatic & Biliary Disorders - Nursing Intervention	415.22	18903	80	Vision - Nursing Intervention
368.33	12	4	Hepatic & Biliary Disorders - Referred	415.33	10346	57	Vision - Referred
370.11	147	2	Hypertension - Known as of 5/1	420.11	622	5	Color Deficit - Known as of 5/1
370.22	751	17	Hypertension - Nursing Intervention	420.22	1183	21	Color Deficit - Nursing Intervention
370.33	80	7	Hypertension - Referred	420.33	899	16	Color Deficit - Referred
372.11	2466	11	Integumentary Chronic - Known as of 5/1	425.11	1169	10	Weight Disorders - Known as of 5/1
372.22	2729	22	Integumentary Chronic - Nursing Intervention	425.22	1814	42	Weight Disorders - Nursing Intervention
372.33	59	2	Integumentary Chronic - Referred	425.33	58	7	Weight Disorders - Referred
375.11	150	2	Malignancies - Known as of 5/1	430.11	3295	14	Other Chronic
375.22	599	16	Malignancies - Nursing Intervention	430.22	10627	100	Other Chronic - Nursing Intervention
375.33	13	2	Malignancies - Referred	430.33	67	4	Other Chronic - Referred
380.11	3504	14	Neuro Disorders - Known as of 5/1	500.22	73	6	Anemia - Nursing Intervention
380.22	21417	122	Neuro Disorders - Nursing Intervention	500.33	11	3	Anemia - Referred
380.33	300	6	Neuro Disorders - Referred	505.22	488	5	Child Abuse/Neglect - Nursing Intervention
385.11	1423	7	Orthopedic - Known as of 5/1	505.33	311	5	Child Abuse/Neglect - Referred
385.22	8842	66	Orthopedic - Nursing Intervention	510.22	19	1	Coccidioidomycosis - Nursing Intervention
385.33	311	8	Orthopedic - Referred	510.33	1	1	Coccidioidomycosis - Referred
390.11	2370	11	Psychiatric - Known as of 5/1	515.22	87	2	Commun. Rash - Varicella - Nursing Intervention
390.22	16299	106	Psychiatric - Nursing Intervention	515.33	24	1	Commun. Rash - Varicella - Referred
390.33	128	4	Psychiatric - Referred	516.22	111	2	Commun. Rash - Impetigo - Nursing Intervention
395.11	433	4	Scoliosis - Known as of 5/1	516.33	36	1	Commun. Rash - Impetigo - Referred
395.22	98	4	Scoliosis - Nursing Intervention	517.22	2	1	Commun. Rash - Rubella/Rubeola - Nursing Intervention
395.33	16	3	Scoliosis - Referred	517.33	1	1	Commun. Rash - Rubella/Rubeola - Referred
400.11	1373	6	Seizure Disorders - Known as of 5/1	518.22	945	7	Commun. Rash - Other - Nursing Intervention
400.22	17432	126	Seizure Disorders - Nursing Intervention	518.33	195	3	Commun. Rash - Other - Referred
400.33	97	2	Seizure Disorders - Referred	520.22	5073	21	Conjunctivitis - Nursing Intervention
405.11	58	1	Sickle Cell - Known as of 5/1	520.33	1111	7	Conjunctivitis - Referred
405.22	57	4	Sickle Cell - Nursing Intervention	525.22	2968	15	Dental - Decay - Nursing Intervention
405.33	6	2	Sickle Cell - Referred	525.33	1309	12	Dental - Decay - Referred
410.11	66	2	Tuberculosis - Known as of 5/1	526.22	13824	54	Dental - Other - Nursing Intervention

ASHAR Summary

Schools with Student Population - All

School Year: 2009-2010

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
526.33	1021	8	Dental - Other - Referred	580.33	3070	21	Respiratory - Referred
530.22	7542	38	Emotional/Adjustment Problems - Nursing Intervention	582.22	8636	35	Respiratory - Influenza-like Illness (ILI) - Nursing Intervention
530.33	290	5	Emotional/Adjustment Problems - Referred	582.33	2369	17	Respiratory - Influenza-like Illness (ILI) - Referred
531.22	4685	20	Fever >101 with or w/o headache & no other recognizable sy	585.22	46	2	Scabies - Nursing Intervention
531.33	860	9	Fever >101 with or w/o headache & no other recognizable sy	585.33	11	1	Scabies - Referred
535.22	2130	13	Fractures - Nursing Intervention	590.22	25	2	Sexually Transmitted Diseases - Nursing Intervention
535.33	316	4	Fractures - Referred	590.33	8	2	Sexually Transmitted Diseases - Referred
540.22	8079	42	Genitourinary - Nursing Intervention	595.22	517	9	Substance Abuse - Nursing Intervention
540.33	235	3	Genitourinary - Referred	595.33	166	6	Substance Abuse - Referred
543.22	9244	45	Gastrointestinal - Vomiting & Diarrhea w or w/o fever - Nursi	600.22	57	2	Suicide Behavior - Nursing Intervention
543.33	896	15	Gastrointestinal - Vomiting & Diarrhea w or w/o fever - Referr	600.33	24	2	Suicide Behavior - Referred
545.22	94380	351	Gastrointestinal - Other - Nursing Intervention	603.22	10	1	Suicide Attempt - Nursing Intervention
545.33	2583	20	Gastrointestinal - Other - Referred	603.33	3	1	Suicide Attempt - Referred
546.22	15955	84	Gynecological - Nursing Intervention	605.22	2	1	Suicide - Nursing Intervention
546.33	547	13	Gynecological - Referred	605.33	1	1	Suicide - Referred
550.22	11	1	Hepatitis - Nursing Intervention	610.22	1364	11	Trauma (Referral Required) - Nursing Intervention
550.33	4	2	Hepatitis - Referred	610.33	722	8	Trauma (Referral Required) - Referred
553.22	30	2	Hepatic and Biliary Disorders - Nursing Intervention	620.22	13433	93	Activity Intolerance - Nursing Intervention
553.33	10	2	Hepatic and Biliary Disorders - Referred	620.33	473	12	Activity Intolerance - Referred
555.22	85	3	Infectious Mononucleosis - Nursing Intervention	621.22	4708	48	Activity Intolerance, Risk For - Nursing Intervention
555.33	11	2	Infectious Mononucleosis - Referred	621.33	68	8	Activity Intolerance, Risk For - Referred
560.22	32619	139	Integumentary - Nursing Intervention	623.22	2	1	Adaptive Capacity, Intracranial:decreased - Nursing Interve
560.33	626	7	Integumentary - Referred	625.22	203	5	Adjustment impaired - Nursing Intervention
561.22	5	1	Meningitis/Encephalitis - Bacterial/Viral - Nursing Interventio	625.33	6	1	Adjustment impaired - Referred
563.22	32299	155	Musculoskeletal (acute, non-fracture) - Nursing Intervention	630.22	4941	27	Anxiety - Nursing Intervention
563.33	1087	11	Musculoskeletal (acute, non-fracture) - Referred	630.33	143	3	Anxiety - Referred
565.22	5558	23	Otitis Media/Externa - Nursing Intervention	635.22	3175	29	Body Temperature, Risk for, Alteration - Nursing Intervention
565.33	1166	9	Otitis Media/Externa - Referred	635.33	176	9	Body Temperature, Risk for, Alteration - Referred
570.22	3961	22	Pediculosis - Nursing Intervention	640.22	43	2	Hypothermia - Nursing Intervention
570.33	534	7	Pediculosis - Referred	640.33	5	1	Hypothermia - Referred
575.22	541	10	Pregnancy - Nursing Intervention	645.22	4030	36	Hyperthermia - Nursing Intervention
575.33	112	6	Pregnancy - Referred	645.33	439	18	Hyperthermia - Referred
580.22	64637	249	Respiratory - Nursing Intervention	650.22	350	9	Thermoregulation, Ineffective - Nursing Intervention

ASHAR Summary

Schools with Student Population - All

School Year: 2009-2010

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
650.33	7	2	Thermoregulation, Ineffective - Referred	694.33	49	12	Coping (Community): Ineffective - Referred
655.22	833	8	Constipation - Nursing Intervention	695.22	3886	30	Coping (Individual), Ineffective - Individual - Nursing Interve
655.33	22	2	Constipation - Referred	695.33	265	9	Coping (Individual), Ineffective - Individual - Referred
656.22	324	14	Constipation, Colonic - Nursing Intervention	696.22	208	6	Coping, Defensive - Nursing Intervention
656.33	34	6	Constipation, Colonic - Referred	696.33	31	8	Coping, Defensive - Referred
657.22	169	4	Constipation, Perceived - Nursing Intervention	697.22	9	1	Denial, Ineffective - Nursing Intervention
657.33	6	1	Constipation, Perceived - Referred	697.33	1	1	Denial, Ineffective - Referred
658.22	1617	12	Incontinence, Bowel - Nursing Intervention	698.22	327	13	Coping (Family): Potential for Growth - Nursing Intervention
658.33	76	4	Incontinence, Bowel - Referred	698.33	41	5	Coping (Family): Potential for Growth - Referred
660.22	1097	8	Diarrhea - Nursing Intervention	699.22	310	5	Coping (Family): Ineffective: Compromised - Nursing Interve
660.33	102	4	Diarrhea - Referred	699.33	17	1	Coping (Family): Ineffective: Compromised - Referred
661.22	12	4	Breastfeeding, Effective - Nursing Intervention	700.22	161	4	Coping (Family), Ineffective: Disabling - Nursing Intervention
662.22	2	1	Breastfeeding, Ineffective - Nursing Intervention	700.33	16	2	Coping (Family), Ineffective: Disabling - Referred
663.22	3	2	Breastfeeding, Interrupted - Nursing Intervention	701.22	248	10	Decisional Conflict - Nursing Intervention
664.22	796	796	Infant Feeding Pattern, Ineffective - Nursing Intervention	701.33	9	9	Decisional Conflict - Referred
665.22	117	6	Cardiac Output, Alterations in - Decreased - Nursing Interv	703.22	5	1	Disuse Syndrome - Nursing Intervention
665.33	7	1	Cardiac Output, Alterations in - Decreased - Referred	703.33	2	1	Disuse Syndrome - Referred
666.22	14	2	Care Giver Role Strain - Nursing Intervention	705.22	3	1	Diversional Activity Deficit - Nursing Intervention
666.33	2	1	Care Giver Role Strain - Referred	706.22	5	1	Dysreflexia - Nursing Intervention
667.22	21	1	Caregiver Role Strain, Risk For - Nursing Intervention	708.22	2026	58	Energy Field Disturbance - Nursing Intervention
667.33	5	1	Caregiver Role Strain, Risk For - Referred	708.33	2	1	Energy Field Disturbance - Referred
675.22	255241	921	Pain - Nursing Intervention	710.22	387	5	Family Processes, Alterations in - Nursing Intervention
675.33	5576	39	Pain - Referred	710.33	66	4	Family Processes, Alterations in - Referred
680.22	794	11	Pain, Chronic - Nursing Intervention	711.22	19	2	Family Process, Altered: Alcoholism - Nursing Intervention
680.33	27	2	Pain, Chronic - Referred	711.33	5	3	Family Process, Altered: Alcoholism - Referred
690.22	187	8	Communication, Impaired - Verbal - Nursing Intervention	712.22	5982	33	Fatigue - Nursing Intervention
690.33	2	1	Communication, Impaired - Verbal - Referred	712.33	148	5	Fatigue - Referred
691.22	31	2	Confusion, Acute - Nursing Intervention	715.22	282	5	Fear - Nursing Intervention
691.33	6	1	Confusion, Acute - Referred	715.33	8	1	Fear - Referred
692.22	9	2	Confusion, Chronic - Nursing Intervention	720.22	3979	32	Fluid Volume Deficit - Nursing Intervention
692.33	2	2	Confusion, Chronic - Referred	720.33	62	4	Fluid Volume Deficit - Referred
693.22	67	4	Coping (Community): Potential For Enhanced - Nursing Inter	722.22	5306	58	Fluid Volume Deficit, Risk for - Nursing Intervention
694.22	305	7	Coping (Community): Ineffective - Nursing Intervention	722.33	22	2	Fluid Volume Deficit, Risk for - Referred

ASHAR Summary

Schools with Student Population - All

School Year: 2009-2010

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
725.22	12	1	Fluid Volume Excess - Nursing Intervention	779.22	146	5	Management Of Therapeutic Regimen, Effective: Individual -
730.22	186	4	Grieving, Anticipatory - Nursing Intervention	779.33	1	1	Management Of Therapeutic Regimen, Effective: Individual -
730.33	15	2	Grieving, Anticipatory - Referred	780.22	2243	23	Physical Mobility, Impaired - Nursing Intervention
731.22	49	2	Greiving, Dysfunctional - Nursing Intervention	780.33	93	6	Physical Mobility, Impaired - Referred
731.33	20	3	Greiving, Dysfunctional - Referred	782.22	77	5	Peripheral Neurovascular Dysfunction, Risk for - Nursing Int
735.22	1266	63	Growth and Development, Altered - Nursing Intervention	782.33	4	1	Peripheral Neurovascular Dysfunction, Risk for - Referred
735.33	2	1	Growth and Development, Altered - Referred	785.22	2411	35	Noncompliance - Nursing Intervention
745.22	15745	250	Health Maintenance - Alterations in - Nursing Intervention	785.33	143	10	Noncompliance - Referred
745.33	3326	238	Health Maintenance - Alterations in - Referred	790.22	13998	76	Nutrition, Altered - Less than Body Requirements - Nursing I
746.22	1605	29	Health - Seeking Behaviors (specify) - Nursing Intervention	790.33	102	4	Nutrition, Altered - Less than Body Requirements - Referred
746.33	54	5	Health - Seeking Behaviors (specify) - Referred	791.22	682	22	Nutrition, Altered: Risk for More than Body Requirements - N
750.22	202	10	Home Maintenance Management, impaired - Nursing Interv	791.33	4	1	Nutrition, Altered: Risk for More than Body Requirements - R
750.33	8	3	Home Maintenance Management, impaired - Referred	795.22	1186	35	Swallowing, Impaired - Nursing Intervention
755.22	181	7	Hopelessness - Nursing Intervention	795.33	20	3	Swallowing, Impaired - Referred
755.33	3	1	Hopelessness - Referred	800.22	548	18	Nutrition, Altered - More than Body Requirements - Nursing I
760.22	23149	110	Infection, Risk for - Nursing Intervention	800.33	5	1	Nutrition, Altered - More than Body Requirements - Referred
760.33	1358	16	Infection, Risk for - Referred	805.22	56	2	Parenting, Altered - Nursing Intervention
770.22	4401	37	Injury, Risk for - Nursing Intervention	805.33	2	1	Parenting, Altered - Referred
770.33	351	13	Injury, Risk for - Referred	806.22	30	2	Parenting, Risk For Altered - Nursing Intervention
771.22	31	1	Poisoning, Risk For - Nursing Intervention	806.33	4	1	Parenting, Risk For Altered - Referred
771.33	6	1	Poisoning, Risk For - Referred	807.22	6	1	Parent/Infant/Child Attachment, Risk For Altered - Nursing In
772.22	1310	18	Trauma, Risk For - Nursing Intervention	808.22	25	2	Parental Role Conflict - Nursing Intervention
772.33	42	2	Trauma, Risk For - Referred	808.33	9	3	Parental Role Conflict - Referred
773.22	85	4	Management Of Therapeutic Regimen, Ineffective: Families	815.22	49	3	Post-Trauma Response Syndrome - Nursing Intervention
773.33	4	1	Management Of Therapeutic Regimen, Ineffective: Families	815.33	1	1	Post-Trauma Response Syndrome - Referred
774.22	13	1	Management of Therapeutic Regimen, Ineffective: Communi	820.22	5	1	Rape-Trauma Syndrome - Nursing Intervention
774.33	4	1	Management of Therapeutic Regimen, Ineffective: Communi	820.33	1	1	Rape-Trauma Syndrome - Referred
775.22	27622	225	Knowledge Deficit - Nursing Intervention	825.22	110	5	Powerlessness - Nursing Intervention
775.33	122	6	Knowledge Deficit - Referred	825.33	7	1	Powerlessness - Referred
776.22	54	3	Loneliness, Risk for - Nursing Intervention	827.22	22	3	Protection, Altered - Nursing Intervention
776.33	3	3	Loneliness, Risk for - Referred	827.33	2	1	Protection, Altered - Referred
778.22	149	5	Management of Thereputic Regimen, Ineffective (Individuals	828.22	7	2	Relocation Stress Syndrome - Nursing Intervention
778.33	3	1	Management of Thereputic Regimen, Ineffective (Individuals	831.22	107	107	Ventilation, Inability to Sustain Spontaneous - Nursing Interv

ASHAR Summary

Schools with Student Population - All

School Year: 2009-2010

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
835.22	3927	51	Ineffective Airway Clearance - Nursing Intervention	896.22	9	2	Spiritual Well-being, Potential For Enhanced - Nursing Inter
835.33	91	5	Ineffective Airway Clearance - Referred	896.33	1	1	Spiritual Well-being, Potential For Enhanced - Referred
840.22	1381	22	Breathing Pattern, Ineffective - Nursing Intervention	900.22	86	3	Thought Processes, Altered - Nursing Intervention
840.33	61	3	Breathing Pattern, Ineffective - Referred	900.33	3	2	Thought Processes, Altered - Referred
845.22	789	18	Gas Exchange, Impaired - Nursing Intervention	905.22	31412	139	Tissue Integrity, Impaired - Nursing Intervention
845.33	12	2	Gas Exchange, Impaired - Referred	905.33	636	8	Tissue Integrity, Impaired - Referred
846.22	98	14	Suffocation, Risk For - Nursing Intervention	910.22	48068	194	Skin Integrity, Impaired - Nursing Intervention
846.33	4	1	Suffocation, Risk For - Referred	910.33	517	5	Skin Integrity, Impaired - Referred
847.22	312	17	Aspiration, Risk For - Nursing Intervention	911.22	5435	49	Skin Integrity, Risk for Impaired - Intervention
847.33	2	1	Aspiration, Risk For - Referred	911.33	37	2	Skin Integrity, Risk for Impaired - Referred
848.22	18	1	Role Performance, Altered - Nursing Intervention	915.22	11356	64	Oral Mucous Membrane, Alteration in - Nursing Intervention
848.33	2	1	Role Performance, Altered - Referred	915.33	129	3	Oral Mucous Membrane, Alteration in - Referred
852.22	4998	34	Self Care Deficit Bathing/Hygiene - Nursing Intervention	920.22	1230	16	Tissue Perfusion, Altered (Specify Type) - Nursing Interventi
852.33	40	2	Self Care Deficit Bathing/Hygiene - Referred	920.33	26	2	Tissue Perfusion, Altered (Specify Type) - Referred
853.22	8826	53	Self Care Deficit Dressing/Grooming - Nursing Intervention	925.22	13	1	Neglect, Unilateral - Nursing Intervention
853.33	106	3	Self Care Deficit Dressing/Grooming - Referred	925.33	6	2	Neglect, Unilateral - Referred
854.22	7639	51	Self Care Deficit Toileting - Nursing Intervention	930.22	2420	28	Urinary Elimination, Altered - Nursing Intervention
854.33	105	4	Self Care Deficit Toileting - Referred	930.33	30	2	Urinary Elimination, Altered - Referred
857.22	1192	18	Self Care Deficit Feeding - Nursing Intervention	940.22	2405	27	Incontinence, Functional - Nursing Intervention
857.33	1	1	Self Care Deficit Feeding - Referred	940.33	33	6	Incontinence, Functional - Referred
865.22	128	7	Sensory-Perceptual Alterations (specify) (Visual, auditory, ki	945.22	113	5	Incontinence, Reflex - Nursing Intervention
865.33	7	4	Sensory-Perceptual Alterations (specify) (Visual, auditory, ki	945.33	3	1	Incontinence, Reflex - Referred
870.22	8	2	Sexuality Patterns, Altered - Nursing Intervention	950.22	149	4	Incontinence, Stress - Nursing Intervention
870.33	3	2	Sexuality Patterns, Altered - Referred	950.33	1	1	Incontinence, Stress - Referred
875.22	1	1	Sexual Dysfunction, Altered - Nursing Intervention	955.22	726	23	Incontinence, Total - Nursing Intervention
880.22	1151	14	Sleep Pattern Disturbance - Nursing Intervention	955.33	3	1	Incontinence, Total - Referred
880.33	24	2	Sleep Pattern Disturbance - Referred	960.22	1990	30	Incontinence, Urge - Nursing Intervention
885.22	20	1	Social Isolation - Nursing Intervention	960.33	31	3	Incontinence, Urge - Referred
885.33	2	1	Social Isolation - Referred	965.22	868	54	Urinary Retention - Nursing Intervention
890.22	373	10	Social Interactions, Impaired - Nursing Intervention	965.33	4	2	Urinary Retention - Referred
890.33	4	1	Social Interactions, Impaired - Referred	970.22	91	2	Violence, Risk for: Self-Directed - Nursing Intervention
895.22	16	1	Spiritual Distress (Distress Of The Human Spirit) - Nursing I	970.33	12	2	Violence, Risk for: Self-Directed - Referred
895.33	2	1	Spiritual Distress (Distress Of The Human Spirit) - Referred	971.22	222	3	Self-Mutilation, Risk For - Nursing Intervention

ASHAR Summary**Schools with Student Population - All****School Year: 2009-2010**

Code	Count	AV/Sch	Description	Code	Count	AV/Sch	Description
971.33	38		2 Self-Mutilation, Risk For - Referred				
972.22	209		6 Violence, Risk For: Directed At Others - Nursing Intervention				
972.33	11		1 Violence, Risk For: Directed At Others - Referred				
976.22	25		5 Memory, Impaired - Nursing Intervention				
976.33	20		20 Memory, Impaired - Referred				
977.22	1		1 Environmental Interpretation Syndrome, Impaired - Nursing I				
980.22	253		6 Body Image Disturbance - Nursing Intervention				
980.33	1		1 Body Image Disturbance - Referred				
981.22	102		3 Self Esteem Disturbance - Nursing Intervention				
981.33	3		1 Self Esteem Disturbance - Referred				
982.22	58		5 Self esteem, Chronic Low - Nursing Intervention				
982.33	5		3 Self esteem, Chronic Low - Referred				
983.22	170		8 Self Esteem, Situational Low - Nursing Intervention				
983.33	11		2 Self Esteem, Situational Low - Referred				
984.22	9		2 Identity Disturbance, Personal - Nursing Intervention				
990.22	1		1 Infant Behavior, Risk For Disorganized - Nursing Intervention				
991.22	1		1 Infant Behavior, Disorganized - Nursing Intervention				
992.22	1		1 Infant Behavior, Potential For Enhanced Organized - Nursing				
996.22	1		1 Perioperative Positioning Injury, Risk For - Nursing Interventi				
1000.22	277		3 Staff Industrial Injury (Referral Required) - Nursing Interventi				
1000.33	188		3 Staff Industrial Injury (Referral Required) - Referred				
1005.22	60266		574 Staff Injury (Referral Not Required) - Nursing Intervention				
1005.33	98		2 Staff Injury (Referral Not Required) - Referred				
1015.22	112368		808 Staff Illness/Counseling - Nursing Intervention				
1015.33	104309		1272 Staff Illness/Counseling - Referred				