

ASHAR Summary - Average per 100 Students

Schools with Student Population - All

School Year: 2009-2010

Code	Count	AV/100	Description	Code	Count	AV/100	Description
1	528794	253	Illness - Nsg Assess/Tx	120	510	2	Dental # RN re-screened
5	127623	61	Injury at School - Nsg Assess/Tx	121	49	0	Dental Screening # referred Urgent
6	9873	5	Follow Up Injury at School - Nsg Assess/Tx	122	255	1	Dental Screening # referred Decay
10	44941	22	Injury at Home or Other - Nsg Assess/Tx (Initial & F/U)	123	270	1	Dental Screening # referred Other
15	231836	115	Medications - Daily # doses given	125	33262	26	Pediculosis # screened
18	161694	79	Medications - PRN # doses given	130	3654	4	Pediculosis # RN re-screened
20	74723	50	Skilled Nursing Procedures (consents required)	131	562	1	Pediculosis # referred
21	8513	9	IEP (required) Related Interventions	135	120	3	TB Skin Testing # screened
30	258129	124	Parental Contacts	140	157	1	TB Skin Testing # read by RN
35	356	1	Home Visits	141	1	0	TB Skin Testing # referred
40	119271	57	Student Health Records (enrollment)	145	2564	18	Acanthosis Nigricans Screening # screened
45	139658	67	Student Health Records (withdrawal)	150	35	1	Acanthosis Nigricans Screening # RN re-screened
50	177581	87	Immunization Records	151	38	1	Acanthosis Nigricans Screening # referred
55	442	5	Immunization Administration # adults	160	2548	6	Physical Exams/Assessments
60	1005	4	Immunization Administration # students	165	564	3	Neurodevelopmental Assessments
65	102848	58	Vision # screened	170	17320	421	Fluoride Mouthrinse Program
70	9181	6	Vision # RN re-screened	175	9289	14	Health Education/Promotion/Resource
71	10721	7	Vision # referred	180	2591	5	Classroom Presentation to Students
75	106835	58	Hearing # screened	185	304	2	Social/Developmental Histories
80	7409	5	Hearing # RN re-screened	190	1357	3	Special Education - Evaluation/Re-Eval Assessment
81	1926	1	Hearing # referred	195	1706	3	Child/Student Team Meetings
85	10639	20	Scoliosis # screened	210	93826	54	Conferences w/ school personnel re: students
90	343	1	Scoliosis # RN re-screened	215	1806	2	School Meetings
91	242	1	Scoliosis # referred	220	8124	7	Community Contacts / Meetings
95	47406	52	Height & Weight Screening # screened	225	579	2	School Environmental Inspection
100	236	1	Height & Weight Screening # RN re-screened	230	19	0	University / College Courses
101	85	2	Height & Weight Screening # referred Underweight	235	341	1	Conferences / Workshops Attended
102	728	10	Height & Weight Screening # referred At Risk	240	273	1	Classes Workshops Given
103	1128	12	Height & Weight Screening # referred Overweight	245	306	1	Preceptor of Student Nurses
105	4327	6	B/P # screened	250	385	1	Professional Committee Participation
110	386	1	B/P # RN re-screened	275	214	1	Emergency Calls to Other Schools
111	44	0	B/P # referred	280	62331	34	Students Sent Home by RN
115	4481	11	Dental # screened	285	16062	18	Students Sent Home by Health Assistant

ASHAR Summary - Average per 100 Students

Schools with Student Population - All

School Year: 2009-2010

<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>
300.11	250	1	Absenteeism - Known as of 5/1	340.22	523	1	Bleeding Disorders - Nursing Intervention
300.22	1270	3	Absenteeism - Nursing Intervention	340.33	16	0	Bleeding Disorders - Referred
300.33	182	1	Absenteeism - Referred	343.11	16	0	Coccidioidomycosis - Known as of 5/1
305.11	6	0	AIDS/HIV - Known as of 5/1	343.22	9	0	Coccidioidomycosis - Nursing Intervention
305.22	15	0	AIDS/HIV - Nursing Intervention	343.33	3	0	Coccidioidomycosis - Referred
305.33	3	0	AIDS/HIV - Referred	344.11	73	0	Connective Tissue Disorders - Known as of 5/1
310.11	30902	15	Allergy - Known as of 5/1	344.22	99	1	Connective Tissue Disorders - Nursing Intervention
310.22	17745	9	Allergy - Nursing Intervention	344.33	3	0	Connective Tissue Disorders - Referred
310.33	886	1	Allergy - Referred	345.11	33	0	Cystic Fibrosis - Known as of 5/1
315.11	23	0	Anorexia/Bulimia - Known as of 5/1	345.22	5131	17	Cystic Fibrosis - Nursing Intervention
315.22	154	1	Anorexia/Bulimia - Nursing Intervention	345.33	2	0	Cystic Fibrosis - Referred
315.33	7	0	Anorexia/Bulimia - Referred	350.11	404	0	Diabetes - Type I - Known as of 5/1
320.11	177	0	Arthritis/Rheumatic Disease - Known as of 5/1	350.22	73291	50	Diabetes - Type I - Nursing Intervention
320.22	1389	3	Arthritis/Rheumatic Disease - Nursing Intervention	350.33	353	1	Diabetes - Type I - Referred
320.33	24	0	Arthritis/Rheumatic Disease - Referred	351.11	72	0	Diabetes - Type II - Known as of 5/1
325.11	15665	8	Asthma - without PCP Action Plan - Known as of 5/1	351.22	2176	5	Diabetes - Type II - Nursing Intervention
325.22	39434	20	Asthma - without PCP Action Plan - Nursing Intervention	351.33	21	0	Diabetes - Type II - Referred
325.33	962	1	Asthma - without PCP Action Plan - Referred	355.11	562	0	Endocrine Disorders - Known as of 5/1
326.11	2798	2	Asthma - with PCP Action Plan - Known as of 5/1	355.22	2638	5	Endocrine Disorders - Nursing Intervention
326.22	19144	13	Asthma - with PCP Action Plan - Nursing Intervention	355.33	13	0	Endocrine Disorders - Referred
326.33	84	0	Asthma - with PCP Action Plan - Referred	356.11	2173	1	Gastrointestinal Chronic - Known as of 5/1
330.11	7445	4	Attention Deficit Disorder/Hyperactivity - Known as of 5/1	356.22	15586	12	Gastrointestinal Chronic - Nursing Intervention
330.22	100693	54	Attention Deficit Disorder/Hyperactivity - Nursing Intervention	356.33	113	0	Gastrointestinal Chronic - Referred
330.33	183	1	Attention Deficit Disorder/Hyperactivity - Referred	358.11	863	1	Genitourinary Chronic - Known as of 5/1
332.11	714	1	Autism, Childhood - Known as of 5/1	358.22	5769	6	Genitourinary Chronic - Nursing Intervention
332.22	3126	8	Autism, Childhood - Nursing Intervention	358.33	50	0	Genitourinary Chronic - Referred
332.33	2	0	Autism, Childhood - Referred	359.11	299	0	Gynecological - Known as of 5/1
333.11	278	0	Autism, Spectrum Disorder - Known as of 5/1	359.22	3736	4	Gynecological - Nursing Intervention
333.22	1006	4	Autism, Spectrum Disorder - Nursing Intervention	359.33	39	0	Gynecological - Referred
335.11	2133	1	Birth Defects/Developmental - Known as of 5/1	360.11	2542	1	Hearing - Known as of 5/1
335.22	32491	46	Birth Defects/Developmental - Nursing Intervention	360.22	3199	2	Hearing - Nursing Intervention
335.33	46	0	Birth Defects/Developmental - Referred	360.33	1640	2	Hearing - Referred
340.11	350	0	Bleeding Disorders - Known as of 5/1	365.11	2087	1	Heart - Known as of 5/1

ASHAR Summary - Average per 100 Students

Schools with Student Population - All

School Year: 2009-2010

<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>
365.22	1767	2	Heart - Nursing Intervention	410.22	28	0	Tuberculosis - Nursing Intervention
365.33	123	0	Heart - Referred	410.33	5	0	Tuberculosis - Referred
368.11	58	0	Hepatic & Biliary Disorders - Known as of 5/1	415.11	25008	13	Vision - Known as of 5/1
368.22	597	5	Hepatic & Biliary Disorders - Nursing Intervention	415.22	18903	11	Vision - Nursing Intervention
368.33	12	0	Hepatic & Biliary Disorders - Referred	415.33	10346	7	Vision - Referred
370.11	147	0	Hypertension - Known as of 5/1	420.11	622	1	Color Deficit - Known as of 5/1
370.22	751	2	Hypertension - Nursing Intervention	420.22	1183	3	Color Deficit - Nursing Intervention
370.33	80	1	Hypertension - Referred	420.33	899	2	Color Deficit - Referred
372.11	2466	1	Integumentary Chronic - Known as of 5/1	425.11	1169	1	Weight Disorders - Known as of 5/1
372.22	2729	3	Integumentary Chronic - Nursing Intervention	425.22	1814	6	Weight Disorders - Nursing Intervention
372.33	59	0	Integumentary Chronic - Referred	425.33	58	1	Weight Disorders - Referred
375.11	150	0	Malignancies - Known as of 5/1	430.11	3295	2	Other Chronic
375.22	599	2	Malignancies - Nursing Intervention	430.22	10627	13	Other Chronic - Nursing Intervention
375.33	13	0	Malignancies - Referred	430.33	67	0	Other Chronic - Referred
380.11	3504	2	Neuro Disorders - Known as of 5/1	500.22	73	1	Anemia - Nursing Intervention
380.22	21417	15	Neuro Disorders - Nursing Intervention	500.33	11	0	Anemia - Referred
380.33	300	1	Neuro Disorders - Referred	505.22	488	1	Child Abuse/Neglect - Nursing Intervention
385.11	1423	1	Orthopedic - Known as of 5/1	505.33	311	1	Child Abuse/Neglect - Referred
385.22	8842	8	Orthopedic - Nursing Intervention	510.22	19	0	Coccidioidomycosis - Nursing Intervention
385.33	311	1	Orthopedic - Referred	510.33	1	0	Coccidioidomycosis - Referred
390.11	2370	1	Psychiatric - Known as of 5/1	515.22	87	0	Commun. Rash - Varicella - Nursing Intervention
390.22	16299	13	Psychiatric - Nursing Intervention	515.33	24	0	Commun. Rash - Varicella - Referred
390.33	128	0	Psychiatric - Referred	516.22	111	0	Commun. Rash - Impetigo - Nursing Intervention
395.11	433	0	Scoliosis - Known as of 5/1	516.33	36	0	Commun. Rash - Impetigo - Referred
395.22	98	0	Scoliosis - Nursing Intervention	517.22	2	0	Commun. Rash - Rubella/Rubeola - Nursing Intervention
395.33	16	0	Scoliosis - Referred	517.33	1	0	Commun. Rash - Rubella/Rubeola - Referred
400.11	1373	1	Seizure Disorders - Known as of 5/1	518.22	945	1	Commun. Rash - Other - Nursing Intervention
400.22	17432	15	Seizure Disorders - Nursing Intervention	518.33	195	0	Commun. Rash - Other - Referred
400.33	97	0	Seizure Disorders - Referred	520.22	5073	3	Conjunctivitis - Nursing Intervention
405.11	58	0	Sickle Cell - Known as of 5/1	520.33	1111	1	Conjunctivitis - Referred
405.22	57	0	Sickle Cell - Nursing Intervention	525.22	2968	2	Dental - Decay - Nursing Intervention
405.33	6	0	Sickle Cell - Referred	525.33	1309	2	Dental - Decay - Referred
410.11	66	0	Tuberculosis - Known as of 5/1	526.22	13824	7	Dental - Other - Nursing Intervention

ASHAR Summary - Average per 100 Students

Schools with Student Population - All

School Year: 2009-2010

<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>
526.33	1021	1	Dental - Other - Referred	580.33	3070	3	Respiratory - Referred
530.22	7542	5	Emotional/Adjustment Problems - Nursing Intervention	582.22	8636	5	Respiratory - Influenza-like Illness (ILI) - Nursing Intervention
530.33	290	1	Emotional/Adjustment Problems - Referred	582.33	2369	2	Respiratory - Influenza-like Illness (ILI) - Referred
531.22	4685	3	Fever >101 with or w/o headache & no other recognizable sy	585.22	46	0	Scabies - Nursing Intervention
531.33	860	1	Fever >101 with or w/o headache & no other recognizable sy	585.33	11	0	Scabies - Referred
535.22	2130	2	Fractures - Nursing Intervention	590.22	25	0	Sexually Transmitted Diseases - Nursing Intervention
535.33	316	1	Fractures - Referred	590.33	8	0	Sexually Transmitted Diseases - Referred
540.22	8079	5	Genitourinary - Nursing Intervention	595.22	517	1	Substance Abuse - Nursing Intervention
540.33	235	0	Genitourinary - Referred	595.33	166	0	Substance Abuse - Referred
543.22	9244	6	Gastrointestinal - Vomiting & Diarrhea w or w/o fever - Nursi	600.22	57	0	Suicide Behavior - Nursing Intervention
543.33	896	2	Gastrointestinal - Vomiting & Diarrhea w or w/o fever - Referr	600.33	24	0	Suicide Behavior - Referred
545.22	94380	48	Gastrointestinal - Other - Nursing Intervention	603.22	10	0	Suicide Attempt - Nursing Intervention
545.33	2583	2	Gastrointestinal - Other - Referred	603.33	3	0	Suicide Attempt - Referred
546.22	15955	10	Gynecological - Nursing Intervention	605.22	2	0	Suicide - Nursing Intervention
546.33	547	1	Gynecological - Referred	605.33	1	0	Suicide - Referred
550.22	11	0	Hepatitis - Nursing Intervention	610.22	1364	1	Trauma (Referral Required) - Nursing Intervention
550.33	4	0	Hepatitis - Referred	610.33	722	1	Trauma (Referral Required) - Referred
553.22	30	0	Hepatic and Biliary Disorders - Nursing Intervention	620.22	13433	11	Activity Intolerance - Nursing Intervention
553.33	10	0	Hepatic and Biliary Disorders - Referred	620.33	473	1	Activity Intolerance - Referred
555.22	85	0	Infectious Mononucleosis - Nursing Intervention	621.22	4708	6	Activity Intolerance, Risk For - Nursing Intervention
555.33	11	0	Infectious Mononucleosis - Referred	621.33	68	1	Activity Intolerance, Risk For - Referred
560.22	32619	18	Integumentary - Nursing Intervention	623.22	2	0	Adaptive Capacity, Intracranial:decreased - Nursing Interve
560.33	626	1	Integumentary - Referred	625.22	203	1	Adjustment impaired - Nursing Intervention
561.22	5	0	Meningitis/Encephalitis - Bacterial/Viral - Nursing Interventio	625.33	6	0	Adjustment impaired - Referred
563.22	32299	21	Musculoskeletal (acute, non-fracture) - Nursing Intervention	630.22	4941	3	Anxiety - Nursing Intervention
563.33	1087	1	Musculoskeletal (acute, non-fracture) - Referred	630.33	143	0	Anxiety - Referred
565.22	5558	3	Otitis Media/Externa - Nursing Intervention	635.22	3175	4	Body Temperature, Risk for, Alteration - Nursing Intervention
565.33	1166	1	Otitis Media/Externa - Referred	635.33	176	1	Body Temperature, Risk for, Alteration - Referred
570.22	3961	3	Pediculosis - Nursing Intervention	640.22	43	0	Hypothermia - Nursing Intervention
570.33	534	1	Pediculosis - Referred	640.33	5	0	Hypothermia - Referred
575.22	541	1	Pregnancy - Nursing Intervention	645.22	4030	5	Hyperthermia - Nursing Intervention
575.33	112	0	Pregnancy - Referred	645.33	439	2	Hyperthermia - Referred
580.22	64637	33	Respiratory - Nursing Intervention	650.22	350	1	Thermoregulation, Ineffective - Nursing Intervention

ASHAR Summary - Average per 100 Students

Schools with Student Population - All

School Year: 2009-2010

<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>
650.33	7	0	Thermoregulation, Ineffective - Referred	694.33	49	2	Coping (Community): Ineffective - Referred
655.22	833	1	Constipation - Nursing Intervention	695.22	3886	4	Coping (Individual), Ineffective - Individual - Nursing Interve
655.33	22	0	Constipation - Referred	695.33	265	1	Coping (Individual), Ineffective - Individual - Referred
656.22	324	2	Constipation, Colonic - Nursing Intervention	696.22	208	1	Coping, Defensive - Nursing Intervention
656.33	34	1	Constipation, Colonic - Referred	696.33	31	1	Coping, Defensive - Referred
657.22	169	0	Constipation, Perceived - Nursing Intervention	697.22	9	0	Denial, Ineffective - Nursing Intervention
657.33	6	0	Constipation, Perceived - Referred	697.33	1	0	Denial, Ineffective - Referred
658.22	1617	2	Incontinence, Bowel - Nursing Intervention	698.22	327	1	Coping (Family): Potential for Growth - Nursing Intervention
658.33	76	1	Incontinence, Bowel - Referred	698.33	41	0	Coping (Family): Potential for Growth - Referred
660.22	1097	1	Diarrhea - Nursing Intervention	699.22	310	1	Coping (Family): Ineffective: Compromised - Nursing Interve
660.33	102	0	Diarrhea - Referred	699.33	17	0	Coping (Family): Ineffective: Compromised - Referred
661.22	12	0	Breastfeeding, Effective - Nursing Intervention	700.22	161	0	Coping (Family), Ineffective: Disabling - Nursing Intervention
662.22	2	0	Breastfeeding, Ineffective - Nursing Intervention	700.33	16	0	Coping (Family), Ineffective: Disabling - Referred
663.22	3	0	Breastfeeding, Interrupted - Nursing Intervention	701.22	248	1	Decisional Conflict - Nursing Intervention
664.22	796	318	Infant Feeding Pattern, Ineffective - Nursing Intervention	701.33	9	0	Decisional Conflict - Referred
665.22	117	1	Cardiac Output, Alterations in - Decreased - Nursing Interv	703.22	5	0	Disuse Syndrome - Nursing Intervention
665.33	7	0	Cardiac Output, Alterations in - Decreased - Referred	703.33	2	0	Disuse Syndrome - Referred
666.22	14	0	Care Giver Role Strain - Nursing Intervention	705.22	3	0	Diversional Activity Deficit - Nursing Intervention
666.33	2	1	Care Giver Role Strain - Referred	706.22	5	0	Dysreflexia - Nursing Intervention
667.22	21	0	Caregiver Role Strain, Risk For - Nursing Intervention	708.22	2026	8	Energy Field Disturbance - Nursing Intervention
667.33	5	0	Caregiver Role Strain, Risk For - Referred	708.33	2	0	Energy Field Disturbance - Referred
675.22	255241	126	Pain - Nursing Intervention	710.22	387	1	Family Processes, Alterations in - Nursing Intervention
675.33	5576	5	Pain - Referred	710.33	66	0	Family Processes, Alterations in - Referred
680.22	794	1	Pain, Chronic - Nursing Intervention	711.22	19	0	Family Process, Altered: Alcoholism - Nursing Intervention
680.33	27	0	Pain, Chronic - Referred	711.33	5	0	Family Process, Altered: Alcoholism - Referred
690.22	187	1	Communication, Impaired - Verbal - Nursing Intervention	712.22	5982	4	Fatigue - Nursing Intervention
690.33	2	0	Communication, Impaired - Verbal - Referred	712.33	148	1	Fatigue - Referred
691.22	31	0	Confusion, Acute - Nursing Intervention	715.22	282	1	Fear - Nursing Intervention
691.33	6	0	Confusion, Acute - Referred	715.33	8	0	Fear - Referred
692.22	9	0	Confusion, Chronic - Nursing Intervention	720.22	3979	4	Fluid Volume Deficit - Nursing Intervention
692.33	2	0	Confusion, Chronic - Referred	720.33	62	0	Fluid Volume Deficit - Referred
693.22	67	1	Coping (Community): Potential For Enhanced - Nursing Inter	722.22	5306	7	Fluid Volume Deficit, Risk for - Nursing Intervention
694.22	305	1	Coping (Community): Ineffective - Nursing Intervention	722.33	22	0	Fluid Volume Deficit, Risk for - Referred

ASHAR Summary - Average per 100 Students

Schools with Student Population - All

School Year: 2009-2010

<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>
725.22	12	0	Fluid Volume Excess - Nursing Intervention	779.22	146	1	Management Of Therapeutic Regimen, Effective: Individual -
730.22	186	0	Grieving, Anticipatory - Nursing Intervention	779.33	1	0	Management Of Therapeutic Regimen, Effective: Individual -
730.33	15	0	Grieving, Anticipatory - Referred	780.22	2243	3	Physical Mobility, Impaired - Nursing Intervention
731.22	49	0	Greiving, Dysfunctional - Nursing Intervention	780.33	93	1	Physical Mobility, Impaired - Referred
731.33	20	0	Greiving, Dysfunctional - Referred	782.22	77	1	Peripheral Neurovascular Dysfunction, Risk for - Nursing Int
735.22	1266	8	Growth and Development, Altered - Nursing Intervention	782.33	4	0	Peripheral Neurovascular Dysfunction, Risk for - Referred
735.33	2	0	Growth and Development, Altered - Referred	785.22	2411	4	Noncompliance - Nursing Intervention
745.22	15745	28	Health Maintenance - Alterations in - Nursing Intervention	785.33	143	1	Noncompliance - Referred
745.33	3326	21	Health Maintenance - Alterations in - Referred	790.22	13998	10	Nutrition, Altered - Less than Body Requirements - Nursing I
746.22	1605	3	Health - Seeking Behaviors (specify) - Nursing Intervention	790.33	102	0	Nutrition, Altered - Less than Body Requirements - Referred
746.33	54	0	Health - Seeking Behaviors (specify) - Referred	791.22	682	3	Nutrition, Altered: Risk for More than Body Requirements - N
750.22	202	1	Home Maintenance Management, impaired - Nursing Interv	791.33	4	0	Nutrition, Altered: Risk for More than Body Requirements - R
750.33	8	0	Home Maintenance Management, impaired - Referred	795.22	1186	4	Swallowing, Impaired - Nursing Intervention
755.22	181	1	Hopelessness - Nursing Intervention	795.33	20	0	Swallowing, Impaired - Referred
755.33	3	0	Hopelessness - Referred	800.22	548	2	Nutrition, Altered - More than Body Requirements - Nursing I
760.22	23149	14	Infection, Risk for - Nursing Intervention	800.33	5	0	Nutrition, Altered - More than Body Requirements - Referred
760.33	1358	2	Infection, Risk for - Referred	805.22	56	0	Parenting, Altered - Nursing Intervention
770.22	4401	5	Injury, Risk for - Nursing Intervention	805.33	2	0	Parenting, Altered - Referred
770.33	351	1	Injury, Risk for - Referred	806.22	30	0	Parenting, Risk For Altered - Nursing Intervention
771.22	31	0	Poisoning, Risk For - Nursing Intervention	806.33	4	0	Parenting, Risk For Altered - Referred
771.33	6	0	Poisoning, Risk For - Referred	807.22	6	0	Parent/Infant/Child Attachment, Risk For Altered - Nursing In
772.22	1310	2	Trauma, Risk For - Nursing Intervention	808.22	25	0	Parental Role Conflict - Nursing Intervention
772.33	42	0	Trauma, Risk For - Referred	808.33	9	0	Parental Role Conflict - Referred
773.22	85	0	Management Of Therapeutic Regimen, Ineffective: Families	815.22	49	0	Post-Trauma Response Syndrome - Nursing Intervention
773.33	4	0	Management Of Therapeutic Regimen, Ineffective: Families	815.33	1	0	Post-Trauma Response Syndrome - Referred
774.22	13	0	Management of Therapeutic Regimen, Ineffective: Communi	820.22	5	0	Rape-Trauma Syndrome - Nursing Intervention
774.33	4	0	Management of Therapeutic Regimen, Ineffective: Communi	820.33	1	0	Rape-Trauma Syndrome - Referred
775.22	27622	27	Knowledge Deficit - Nursing Intervention	825.22	110	1	Powerlessness - Nursing Intervention
775.33	122	1	Knowledge Deficit - Referred	825.33	7	0	Powerlessness - Referred
776.22	54	0	Loneliness, Risk for - Nursing Intervention	827.22	22	0	Protection, Altered - Nursing Intervention
776.33	3	0	Loneliness, Risk for - Referred	827.33	2	0	Protection, Altered - Referred
778.22	149	0	Management of Thereputic Regimen, Ineffective (Individuals	828.22	7	0	Relocation Stress Syndrome - Nursing Intervention
778.33	3	0	Management of Thereputic Regimen, Ineffective (Individuals	831.22	107	43	Ventilation, Inability to Sustain Spontaneous - Nursing Interv

ASHAR Summary - Average per 100 Students

Schools with Student Population - All

School Year: 2009-2010

Code	Count	AV/100	Description	Code	Count	AV/100	Description
835.22	3927	6	Ineffective Airway Clearance - Nursing Intervention	896.22	9	0	Spiritual Well-being, Potential For Enhanced - Nursing Inter
835.33	91	1	Ineffective Airway Clearance - Referred	896.33	1	0	Spiritual Well-being, Potential For Enhanced - Referred
840.22	1381	3	Breathing Pattern, Ineffective - Nursing Intervention	900.22	86	0	Thought Processes, Altered - Nursing Intervention
840.33	61	0	Breathing Pattern, Ineffective - Referred	900.33	3	0	Thought Processes, Altered - Referred
845.22	789	2	Gas Exchange, Impaired - Nursing Intervention	905.22	31412	19	Tissue Integrity, Impaired - Nursing Intervention
845.33	12	0	Gas Exchange, Impaired - Referred	905.33	636	1	Tissue Integrity, Impaired - Referred
846.22	98	2	Suffocation, Risk For - Nursing Intervention	910.22	48068	26	Skin Integrity, Impaired - Nursing Intervention
846.33	4	0	Suffocation, Risk For - Referred	910.33	517	1	Skin Integrity, Impaired - Referred
847.22	312	3	Aspiration, Risk For - Nursing Intervention	911.22	5435	7	Skin Integrity, Risk for Impaired - Intervention
847.33	2	0	Aspiration, Risk For - Referred	911.33	37	0	Skin Integrity, Risk for Impaired - Referred
848.22	18	0	Role Performance, Altered - Nursing Intervention	915.22	11356	9	Oral Mucous Membrane, Alteration in - Nursing Intervention
848.33	2	0	Role Performance, Altered - Referred	915.33	129	0	Oral Mucous Membrane, Alteration in - Referred
852.22	4998	4	Self Care Deficit Bathing/Hygiene - Nursing Intervention	920.22	1230	2	Tissue Perfusion, Altered (Specify Type) - Nursing Interventi
852.33	40	0	Self Care Deficit Bathing/Hygiene - Referred	920.33	26	0	Tissue Perfusion, Altered (Specify Type) - Referred
853.22	8826	7	Self Care Deficit Dressing/Grooming - Nursing Intervention	925.22	13	0	Neglect, Unilateral - Nursing Intervention
853.33	106	0	Self Care Deficit Dressing/Grooming - Referred	925.33	6	0	Neglect, Unilateral - Referred
854.22	7639	7	Self Care Deficit Toileting - Nursing Intervention	930.22	2420	4	Urinary Elimination, Altered - Nursing Intervention
854.33	105	0	Self Care Deficit Toileting - Referred	930.33	30	0	Urinary Elimination, Altered - Referred
857.22	1192	3	Self Care Deficit Feeding - Nursing Intervention	940.22	2405	4	Incontinence, Functional - Nursing Intervention
857.33	1	0	Self Care Deficit Feeding - Referred	940.33	33	1	Incontinence, Functional - Referred
865.22	128	1	Sensory-Perceptual Alterations (specify) (Visual, auditory, ki	945.22	113	1	Incontinence, Reflex - Nursing Intervention
865.33	7	0	Sensory-Perceptual Alterations (specify) (Visual, auditory, ki	945.33	3	0	Incontinence, Reflex - Referred
870.22	8	0	Sexuality Patterns, Altered - Nursing Intervention	950.22	149	1	Incontinence, Stress - Nursing Intervention
870.33	3	0	Sexuality Patterns, Altered - Referred	950.33	1	0	Incontinence, Stress - Referred
875.22	1	0	Sexual Dysfunction, Altered - Nursing Intervention	955.22	726	3	Incontinence, Total - Nursing Intervention
880.22	1151	2	Sleep Pattern Disturbance - Nursing Intervention	955.33	3	0	Incontinence, Total - Referred
880.33	24	0	Sleep Pattern Disturbance - Referred	960.22	1990	4	Incontinence, Urge - Nursing Intervention
885.22	20	0	Social Isolation - Nursing Intervention	960.33	31	0	Incontinence, Urge - Referred
885.33	2	0	Social Isolation - Referred	965.22	868	8	Urinary Retention - Nursing Intervention
890.22	373	1	Social Interactions, Impaired - Nursing Intervention	965.33	4	0	Urinary Retention - Referred
890.33	4	0	Social Interactions, Impaired - Referred	970.22	91	0	Violence, Risk for: Self-Directed - Nursing Intervention
895.22	16	0	Spiritual Distress (Distress Of The Human Spirit) - Nursing I	970.33	12	0	Violence, Risk for: Self-Directed - Referred
895.33	2	0	Spiritual Distress (Distress Of The Human Spirit) - Referred	971.22	222	0	Self-Mutilation, Risk For - Nursing Intervention

ASHAR Summary - Average per 100 Students

Schools with Student Population - All

School Year: 2009-2010

<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/100</i>	<i>Description</i>
971.33	38	0	Self-Mutilation, Risk For - Referred				
972.22	209	1	Violence, Risk For: Directed At Others - Nursing Intervention				
972.33	11	0	Violence, Risk For: Directed At Others - Referred				
976.22	25	0	Memory, Impaired - Nursing Intervention				
976.33	20	1	Memory, Impaired - Referred				
977.22	1	0	Environmental Interpretation Syndrome, Impaired - Nursing I				
980.22	253	1	Body Image Disturbance - Nursing Intervention				
980.33	1	0	Body Image Disturbance - Referred				
981.22	102	0	Self Esteem Disturbance - Nursing Intervention				
981.33	3	0	Self Esteem Disturbance - Referred				
982.22	58	1	Self esteem, Chronic Low - Nursing Intervention				
982.33	5	0	Self esteem, Chronic Low - Referred				
983.22	170	1	Self Esteem, Situational Low - Nursing Intervention				
983.33	11	0	Self Esteem, Situational Low - Referred				
984.22	9	0	Identity Disturbance, Personal - Nursing Intervention				
990.22	1	1	Infant Behavior, Risk For Disorganized - Nursing Intervention				
991.22	1	0	Infant Behavior, Disorganized - Nursing Intervention				
992.22	1	0	Infant Behavior, Potential For Enhanced Organized - Nursing				
996.22	1	0	Perioperative Positioning Injury, Risk For - Nursing Interventi				
1000.22	277	0	Staff Industrial Injury (Referral Required) - Nursing Interventi				
1000.33	188	0	Staff Industrial Injury (Referral Required) - Referred				
1005.22	60266	70	Staff Injury (Referral Not Required) - Nursing Intervention				
1005.33	98	0	Staff Injury (Referral Not Required) - Referred				
1015.22	112368	101	Staff Illness/Counseling - Nursing Intervention				
1015.33	104309	149	Staff Illness/Counseling - Referred				