

**ASHAR Summary**

**Schools with Student Population - All**

**School Year: 2010-2011**

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
1	467419	1892	Illness - Nsg Assess/Tx	120	514	30	Dental # RN re-screened
5	119251	477	Injury at School - Nsg Assess/Tx	121	69	8	Dental Screening # referred Urgent
6	8127	40	Follow Up Injury at School - Nsg Assess/Tx	122	68	3	Dental Screening # referred Decay
10	43722	184	Injury at Home or Other - Nsg Assess/Tx (Initial & F/U)	123	334	15	Dental Screening # referred Other
15	211302	907	Medications - Daily # doses given	125	33050	204	Pediculosis # screened
18	155376	634	Medications - PRN # doses given	130	3361	30	Pediculosis # RN re-screened
20	67484	422	Skilled Nursing Procedures (consents required)	131	529	8	Pediculosis # referred
21	6920	66	IEP (required) Related Interventions	135	144	29	TB Skin Testing # screened
30	233740	950	Parental Contacts	140	220	16	TB Skin Testing # read by RN
35	348	7	Home Visits	141	3	2	TB Skin Testing # referred
40	103010	399	Student Health Records (enrollment)	145	1411	67	Acanthosis Nigricans Screening # screened
45	148473	589	Student Health Records (withdrawal)	150	98	14	Acanthosis Nigricans Screening # RN re-screened
50	138418	565	Immunization Records	151	34	3	Acanthosis Nigricans Screening # referred
55	75	9	Immunization Administration # adults	160	6297	110	Physical Exams/Assessments
60	400	22	Immunization Administration # students	165	383	15	Neurodevelopmental Assessments
65	91346	457	Vision # screened	170	14823	2471	Fluoride Mouthrinse Program
70	8896	56	Vision # RN re-screened	175	20232	235	Health Education/Promotion/Resource
71	10377	63	Vision # referred	180	2240	29	Classroom Presentation to Students
75	93732	473	Hearing # screened	185	177	7	Social/Developmental Histories
80	7212	43	Hearing # RN re-screened	190	1910	30	Special Education - Evaluation/Re-Eval Assessment
81	1652	13	Hearing # referred	195	1988	28	Child/Student Team Meetings
85	8509	144	Scoliosis # screened	210	25884699	128780	Conferences w/ school personnel re: students
90	282	9	Scoliosis # RN re-screened	215	1659	18	School Meetings
91	308	7	Scoliosis # referred	220	8694	68	Community Contacts / Meetings
95	39868	369	Height & Weight Screening # screened	225	1021	26	School Environmental Inspection
100	710	37	Height & Weight Screening # RN re-screened	230	14	2	University / College Courses
101	168	11	Height & Weight Screening # referred Underweight	235	369	5	Conferences / Workshops Attended
102	597	66	Height & Weight Screening # referred At Risk	240	265	6	Classes Workshops Given
103	1166	78	Height & Weight Screening # referred Overweight	245	504	12	Preceptor of Student Nurses
105	4687	62	B/P # screened	250	399	9	Professional Committee Participation
110	933	22	B/P # RN re-screened	275	442	16	Emergency Calls to Other Schools
111	57	3	B/P # referred	280	53596	247	Students Sent Home by RN
115	2386	58	Dental # screened	285	17619	141	Students Sent Home by Health Assistant

**ASHAR Summary**

**Schools with Student Population - All**

**School Year: 2010-2011**

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
300.11	229	5	Absenteeism - Known as of 5/1	340.11	284	2	Bleeding Disorders - Known as of 5/1
300.22	607	12	Absenteeism - Nursing Intervention	340.22	241	5	Bleeding Disorders - Nursing Intervention
300.33	71	5	Absenteeism - Referred	340.33	11	2	Bleeding Disorders - Referred
305.11	4	1	AIDS/HIV - Known as of 5/1	343.11	12	1	Coccidioidomycosis - Known as of 5/1
305.22	4	1	AIDS/HIV - Nursing Intervention	343.22	22	3	Coccidioidomycosis - Nursing Intervention
305.33	2	1	AIDS/HIV - Referred	344.11	72	2	Connective Tissue Disorders - Known as of 5/1
310.11	30691	128	Allergy - Known as of 5/1	344.22	88	6	Connective Tissue Disorders - Nursing Intervention
310.22	14830	65	Allergy - Nursing Intervention	344.33	14	4	Connective Tissue Disorders - Referred
310.33	422	5	Allergy - Referred	345.11	39	1	Cystic Fibrosis - Known as of 5/1
315.11	21	1	Anorexia/Bulimia - Known as of 5/1	345.22	3458	150	Cystic Fibrosis - Nursing Intervention
315.22	133	7	Anorexia/Bulimia - Nursing Intervention	345.33	10	3	Cystic Fibrosis - Referred
315.33	10	1	Anorexia/Bulimia - Referred	350.11	398	3	Diabetes - Type I - Known as of 5/1
320.11	157	2	Arthritis/Rheumatic Disease - Known as of 5/1	350.22	72816	452	Diabetes - Type I - Nursing Intervention
320.22	1171	21	Arthritis/Rheumatic Disease - Nursing Intervention	350.33	169	5	Diabetes - Type I - Referred
320.33	15	2	Arthritis/Rheumatic Disease - Referred	351.11	93	2	Diabetes - Type II - Known as of 5/1
325.11	14796	61	Asthma - without PCP Action Plan - Known as of 5/1	351.22	2579	72	Diabetes - Type II - Nursing Intervention
325.22	34488	156	Asthma - without PCP Action Plan - Nursing Intervention	351.33	5	1	Diabetes - Type II - Referred
325.33	532	5	Asthma - without PCP Action Plan - Referred	355.11	579	4	Endocrine Disorders - Known as of 5/1
326.11	2634	13	Asthma - with PCP Action Plan - Known as of 5/1	355.22	3159	66	Endocrine Disorders - Nursing Intervention
326.22	13315	81	Asthma - with PCP Action Plan - Nursing Intervention	355.33	12	1	Endocrine Disorders - Referred
326.33	156	4	Asthma - with PCP Action Plan - Referred	356.11	2374	11	Gastrointestinal Chronic - Known as of 5/1
330.11	7297	31	Attention Deficit Disorder/Hyperactivity - Known as of 5/1	356.22	8395	63	Gastrointestinal Chronic - Nursing Intervention
330.22	97255	470	Attention Deficit Disorder/Hyperactivity - Nursing Intervention	356.33	114	4	Gastrointestinal Chronic - Referred
330.33	114	7	Attention Deficit Disorder/Hyperactivity - Referred	358.11	824	5	Genitourinary Chronic - Known as of 5/1
332.11	735	5	Autism, Childhood - Known as of 5/1	358.22	7086	69	Genitourinary Chronic - Nursing Intervention
332.22	2712	77	Autism, Childhood - Nursing Intervention	358.33	51	2	Genitourinary Chronic - Referred
332.33	9	2	Autism, Childhood - Referred	359.11	298	6	Gynecological - Known as of 5/1
333.11	332	3	Autism, Spectrum Disorder - Known as of 5/1	359.22	3207	37	Gynecological - Nursing Intervention
333.22	2718	97	Autism, Spectrum Disorder - Nursing Intervention	359.33	57	5	Gynecological - Referred
333.33	5	2	Autism, Spectrum Disorder - Referred	360.11	2450	11	Hearing - Known as of 5/1
335.11	1947	10	Birth Defects/Developmental - Known as of 5/1	360.22	2860	20	Hearing - Nursing Intervention
335.22	20220	281	Birth Defects/Developmental - Nursing Intervention	360.33	1337	12	Hearing - Referred
335.33	4	1	Birth Defects/Developmental - Referred	365.11	1973	9	Heart - Known as of 5/1

**ASHAR Summary**

**Schools with Student Population - All**

**School Year: 2010-2011**

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
365.22	721	7	Heart - Nursing Intervention	410.22	57	7	Tuberculosis - Nursing Intervention
365.33	89	2	Heart - Referred	410.33	1	1	Tuberculosis - Referred
368.11	54	1	Hepatic & Biliary Disorders - Known as of 5/1	415.11	24428	110	Vision - Known as of 5/1
368.22	768	77	Hepatic & Biliary Disorders - Nursing Intervention	415.22	14919	77	Vision - Nursing Intervention
368.33	15	5	Hepatic & Biliary Disorders - Referred	415.33	9449	63	Vision - Referred
370.11	173	3	Hypertension - Known as of 5/1	420.11	582	5	Color Deficit - Known as of 5/1
370.22	878	27	Hypertension - Nursing Intervention	420.22	652	15	Color Deficit - Nursing Intervention
370.33	26	2	Hypertension - Referred	420.33	646	17	Color Deficit - Referred
372.11	2342	12	Integumentary Chronic - Known as of 5/1	425.11	928	10	Weight Disorders - Known as of 5/1
372.22	1729	17	Integumentary Chronic - Nursing Intervention	425.22	370	13	Weight Disorders - Nursing Intervention
372.33	39	2	Integumentary Chronic - Referred	425.33	123	21	Weight Disorders - Referred
375.11	146	2	Malignancies - Known as of 5/1	430.11	4021	19	Other Chronic
375.22	448	13	Malignancies - Nursing Intervention	430.22	11981	121	Other Chronic - Nursing Intervention
375.33	5	1	Malignancies - Referred	430.33	39	2	Other Chronic - Referred
380.11	3443	17	Neuro Disorders - Known as of 5/1	500.22	81	8	Anemia - Nursing Intervention
380.22	22299	159	Neuro Disorders - Nursing Intervention	500.33	7	4	Anemia - Referred
380.33	269	7	Neuro Disorders - Referred	505.22	1880	23	Child Abuse/Neglect - Nursing Intervention
385.11	1445	8	Orthopedic - Known as of 5/1	505.33	276	5	Child Abuse/Neglect - Referred
385.22	7612	69	Orthopedic - Nursing Intervention	510.22	8	1	Coccidioidomycosis - Nursing Intervention
385.33	211	6	Orthopedic - Referred	510.33	1	1	Coccidioidomycosis - Referred
390.11	2511	13	Psychiatric - Known as of 5/1	515.22	106	3	Commun. Rash - Varicella - Nursing Intervention
390.22	14957	111	Psychiatric - Nursing Intervention	515.33	23	1	Commun. Rash - Varicella - Referred
390.33	91	3	Psychiatric - Referred	516.22	105	2	Commun. Rash - Impetigo - Nursing Intervention
395.11	417	4	Scoliosis - Known as of 5/1	516.33	25	1	Commun. Rash - Impetigo - Referred
395.22	378	10	Scoliosis - Nursing Intervention	518.22	904	7	Commun. Rash - Other - Nursing Intervention
395.33	14	3	Scoliosis - Referred	518.33	149	3	Commun. Rash - Other - Referred
400.11	1295	6	Seizure Disorders - Known as of 5/1	520.22	4227	21	Conjunctivitis - Nursing Intervention
400.22	11972	104	Seizure Disorders - Nursing Intervention	520.33	1007	9	Conjunctivitis - Referred
400.33	88	2	Seizure Disorders - Referred	525.22	2992	19	Dental - Decay - Nursing Intervention
405.11	44	1	Sickle Cell - Known as of 5/1	525.33	783	12	Dental - Decay - Referred
405.22	89	6	Sickle Cell - Nursing Intervention	526.22	13001	60	Dental - Other - Nursing Intervention
405.33	2	2	Sickle Cell - Referred	526.33	644	6	Dental - Other - Referred
410.11	67	2	Tuberculosis - Known as of 5/1	530.22	6591	42	Emotional/Adjustment Problems - Nursing Intervention

**ASHAR Summary**

**Schools with Student Population - All**

**School Year: 2010-2011**

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
530.33	214	5	Emotional/Adjustment Problems - Referred	582.33	331	6	Respiratory - Influenza-like Illness (ILI) - Referred
531.22	3733	20	Fever >101 with or w/o headache & no other recognizable sy	585.22	36	3	Scabies - Nursing Intervention
531.33	393	6	Fever >101 with or w/o headache & no other recognizable sy	585.33	4	1	Scabies - Referred
535.22	1505	11	Fractures - Nursing Intervention	590.22	15	2	Sexually Transmitted Diseases - Nursing Intervention
535.33	210	3	Fractures - Referred	590.33	5	1	Sexually Transmitted Diseases - Referred
540.22	3865	23	Genitourinary - Nursing Intervention	595.22	469	9	Substance Abuse - Nursing Intervention
540.33	192	3	Genitourinary - Referred	595.33	161	6	Substance Abuse - Referred
543.22	8051	44	Gastrointestinal - Vomiting & Diarrhea w or w/o fever - Nursi	600.22	55	3	Suicide Behavior - Nursing Intervention
543.33	451	9	Gastrointestinal - Vomiting & Diarrhea w or w/o fever - Refer	600.33	27	2	Suicide Behavior - Referred
545.22	91599	397	Gastrointestinal - Other - Nursing Intervention	603.22	17	1	Suicide Attempt - Nursing Intervention
545.33	1389	13	Gastrointestinal - Other - Referred	603.33	10	1	Suicide Attempt - Referred
546.22	14331	90	Gynecological - Nursing Intervention	605.22	5	1	Suicide - Nursing Intervention
546.33	133	4	Gynecological - Referred	605.33	1	1	Suicide - Referred
550.22	2	1	Hepatitis - Nursing Intervention	610.22	1025	9	Trauma (Referral Required) - Nursing Intervention
553.22	68	10	Hepatic and Biliary Disorders - Nursing Intervention	610.33	550	8	Trauma (Referral Required) - Referred
553.33	3	3	Hepatic and Biliary Disorders - Referred	620.22	14538	130	Activity Intolerance - Nursing Intervention
555.22	118	4	Infectious Mononucleosis - Nursing Intervention	620.33	398	15	Activity Intolerance - Referred
555.33	7	1	Infectious Mononucleosis - Referred	621.22	4406	52	Activity Intolerance, Risk For - Nursing Intervention
560.22	32241	157	Integumentary - Nursing Intervention	621.33	13	2	Activity Intolerance, Risk For - Referred
560.33	475	6	Integumentary - Referred	623.22	3	2	Adaptive Capacity, Intracranial:decreased - Nursing Interve
561.22	264	26	Meningitis/Encephalitis - Bacterial/Viral - Nursing Interventio	623.33	2	2	Adaptive Capacity, Intracranial:decreased - Referred
561.33	3	1	Meningitis/Encephalitis - Bacterial/Viral - Referred	625.22	119	3	Adjustment impaired - Nursing Intervention
563.22	37261	214	Musculoskeletal (acute, non-fracture) - Nursing Intervention	625.33	4	1	Adjustment impaired - Referred
563.33	966	12	Musculoskeletal (acute, non-fracture) - Referred	630.22	4454	27	Anxiety - Nursing Intervention
565.22	5155	26	Otitis Media/Externa - Nursing Intervention	630.33	113	2	Anxiety - Referred
565.33	997	10	Otitis Media/Externa - Referred	635.22	2300	23	Body Temperature, Risk for, Alteration - Nursing Intervention
570.22	4518	28	Pediculosis - Nursing Intervention	635.33	166	9	Body Temperature, Risk for, Alteration - Referred
570.33	555	8	Pediculosis - Referred	640.22	62	4	Hypothermia - Nursing Intervention
575.22	445	8	Pregnancy - Nursing Intervention	640.33	3	1	Hypothermia - Referred
575.33	60	4	Pregnancy - Referred	645.22	3168	32	Hyperthermia - Nursing Intervention
580.22	64237	295	Respiratory - Nursing Intervention	645.33	157	8	Hyperthermia - Referred
580.33	2208	20	Respiratory - Referred	650.22	354	11	Thermoregulation, Ineffective - Nursing Intervention
582.22	4057	27	Respiratory - Influenza-like Illness (ILI) - Nursing Intervention	650.33	7	1	Thermoregulation, Ineffective - Referred

## ASHAR Summary

## Schools with Student Population - All

School Year: 2010-2011

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
655.22	695	8	Constipation - Nursing Intervention	694.33	9	1	Coping (Community): Ineffective - Referred
655.33	21	1	Constipation - Referred	695.22	3807	31	Coping (Individual), Ineffective - Individual - Nursing Interve
656.22	48	2	Constipation, Colonic - Nursing Intervention	695.33	133	4	Coping (Individual), Ineffective - Individual - Referred
656.33	4	2	Constipation, Colonic - Referred	696.22	200	7	Coping, Defensive - Nursing Intervention
657.22	106	3	Constipation, Perceived - Nursing Intervention	696.33	7	1	Coping, Defensive - Referred
657.33	5	1	Constipation, Perceived - Referred	697.22	9	1	Denial, Ineffective - Nursing Intervention
658.22	1861	16	Incontinence, Bowel - Nursing Intervention	697.33	1	1	Denial, Ineffective - Referred
658.33	51	4	Incontinence, Bowel - Referred	698.22	222	10	Coping (Family): Potential for Growth - Nursing Intervention
660.22	1250	10	Diarrhea - Nursing Intervention	698.33	8	2	Coping (Family): Potential for Growth - Referred
660.33	88	3	Diarrhea - Referred	699.22	193	4	Coping (Family): Ineffective: Compromised - Nursing Interve
661.22	14	2	Breastfeeding, Effective - Nursing Intervention	699.33	12	1	Coping (Family): Ineffective: Compromised - Referred
662.22	2	1	Breastfeeding, Ineffective - Nursing Intervention	700.22	133	5	Coping (Family), Ineffective: Disabling - Nursing Intervention
663.22	3	1	Breastfeeding, Interrupted - Nursing Intervention	700.33	6	2	Coping (Family), Ineffective: Disabling - Referred
663.33	1	1	Breastfeeding, Interrupted - Referred	701.22	497	21	Decisional Conflict - Nursing Intervention
665.22	37	2	Cardiac Output, Alterations in - Decreased - Nursing Interv	701.33	9	2	Decisional Conflict - Referred
665.33	11	1	Cardiac Output, Alterations in - Decreased - Referred	703.22	1	1	Disuse Syndrome - Nursing Intervention
666.22	9	2	Care Giver Role Strain - Nursing Intervention	705.22	73	15	Diversional Activity Deficit - Nursing Intervention
666.33	1	1	Care Giver Role Strain - Referred	705.33	1	1	Diversional Activity Deficit - Referred
667.22	18	2	Caregiver Role Strain, Risk For - Nursing Intervention	706.22	98	49	Dysreflexia - Nursing Intervention
667.33	3	1	Caregiver Role Strain, Risk For - Referred	708.22	1982	71	Energy Field Disturbance - Nursing Intervention
675.22	234994	983	Pain - Nursing Intervention	710.22	361	6	Family Processes, Alterations in - Nursing Intervention
675.33	1642	13	Pain - Referred	710.33	35	4	Family Processes, Alterations in - Referred
680.22	1187	17	Pain, Chronic - Nursing Intervention	711.22	20	3	Family Process, Altered: Alcoholism - Nursing Intervention
680.33	63	3	Pain, Chronic - Referred	711.33	1	1	Family Process, Altered: Alcoholism - Referred
690.22	207	7	Communication, Impaired - Verbal - Nursing Intervention	712.22	8257	55	Fatigue - Nursing Intervention
690.33	5	1	Communication, Impaired - Verbal - Referred	712.33	52	2	Fatigue - Referred
691.22	32	2	Confusion, Acute - Nursing Intervention	715.22	342	6	Fear - Nursing Intervention
691.33	6	1	Confusion, Acute - Referred	715.33	14	1	Fear - Referred
692.22	6	2	Confusion, Chronic - Nursing Intervention	720.22	5599	55	Fluid Volume Deficit - Nursing Intervention
692.33	1	1	Confusion, Chronic - Referred	720.33	47	3	Fluid Volume Deficit - Referred
693.22	136	15	Coping (Community): Potential For Enhanced - Nursing Inter	722.22	2828	34	Fluid Volume Deficit, Risk for - Nursing Intervention
693.33	6	3	Coping (Community): Potential For Enhanced - Referred	722.33	9	2	Fluid Volume Deficit, Risk for - Referred
694.22	265	7	Coping (Community): Ineffective - Nursing Intervention	725.22	6	2	Fluid Volume Excess - Nursing Intervention

**ASHAR Summary**

**Schools with Student Population - All**

**School Year: 2010-2011**

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
725.33	1	1	Fluid Volume Excess - Referred	779.22	155	7	Management Of Therapeutic Regimen, Effective: Individual -
730.22	84	2	Grieving, Anticipatory - Nursing Intervention	779.33	1	1	Management Of Therapeutic Regimen, Effective: Individual -
730.33	11	2	Grieving, Anticipatory - Referred	780.22	4916	67	Physical Mobility, Impaired - Nursing Intervention
731.22	138	7	Greiving, Dysfunctional - Nursing Intervention	780.33	100	6	Physical Mobility, Impaired - Referred
731.33	10	3	Greiving, Dysfunctional - Referred	782.22	86	7	Peripheral Neurovascular Dysfunction, Risk for - Nursing Int
735.22	931	78	Growth and Development, Altered - Nursing Intervention	782.33	1	1	Peripheral Neurovascular Dysfunction, Risk for - Referred
735.33	1	1	Growth and Development, Altered - Referred	785.22	1887	31	Noncompliance - Nursing Intervention
745.22	11503	183	Health Maintenance - Alterations in - Nursing Intervention	785.33	131	13	Noncompliance - Referred
745.33	69	7	Health Maintenance - Alterations in - Referred	790.22	11523	73	Nutrition, Altered - Less than Body Requirements - Nursing I
746.22	1933	48	Health - Seeking Behaviors ( specify ) - Nursing Intervention	790.33	75	4	Nutrition, Altered - Less than Body Requirements - Referred
746.33	54	5	Health - Seeking Behaviors ( specify ) - Referred	791.22	419	14	Nutrition, Altered: Risk for More than Body Requirements - N
750.22	105	4	Home Maintenance Management, impaired - Nursing Interv	791.33	1	1	Nutrition, Altered: Risk for More than Body Requirements - R
750.33	2	2	Home Maintenance Management, impaired - Referred	795.22	3242	95	Swallowing, Impaired - Nursing Intervention
755.22	49	3	Hopelessness - Nursing Intervention	795.33	15	2	Swallowing, Impaired - Referred
755.33	2	1	Hopelessness - Referred	800.22	234	8	Nutrition, Altered - More than Body Requirements - Nursing I
760.22	21105	118	Infection, Risk for - Nursing Intervention	800.33	34	9	Nutrition, Altered - More than Body Requirements - Referred
760.33	980	13	Infection, Risk for - Referred	805.22	88	3	Parenting, Altered - Nursing Intervention
770.22	5280	53	Injury, Risk for - Nursing Intervention	805.33	4	1	Parenting, Altered - Referred
770.33	328	10	Injury, Risk for - Referred	806.22	22	1	Parenting, Risk For Altered - Nursing Intervention
771.22	43	2	Poisoning, Risk For - Nursing Intervention	806.33	3	1	Parenting, Risk For Altered - Referred
771.33	10	1	Poisoning, Risk For - Referred	807.22	5	1	Parent/Infant/Child Attachment, Risk For Altered - Nursing In
772.22	1778	24	Trauma, Risk For - Nursing Intervention	808.22	20	2	Parental Role Conflict - Nursing Intervention
772.33	53	3	Trauma, Risk For - Referred	808.33	1	1	Parental Role Conflict - Referred
773.22	83	4	Management Of Therapeutic Regimen, Ineffective: Families	815.22	56	3	Post-Trauma Response Syndrome - Nursing Intervention
773.33	1	1	Management Of Therapeutic Regimen, Ineffective: Families	815.33	3	3	Post-Trauma Response Syndrome - Referred
774.22	8	2	Management of Therapeutic Regimen, Ineffective: Communi	820.22	5	1	Rape-Trauma Syndrome - Nursing Intervention
774.33	4	1	Management of Therapeutic Regimen, Ineffective: Communi	820.33	4	1	Rape-Trauma Syndrome - Referred
775.22	29778	301	Knowledge Deficit - Nursing Intervention	821.22	1	1	Rape-Trauma Syndrome: Compound Reaction - Nursing Int
775.33	28	2	Knowledge Deficit - Referred	821.33	1	1	Rape-Trauma Syndrome: Compound Reaction - Referred
776.22	52	3	Loneliness, Risk for - Nursing Intervention	822.22	1	1	Rape-Trauma Syndrome: Silent Reaction - Nursing Intervent
776.33	6	3	Loneliness, Risk for - Referred	825.22	253	17	Powerlessness - Nursing Intervention
778.22	149	5	Management of Thereputic Regimen, Ineffective (Individuals	825.33	2	1	Powerlessness - Referred
778.33	3	1	Management of Thereputic Regimen, Ineffective (Individuals	827.22	29	2	Protection, Altered - Nursing Intervention

**ASHAR Summary**

**Schools with Student Population - All**

**School Year: 2010-2011**

<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>	<i>Code</i>	<i>Count</i>	<i>AV/Sch</i>	<i>Description</i>
828.22	20	3	Relocation Stress Syndrome - Nursing Intervention	895.22	24	3	Spiritual Distress (Distress Of The Human Spirit) - Nursing I
831.22	2	1	Ventilation, Inability to Sustain Spontaneous - Nursing Interv	896.22	1	1	Spiritual Well-being, Potential For Enhanced - Nursing Inter
832.22	1	1	Ventilatory Weaning Response, Dysfunctional (DVWR) - Nur	900.22	133	6	Thought Processes, Altered - Nursing Intervention
835.22	2632	45	Ineffective Airway Clearance - Nursing Intervention	900.33	6	2	Thought Processes, Altered - Referred
835.33	80	7	Ineffective Airway Clearance - Referred	905.22	29229	151	Tissue Integrity, Impaired - Nursing Intervention
840.22	2423	43	Breathing Pattern, Ineffective - Nursing Intervention	905.33	441	7	Tissue Integrity, Impaired - Referred
840.33	51	4	Breathing Pattern, Ineffective - Referred	910.22	43134	199	Skin Integrity, Impaired - Nursing Intervention
845.22	836	23	Gas Exchange, Impaired - Nursing Intervention	910.33	379	5	Skin Integrity, Impaired - Referred
845.33	13	2	Gas Exchange, Impaired - Referred	911.22	10644	98	Skin Integrity, Risk for Impaired - Intervention
846.22	294	49	Suffocation, Risk For - Nursing Intervention	911.33	45	2	Skin Integrity, Risk for Impaired - Referred
846.33	1	1	Suffocation, Risk For - Referred	915.22	10346	68	Oral Mucous Membrane, Alteration in - Nursing Intervention
847.22	54	3	Aspiration, Risk For - Nursing Intervention	915.33	159	5	Oral Mucous Membrane, Alteration in - Referred
847.33	4	1	Aspiration, Risk For - Referred	920.22	1055	15	Tissue Perfusion, Altered (Specify Type) - Nursing Interventi
848.22	3	3	Role Performance, Altered - Nursing Intervention	920.33	33	2	Tissue Perfusion, Altered (Specify Type) - Referred
852.22	9162	74	Self Care Deficit Bathing/Hygiene - Nursing Intervention	925.22	9	1	Neglect, Unilateral - Nursing Intervention
852.33	23	2	Self Care Deficit Bathing/Hygiene - Referred	930.22	1368	21	Urinary Elimination, Altered - Nursing Intervention
853.22	8113	57	Self Care Deficit Dressing/Grooming - Nursing Intervention	930.33	12	1	Urinary Elimination, Altered - Referred
853.33	60	2	Self Care Deficit Dressing/Grooming - Referred	940.22	2320	33	Incontinence, Functional - Nursing Intervention
854.22	9824	79	Self Care Deficit Toileting - Nursing Intervention	940.33	9	2	Incontinence, Functional - Referred
854.33	35	2	Self Care Deficit Toileting - Referred	945.22	112	5	Incontinence, Reflex - Nursing Intervention
857.22	822	14	Self Care Deficit Feeding - Nursing Intervention	945.33	11	4	Incontinence, Reflex - Referred
865.22	80	4	Sensory-Perceptual Alterations (specify) (Visual, auditory, ki	950.22	271	9	Incontinence, Stress - Nursing Intervention
865.33	5	1	Sensory-Perceptual Alterations (specify) (Visual, auditory, ki	950.33	5	1	Incontinence, Stress - Referred
870.22	9	2	Sexuality Patterns, Altered - Nursing Intervention	955.22	2649	78	Incontinence, Total - Nursing Intervention
870.33	1	1	Sexuality Patterns, Altered - Referred	955.33	12	2	Incontinence, Total - Referred
875.22	8	1	Sexual Dysfunction, Altered - Nursing Intervention	960.22	980	17	Incontinence, Urge - Nursing Intervention
875.33	1	1	Sexual Dysfunction, Altered - Referred	960.33	50	7	Incontinence, Urge - Referred
880.22	906	13	Sleep Pattern Disturbance - Nursing Intervention	965.22	439	26	Urinary Retention - Nursing Intervention
880.33	13	2	Sleep Pattern Disturbance - Referred	965.33	2	1	Urinary Retention - Referred
885.22	19	1	Social Isolation - Nursing Intervention	970.22	163	4	Violence, Risk for: Self-Directed - Nursing Intervention
885.33	2	1	Social Isolation - Referred	970.33	16	1	Violence, Risk for: Self-Directed - Referred
890.22	182	5	Social Interactions, Impaired - Nursing Intervention	971.22	181	3	Self-Mutilation, Risk For - Nursing Intervention
890.33	6	2	Social Interactions, Impaired - Referred	971.33	31	2	Self-Mutilation, Risk For - Referred

**ASHAR Summary****Schools with Student Population - All****School Year: 2010-2011**

<b>Code</b>	<b>Count</b>	<b>AV/Sch</b>	<b>Description</b>	<b>Code</b>	<b>Count</b>	<b>AV/Sch</b>	<b>Description</b>
972.22	209	5	Violence, Risk For: Directed At Others - Nursing Intervention				
972.33	17	1	Violence, Risk For: Directed At Others - Referred				
976.22	31	4	Memory, Impaired - Nursing Intervention				
976.33	1	1	Memory, Impaired - Referred				
977.22	3	1	Environmental Interpretation Syndrome, Impaired - Nursing I				
980.22	287	8	Body Image Disturbance - Nursing Intervention				
980.33	8	4	Body Image Disturbance - Referred				
981.22	140	6	Self Esteem Disturbance - Nursing Intervention				
981.33	38	19	Self Esteem Disturbance - Referred				
982.22	78	6	Self esteem, Chronic Low - Nursing Intervention				
982.33	35	18	Self esteem, Chronic Low - Referred				
983.22	171	7	Self Esteem, Situational Low - Nursing Intervention				
983.33	3	1	Self Esteem, Situational Low - Referred				
984.22	37	12	Identity Disturbance, Personal - Nursing Intervention				
990.22	1	1	Infant Behavior, Risk For Disorganized - Nursing Interventio				
992.22	3	3	Infant Behavior, Potential For Enhanced Organized - Nursin				
1000.22	304	4	Staff Industrial Injury (Referral Required) - Nursing Interventi				
1000.33	186	3	Staff Industrial Injury (Referral Required) - Referred				
1005.22	4234	43	Staff Injury (Referral Not Required) - Nursing Intervention				
1005.33	126	3	Staff Injury (Referral Not Required) - Referred				
1015.22	8555	68	Staff Illness/Counseling - Nursing Intervention				
1015.33	1169	15	Staff Illness/Counseling - Referred				